

PRODUCT-DETAILS

# E201/100G

## E201/100G Switch Disconnecter



### Informations générales

Extension du type de produit	E201/100G
Code de produit	2CDE281001R1100
EAN	4016779645751
Description courte	E201/100G Switch Disconnecter
Description longue	These devices are suitable for commanding loads and they are realized according EN 60947-3 and EN 60669-1 respectively. Fast removal without dismantling of the busbar. Captive screws with recessed/slotted head. Pozidrive size 2. Add-on of up to 3 auxiliary contact S2C-H6R possible Integrated lay-on edge for labeling system ILS. Locking device as accessories for unauthorized ON/OFF. Approval: VDE, CCC, KEMA

### Technique

Normes et standards	IEC/EN 60947-3
Tension nominale ( $U_r$ )	230 V 12 V Minimum
Type de tension	AC
Courant nominal ( $I_n$ )	100 A
Pouvoir assigné de coupure de service en court-circuit ( $I_{cs}$ )	25 kA
Power Loss	at Rated Operating Conditions per Pole 3.95 W
Nombre de pôles	1
Number of Contacts CO	0

Number of Contacts NC	0
Number of Contacts NO	1
Switch Type	Off
Cover Color	Grey

## Environnement

Indice de protection	IP10
Statut RoHS	Following EU Directive 2011/65/EU
Informations RoHS	2CDK440002K0201
REACH Declaration	9AKK107492A1906
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Width in Number of Modular Spacings	1
Produit Largeur Net	17.5 mm
Produit Hauteur Net	85 mm
Produit Longueur Net	69 mm
Poids net	0.095 kg
Profondeur d'encastrement (t <sub>2</sub> )	70 mm

## Commande

Quantité minimum	1 pièce
Emballage Niveau 1 Unités	10 pièce
Emballage Niveau 1 Poids	0.995 kg

## Certificats et Déclarations (Numéro de document)

Agence de certification	EN IEC
Déclaration de Conformité - CE	2CDK441011D0403

## Installation

Instructions et manuels	2CSC400002D0208
-------------------------	-----------------

## Downloads Préférés

Fiche produit, informations techniques	2CSC400002D0209
--	-----------------

## Classifications

ETIM 8

EC001545 - Main switch for distribution board

ETIM 9	EC001545 - Main switch for distribution board
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27142301

---

## Catégories

---

Produits basse tension → Appareillage modulaire et parafoudres → Command and Signalling Devices → Switch Disconnectors

