

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

FICHE PRODUIT

SPC.T CL 15 W 230 V E14

SPECIAL OVEN T | Lampes à incandescence, forme tube, pour four

Zones d'application

- Fours de cuisson
- Fours de cuisson domestiques

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

DONNÉES TECHNIQUES

DONNÉES ÉLECTRIQUES

Puissance nominale	15.00 W
Tension nominale	230 V
Intensité nominale	65 mA

Données photométriques

Flux lumineux	60 lm
Efficacité lumineuse	4 lm/W
Temp. de couleur	2700 K
Ra Indice de rendu des couleurs	100
Teinte de couleur	1027

Données techniques légères

Temps d'amorçage	0 s
------------------	-----

DIMENSIONS ET POIDS

Longueur totale	54.00 mm
Longueur du culot hors pins	55,00 mm
Diamètre	17,0 mm
Poids du produit	5,9 g

Durée de vie

Durée de vie	1500 h
--------------	--------

DONNÉES SUPPLÉMENTAIRES SUR LE PRODUIT

Culot (désignation standard)	E14
Sans mercure	Oui

CAPACITÉS

Gradable	Oui
----------	-----

CERTIFICATS ET NORMES

Classe d'énergie efficace	G
Consommation d'énergie	15.00 kWh/1000h

Catégorisations spécifiques aux pays

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

Référence de commande	SPECIAL. CL 15W
-----------------------	-----------------

Données suivant le règlement européen sur l'étiquetage énergétique EU 2019/2015

Technologie d'éclairage utilisée	OTHER
Non-dirigée ou dirigée	NDLS
Sur secteur ou non secteur	MLS
Type de culot de la source lumineuse (ou autre interface électrique)	E14
Source lumineuse connectée (SLC)	Non
Source lumineuse réglable en couleur	Non
Enveloppe	Non
Sources lumineuses à luminance élevée	Non
Protection anti-éblouissement	Non
Température de couleur proximale	SINGLE_VALUE
Déclaration de puissance équivalente	Non
Longueur	54,00 mm
Hauteur (luminaires cycliques inclus)	17,0 mm
Largeur (y compris les luminaires ronds)	17,0 mm
Coordonnées chromatiques x	0.497
Coordonnées chromatiques y	0.417
Correspondance pour l'angle de faisceau	SPHERE_360
Facteur de déphasage (cos φ)	1.00
ID EPREL	714465
Numéro de modèle	AC35389

DONNÉES LOGISTIQUES

Code produit	Unité d'emballage (Pièces/Unité)	Dimensions (longueur x largeur x hauteur)	Poids approximatif	Volume
4050300066639	Etui carton fermé 1	62 mm x 19 mm x 19 mm	7.00 g	0.02 dm ³
4050300098500	Carton de regroupement 50	204 mm x 78 mm x 110 mm	476.00 g	1.75 dm ³

Le code produit mentionné décrit la petite quantité d'unité qui peut être commandée. Une unité peut contenir un ou plusieurs produits. Lorsque vous passez la commande, merci de bien vouloir entrer une unité ou un multiple d'une unité.

AVERTISSEMENT

Sous réserve de modifications. Sauf erreur ou omission. Veuillez à toujours utiliser la version la plus récente.

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.

Oops! An Error Occurred

The server returned a "500 Internal Server Error".

Something is broken. Please let us know what you were doing when this error occurred. We will fix it as soon as possible. Sorry for any inconvenience caused.