

PRODUCT-DETAILS

JSTD25F

JSTD25F Two-Hand device



Informations générales

Extension du type de produit	JSTD25F
Code de produit	2TLA020007R6000
EAN	7350024460322
Description courte	JSTD25F Two-Hand device
Description longue	<p>JSTD25F is a two-hand device with two JSTD1-B Safeball. The Safeball are mounted on each end of a 44x88 aluminum profile designed for two-hand applications. The Safeball are pre-wired to a M12-5 male connector and protected by flanges.</p> <p>The JSTD25 control stations are pre-built two-hand devices offering the good ergonomics of Safeball. They can be used as fixed devices that are easy to install, or as mobile devices. All models are equipped with flanges to protect the Safeball from accidental operation, and from damage if the device is dropped on the floor when used as mobile device.</p>

Commande

Quantité minimum	1 pièce
Code douanier	85365011
Groupe de produit	JSTD25
Type de produit	Two-Hand device

Downloads Préférés

Fiche produit, informations techniques	2TLC010001C0202
--	-----------------

Data Sheet, Technical Information (Part 2)	2TLC010068D0201
Instructions et manuels	2TLC172185M0201
CAD Dimensional Drawing	2CDC001079B0201
Marketing Video	2TLC010018N0201

Dimensions

Produit Longueur Net	90.5 mm
Produit Hauteur Net	130 mm
Produit Largeur Net	370 mm
Poids net	1.167 kg

Safety Information

Performance Level (PL)	Up to e
------------------------	---------

Technique

Configuration Connexion	M12-5 male
-------------------------	------------

Environnement

Indice de protection	IP65
Informations RoHS	2CMT2022-006499

Certificats et Déclarations (Numéro de document)

Declaration of Conformity - CCC	No declaration needed
Déclaration de Conformité - CE	2TLC172023D0201
Declaration of Conformity - UKCA	2TLC010204D0201
SEMKO Certificate	2TLC172034D0201

Emballage

Emballage Niveau 1 Unités	1 pièce
Emballage Niveau 1 Largeur	38.2 mm
Emballage Niveau 1 Longueur	95 mm
Emballage Niveau 1 Hauteur	140 mm
Emballage Niveau 1 Poids	1.317 kg
Emballage Niveau 1 EAN	7350024460322

Classifications

eClass	V11.0 : 27371219
ETIM 7	EC001260 - Two-hand control device
ETIM 8	EC001260 - Two-hand control device
ETIM 9	EC001260 - Two-hand control device
Code de catégorie granulaire IDEA (IGCC)	3584 >> Safety Control Module
UNSPSC	32151802
Code de classification d'objet	B

Catégories

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Commandes → Commande bimanuelle JSTD25

