

PRODUCT-DETAILS

SU-F-1.0.1-WL

SU-F-1.0.1-WL WL-Sensor Unit 1gang



Informations générales

| | |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extension du type de produit | SU-F-1.0.1-WL |
| Code de produit | 2CKA006200A0072 |
| EAN | 4011395215616 |
| Description courte | SU-F-1.0.1-WL WL-Sensor Unit 1gang |
| Description longue | For transmitting switching, push-button, dimming and blind commands to an ABB-free@home® actuator. Communication with the free@home system is carried out wireless. For contacting 1gang rocker 6230-10-xxx, 6231-10-xxx, 6232-10-xxx, 6233-10-xxx und 6234-10-xxx. With fixing claws. |

Installation

| | |
|-------------------------|--------------------|
| Instructions et manuels | No document needed |
|-------------------------|--------------------|

Technique

| | |
|----------------------------------------|-----------------|
| Fiche produit, informations techniques | 2CKA001473B9110 |
| Tension nominale (U_r) | 230 V |
| Auxiliary Voltage AC/DC | 230 V AC/DC |
| Fréquence assignée (f) | 50 ... 60 Hz |
| Number of Buttons | 1 |

| | |
|----------------------------|---------------------------------|
| Number of Actuation Points | 2 |
| Compatible Bus Systems | free@home |
| Product Range | free@home |
| Type de montage | Flush Mounted |
| Nombre de batteries | 0 |
| Application Function | Data Communication / Multimedia |

Environnement

| | |
|---------------------------------------------|-----------------------------------|
| Température de l'air ambiant | Operation -5 ... +45 °C |
| Indice de protection | IP20 |
| Statut RoHS | Following EU Directive 2011/65/EU |
| Informations RoHS | 2CKA200000E7837 |
| REACH Declaration | 2CKA309999E9999 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Dimensions

| | |
|---------------------------------------------|--------|
| Produit Largeur Net | 71 mm |
| Produit Hauteur Net | 71 mm |
| Produit Longueur Net | 33 mm |
| Poids net | 87.6 g |
| Profondeur d'encastrement (t ₂) | 32 mm |

Commande

| | |
|--------------------------------------|------------------------------------|
| ID Produit de remplacement (NOUVEAU) | 2CKA006800A3051 2CKA006200A0281 |
| ID du produit remplacé | 6200-0-0072 |

Certificats et Déclarations (Numéro de document)

| | |
|--------------------------------|-----------------|
| Déclaration de Conformité - CE | 2CKA100000E2637 |
|--------------------------------|-----------------|

Classifications

| | |
|----------------|------------------------------------------------------------|
| ETIM 8 | EC000672 - Touch sensor for bus system |
| ETIM 9 | EC000672 - Touch sensor for bus system |
| Catégorie DEEE | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |
| CN8 | 8538 90 99 |
| eClass | V11.0 : 27143138 |

Catégories

Produits basse tension → Home and Building Automation → free@home → User Operation → Bus Coupling Units / Push Button Coupling Units → Push Button Coupling Units

