

PRODUCT-DETAILS

JSHD4H2A 0.15m

JSHD4H2A 0.15m Three-position dual pushbutton



Informations générales

Extension du type de produit	JSHD4H2A 0.15m
Code de produit	2TLA020002R0200
EAN	7350024454833
Description courte	JSHD4H2A 0.15m Three-position dual pushbutton
Description longue	JSHD4H2A 0.15m is a three-position device for external panel mounting with 6 leads, each 150mm long, and mounting holes up left. Three-position devices are used to allow a limited movement of the machine when the operator is in the dangerous area, for example during troubleshooting, test running and programming.

Commande

Quantité minimum	1 pièce
Code douanier	85369095
Groupe de produit	JSHD4H2
Type de produit	Three-position dual pushbutton
Fonction	Three-position dual pushbutton usual mounted on another device, e.g. a robot pendant
Status Indicator	Non

Downloads Préférés

Fiche produit, informations techniques	2TLC010126L0201
CAD Dimensional Drawing	2CDC001079B0201
Marketing Video	2TLC010018N0201

Dimensions

Produit Longueur Net	52 mm
Produit Hauteur Net	56 mm
Produit Largeur Net	106 mm
Poids net	0.154 kg

Safety Information

Agence de certification	CE cURus Kiwa
Performance Level (PL)	Up to e

Technique

Interface de communication	Contacts
Configuration Connexion	6 leads, 150 mm each
Number of Contacts CO	2
Number of Contacts NC	0
Number of Contacts NO	0
Rated Operational Current DC-12 (I ₀)	(24 V) 0.02 A

Environnement

Température de l'air ambiant	Operation 0 ... +50 °C Storage -20 ... 80 °C
Indice de protection	IP65
Matériau	Housing: PP (polypropylene with mineral filling) Rubber: Thermoplastic elastomer on PP basis Steering T: PP with fiberglass filling
REACH Declaration	2CMT2022-006480
Informations RoHS	2CMT2022-006499
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Certificats et Déclarations (Numéro de document)

CQC Certificate	No certification needed
Certificat ecULus	2TLC010153D0201
cURus Certificate	2TLC010153D0201
Declaration of Conformity - CCC	No declaration needed
Déclaration de Conformité - CE	2TLC172022D0201
Declaration of Conformity - UKCA	2TLC010152D0201

SEMKO Certificate	2TLC172032D0201
UR Certificate	2TLC010153D0201

Emballage

Emballage Niveau 1 Unités	bag 1 pièce
Emballage Niveau 1 Largeur	174 mm
Emballage Niveau 1 Longueur	268 mm
Emballage Niveau 1 Hauteur	57 mm
Emballage Niveau 1 Poids	0.156 kg
Emballage Niveau 1 EAN	7350024454833

Classifications

eClass	V11.0 : 27371238
ETIM 7	EC002571 - Agreement switch
ETIM 8	EC002571 - Agreement switch
ETIM 9	EC002571 - Agreement switch
Code de catégorie granulaire IDEA (IGCC)	5219 >> Switch part or accessory
UNSPSC	39122221
Code de classification d'objet	B

Catégories

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Commandes → Poignée à trois positions JSHD4

