

PRODUCT-DETAILS

# 6733-84-500

## 6733-84-500 RF-Switch Sensor 4-fold



### Informations générales

Extension du type de produit	6733-84-500
Code de produit	2CKA006730A0040
EAN	4011395134283
Description courte	6733-84-500 RF-Switch Sensor 4-fold
Description longue	4gang wall-mounted transmitter independent of mains power supply. With labelling field and labelling strip. For switching and dimming. For controlling blinds and light scenes. 4 radio channels can be operated or up to 8 light scenes can be called up. For flush-mounted WaveLINE actuators 6701-101, 6702, 6703, 6704 and 6705-101. Send frequency: 868 MHz. Free-field range: approx. 100 m. Power supply: lithium button cell battery Type CR2032. Battery service life: typically 5 years, therefore practically maintenance-free. Automatic monitoring of battery life. Including fixing plate for mounting on smooth walls or on switch boxes.

### Information complémentaire

Température de l'air ambiant	Operation -5 ... +45 °C
Application Function	Blind / Shutter / Shading Control
Auxiliary Voltage AC/DC	3 V AC/DC
Composition chimique de la batterie	Lithium
Type de batterie	Pile bouton
Poids de la batterie	3 g
CN8	8538 90 99

Couleur	studio white
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Pays d'origine	Spain (ES)
Code douanier	85389099
Fiche produit, informations techniques	No document needed
Déclaration de Conformité - CE	2CKA100000E0661
Indice de protection	IP20
EAN	4011395134283
eClass	V11.0 : 27144039
E-Number (Sweden)	1701025
ETIM 5	EC000257 - Transmitter/Remote control for domestic switching devices
ETIM 6	EC000257 - émetteur/télécommande pour programmes de commutateur d'installation
ETIM 7	EC000257 - Transmitter/Remote control for domestic switching devices
ETIM 8	EC000257 - Transmitter/Remote control for domestic switching devices
Instructions et manuels	DEBJE-0073-1-7648
Description sur la facturation	6733-84-500 RF-Switch Sensor 4-fold
Matériau	Plastic Thermoplastic
Quantité minimum	1 pièce
Type de montage	Surface Mounted
Nombre de batteries	1
Number of Channels	4
Emballage Niveau 1 Longueur	78 mm
Emballage Niveau 1 EAN	4011395134283
Emballage Niveau 1 Poids	0.098 kg
Emballage Niveau 1 Hauteur	58 mm
Emballage Niveau 1 Unités	carton 1 pièce
Emballage Niveau 1 Largeur	92 mm
Emballage Niveau 2 Longueur	298 mm
Emballage Niveau 2 Poids	0.98 kg
Emballage Niveau 2 Hauteur	112 mm
Emballage Niveau 2 Unités	carton 10 pièce
Emballage Niveau 2 Largeur	168 mm
Groupe de produit	Wall-mounted transmitter WaveLINE
Type de produit	Wall sensor
Produit Longueur Net	15.6 mm
Produit Hauteur Net	63 mm
Poids net	0.098 kg
Produit Largeur Net	63 mm
Product Range	WaveLINE
RAL Number	RAL 9016 - Blanc signalisation
Tension nominale (U <sub>r</sub> )	3 V
REACH Declaration	2CKA309999E9999

ID du produit remplacé	6730-0-0040
Date RoHS	20201020
Informations RoHS	2CKA200000E6225
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Unité de mesure	piece
Description courte	6733-84-500 RF-Switch Sensor 4-fold
Finition de surface	Surface protection: Untreated Surface finishing: Glossy
Transmission Range	100 m
Norme de transmission	Radio Control
WEEE B2C / B2B	Business To Consumer
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
ETIM 9	EC000257 - Transmitter/Remote control for domestic switching devices
Design Range	63x63 future linear Busch-axcent Busch-axcent pur solo carat future
Application Sub Function	Group Control

---

## Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CKA006700A0023	WaveLine Flush Mounted Inserts 1 gang(s) 230 V	6702-500	1	piece
2CKA006700A0024	WaveLine Flush Mounted Inserts 2 gang(s) 230 V	6703-500	1	piece
2CKA006700A0025	RF-Dimmer Actuator 1 gang(s) 230 V	6704-500	1	piece
2CKA006700A0042	Flush Mounted Inserts 2 gang(s) 230 V	6705-101-500	1	piece
2CKA006730A0001	Electronic Controls for Control of electrical users white	6730-212	1	piece
2CKA006730A0002	Electronic Controls for Control of electrical users alpine white	6730-214	1	piece
2CKA006730A0007	Electronic Controls for Control of electrical users platinum	6730-20	1	piece
2CKA006730A0008	Electronic Controls for Control of electrical users bronze	6730-21	1	piece
2CKA006730A0009	Electronic Controls for Control of electrical users ivory	6730-22G	1	piece
2CKA006730A0011	Electronic Controls for Control of electrical users studio white	6730-24G	1	piece
2CKA006730A0005	Electronic Controls for Control of electrical users palladium	6730-260	1	piece
2CKA006730A0006	Electronic Controls for Control of electrical users titanium	6730-266	1	piece
2CKA006730A0014	Electronic Controls for Control of electrical users anthracite	6730-81	1	piece
2CKA006730A0015	Electronic Controls for Control of electrical users ivory white	6730-82	1	piece
2CKA006730A0016	Electronic Controls for Control of electrical users aluminium silver	6730-83	1	piece
2CKA006730A0017	Electronic Controls for Control of electrical users studio white	6730-84	1	piece
2CKA006730A0025	Electronic Controls for Control of electrical users grey metallic	6730-803	1	piece
2CKA006730A0024	Electronic Controls yellow	6730-815	1	piece
2CKA006730A0023	Electronic Controls for Control of electrical users stainless steel	6730-866	1	piece
2CKA006730A0026	Electronic Controls for Control of electrical users studio white matt	6730-884	1	piece
2CKA006730A0027	Electronic Controls for Control of electrical users black matt	6730-885	1	piece
2CKA006770A0002	Flush Mounted Inserts	6770-500	1	piece

