


PRODUCT-DETAILS

EH3C92S2

EH3C92S2 PEDESTAL EH3/ AP-22



Informations générales

| | |
|------------------------------|------------------------------|
| Extension du type de produit | EH3C92S2 |
| Code de produit | 4TBE843182C0100 |
| EAN | 5411815238710 |
| Description courte | EH3C92S2 PEDESTAL EH3/ AP-22 |

| | |
|--------------------|--|
| Description longue | <p>Cable distribution cabinet with profiled surface. They have a three-point lock with a swivelling lever handle for profile half cylinders. The cabinets are made of hot-pressed, glass-fibre reinforced polyester, dyed through in RAL 7035 light grey. They are corrosion-resistant and UV-resistant, making them suitable for outdoor use. The enclosures are suitable for ambient conditions from -35°C to +70°C. The open door can be easily disassembled by removing the hinge pins for optimal access to the cabinet. The door opening angle is greater than 180°. There are pressed-in core holes in the rear panel to accept M8 press-in nuts for mounting busbars, mounting frames or mounting plates. The enclosures are supplied with an open base, base plates are available as accessories. There are fixing points in the side panel for mounting horizontal busbars. The enclosures are designed for mounting on bases according to DIN 43629 with standard dimensions between the mounting points. EHP323 Cabinet AP size 3 1125x1445x320 EH3, profiled with SHGIP44, IK10</p> |
|--------------------|--|

Technique

| | |
|---------------------|--------------------|
| Cover Plate Type | Door |
| Type de montage | Floor installation |
| Door Type | Double |
| Finition de surface | Untreated |
| Qualité du matériau | Plastic |
| Style de cache | Closed |

| | |
|------------|-----------------------|
| RAL Number | RAL 7035 - Gris clair |
| Couleur | Grey |

Environnement

| | |
|---|--|
| Indice de protection | IP44 |
| Classe de protection | Isolated (Class II) |
| Statut RoHS | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Informations RoHS | CEN-CE19/560 CEN-CE19/561 EH3-Equipped_GE_CE_GEN-CE19-565_L44 |
| REACH Declaration | 9AJK000617 |
| SCIP | 215fa296-b2d6-4cd1-a8ad-61649a8288ee Belgium (BE) |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Dimensions

| | |
|---|---|
| Produit Largeur Net | 1115 mm |
| Produit Hauteur Net | 320 mm |
| Produit Longueur Net | 1125 mm |
| Poids net | 40.4 kg |
| Profondeur d'encastrement (t ₂) | 972 mm |
| Thickness | Cabinet Plate 25 mm Door Plate 25 mm |

Commande

| | |
|---------------------------|-------------|
| Emballage Niveau 1 Unités | box 1 pièce |
| Emballage Niveau 1 Poids | 42.6 kg |

Certificats et Déclarations (Numéro de document)

| | |
|--------------------------------|---|
| Déclaration de Conformité - CE | CEN-CE19/560 CEN-CE19/561 EH3-Equipped_GE_CE_GEN-CE19-565_L44 |
|--------------------------------|---|

Installation

| | |
|-------------------------|--------------------|
| Instructions et manuels | No document needed |
|-------------------------|--------------------|

Downloads Préférés

| | |
|--|--------------------|
| Fiche produit, informations techniques | No document needed |
|--|--------------------|

Classifications

| | |
|--------|--------------------------|
| ETIM 8 | EC000058 - Empty cabinet |
|--------|--------------------------|

| | |
|----------------|---------------------------|
| ETIM 9 | EC000058 - Empty cabinet |
| Catégorie DEEE | Product Not in WEEE Scope |
| WEEE B2C / B2B | Business To Business |
| eClass | V11.0 : 27142408 |

Catégories

Produits basse tension → Tableaux, Coffrets et Armoires → Tableaux d'abonné encastrés IP40 → Pedestals → EH3 Pedestals

