

PRODUCT-DETAILS

JSHD2C type K

JSHD2C type K Three-position single pushbutton



Informations générales

Extension du type de produit	JSHD2C type K
Code de produit	2TLA020001R1300
EAN	7350024456851
Description courte	JSHD2C type K Three-position single pushbutton
Description longue	The JSHD2C Type K is a three-position pushbutton with silver plated contacts and 2 leads, each 290 mm. The force needed to actuate the push-button from middle to bottom is 20 N. Three-position pushbuttons are usually used in pair in a three-position device.

Commande

Quantité minimum	1 pièce
Code douanier	85369095
Groupe de produit	JSHD2
Type de produit	Three-position single pushbutton
Fonction	Three-position single pushbutton
Status Indicator	Non

Downloads Préférés

Fiche produit, informations techniques	2TLC010097L0201
Instructions et manuels	2TLC010097L0201

CAD Dimensional Drawing	2CDC001079B0201
Marketing Video	2TLC010018N0201

Dimensions

Produit Longueur Net	13.5 mm
Produit Hauteur Net	29.25 mm
Produit Largeur Net	26.55 mm
Poids net	0.01 kg

Safety Information

Agence de certification	CE cURus Kiwa
-------------------------	---------------------

Technique

Interface de communication	Contacts
Configuration Connexion	2 leads, 290 mm each
Number of Contacts NC	1
Number of Contacts NO	1
Rated Operational Current DC-12 (I_{θ})	(24 V) 0.02 A
Informations techniques	Foff: 20 N; Mechanical service life: > 1 million cycles, top to middle position, > 100 000 cycles, middle to bottom position

Environnement

Température de l'air ambiant	Operation -25 ... +55 °C Storage -40 ... +85 °C
Indice de protection	IP54
Matériau	Contact: Ag Housing: POM 20% GF (yellow) Plunger: PBT (Black)

Certificats et Déclarations (Numéro de document)

CQC Certificate	No certification needed
Certificat ecULus	2TLC010153D0201
cURus Certificate	2TLC010153D0201
Declaration of Conformity - CCC	No declaration needed
Déclaration de Conformité - CE	2TLC172022D0201
Declaration of Conformity - UKCA	2TLC010152D0201
SEMKO Certificate	2TLC172032D0201

Emballage

Emballage Niveau 1	1 pièce
--------------------	---------

Unités

Emballage Niveau 1 Largeur	100 mm
Emballage Niveau 1 Longueur	170 mm
Emballage Niveau 1 Hauteur	14 mm
Emballage Niveau 1 Poids	0.01 kg
Emballage Niveau 1 EAN	7350024456851

Classifications

eClass	V11.0 : 27371238
ETIM 7	EC002571 - Agreement switch
ETIM 8	EC002571 - Agreement switch
ETIM 9	EC002571 - Agreement switch
Code de catégorie granulaire IDEA (IGCC)	5210 >> Push button switch
UNSPSC	39122216
Code de classification d'objet	B

Catégories

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Produits pour la sécurité → Commandes → Poignée à trois positions JSHD4

