# 1SET310319R0000 ACTIVE

#### ENTRELEC | M12 Connector

TE Internal #: 1SET310319R0000

Standard Circular Connectors, Wire-to-Wire, 4 Position, Sealable, Wire & Cable, Signal, PBT, A Polarization Code, Polyamide 66

GF25, M12 Connector

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors











Connector System: Wire-to-Wire

Number of Positions: 4

Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

Contact Current Rating (Max): 4A

#### **Features**

#### **Product Type Features**

Product Type C	Connector Assembly
Accessory Color B	Black
Assembly Type E	Electrical Connector
Connector System W	Wire-to-Wire
Sealable	⁄es
Connector & Contact Terminates To W	Wire & Cable
Circular Connector Type	Plug
Shell Type P	Plastic

### **Configuration Features**

Keying & Polarized Position Locations	A
Factory Installed Backshell	No
Keying	A
Number of Positions	4



Number of Power Positions 0	
Number of Signal Positions 4	
Contacts Preloaded Yes	
Electrical Characteristics	
Operating Voltage 250 VAC	
Body Features	
Peripheral Seal Material Silicone	
Environmental Protection IP67	
Feedthrough Type Yes	
O-Ring Material Silicone	
Environmental Protection Type Elastomer Sealed	
Shell Base Material PBT	
Circular Connector Insulation Material Type Polyamide 66 GF25	
Contact Features	
Contact Current Rating (Max) 4 A	
Reverse Gender No	
Circular Connector Contact Type Pin	
Mechanical Attachment	
Mating Retention Type Threaded Coupling	
Mating Alignment With	
Polarization Code A	
Mating Alignment Type Keyed	
Housing Features	
Circular Connector Shell Size 20	
Dimensions	
Wire Size .82 – .2 mm <sup>2</sup>	
Usage Conditions	
IP Dust Sealing Level 6	
IP Water Sealing Level IP67	
Operating Temperature Range -40 – 85 °C[-40 – 185 °F]	
Operation/Application	
Durability Rating 100 Cycles	



Circuit Application	Signal
Shielded	No
Industry Standards	
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity	1
Other	
Position Locations Omitted	0
Field Serviceable	Yes

#### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224)  Candidate List Declared Against: JUNE 2022 (224)  SVHC > Threshold:  Pb (3.7% in Component Part)  Article Safe Usage Statements:  Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach





## Compatible Parts





## Also in the Series | M12 Connector





#### **Documents**

**Product Drawings** 

M12-MS-4CON-PG9-MU

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1SET310319R0000\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1SET310319R0000\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1SET310319R0000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

Infographic - entrelec ews-linecard

English

Catalog - ENTRELEC-M8-M12-RJ45

English

Standard Circular Connectors, Wire-to-Wire, 4 Position, Sealable, Wire & Cable, Signal, PBT, A Polarization Code, Polyamide 66 GF25, M12 Connector



**Product Specifications** 

**Application Specification** 

English