

SORAA MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL and PHYSICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to ELECTRICAL compatibility For this, please see transformer/dimmer compatibility lists on www.soraa.com/resources/compatibility

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Manufacturer	Model	Fixture Type	Soraa 6W & 7.5W Flood MR16	Soraa 7.5W Spot MR16	Soraa 9W Flood MR16	Comment
Basis Lighting	B624	Track Light	Yes	Yes	No	
Basis Lighting	B623	Track Light	Yes	Yes	No	
Basis Lighting	S150	Track Light	Yes	Yes	Yes	
Basis Lighting	B461	Track Light	Yes	Yes	Yes	
Basis Lighting	B451	Track Light	Yes	Yes	Yes	
Basis Lighting	B614	Track Light	Yes	Yes	No	
Basis Lighting	402	Recessed / Downlight	Yes	Yes	No	
Con Tech Lighting	LVR316/Compatible Trims: CTR-301, 311FR, 304, 324, 301SQ, 305SQ	Recessed / Downlight	Yes	Yes	No	
Con Tech Lighting	LVR16/Compatible Trims: CTR-1601, 1606, 1607, 1611FR, 1614, 1624, 1601SQ, 1602SQ	Recessed / Downlight	Yes	Yes	No	
Con Tech Lighting	RS4175/Compatible Trims: CST-402V, 404V	Recessed / Downlight	Yes	Yes	No	
Con Tech Lighting	CTL1216T	Track Light	Yes	Yes	No	
Con Tech Lighting	CTL8027/MR16	Track Light	Yes	Yes	Yes	
Con Tech Lighting	CTL8816T	Track Light	Yes	Yes	Yes	
Con Tech Lighting	CTL816/LA2050N	Track Light	Yes	Yes	Yes	
Con Tech Lighting	CTL8116/LA2050N	Track Light	Yes	Yes	Yes	
Dreamscape Lighting	DLED-7005-LED-IC-AT Down Light	Recessed / Downlight	Yes	Yes	No	
Dreamscape Lighting	Moonshadow accent lighting	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
Eaton Cooper Portfolio	HA3MR 3" LV MR16 Adjustable Housing/Compatible Trims 3451XX, 3450XX, 3471XX, 3470XX, 3480XX, 3481XX	Recessed / Downlight	Yes	Yes	No	
Eaton Cooper Portfolio	HD3MR 3" LV MR16 Downlight Housing/Compatible Trims 3401XX, 3403XX	Recessed / Downlight	Yes	Yes	No	
Eaton Cooper Iris	P3MR 3" IC AT LV MR16 Housing; E3AA20, E3AASR, E3AA, E3DNPIN, E3LWW, E3MR, E3OVAL, E3PIN, E3SA, E3SLOT, E3SR Optical Elements	Recessed / Downlight	Yes	Yes	No	
Eaton Cooper Iris	PN3MR 3" Non-IC AT LV MR16 Housing; E3AA20, E3AASR, E3AA, E3DNPIN, E3LWW, E3MR, E3OVAL, E3PIN, E3SA, E3SLOT, E3SR Optical Elements	Recessed / Downlight	Yes	Yes	No	

SORAA MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL and PHYSICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to ELECTRICAL compatibility For this, please see transformer/dimmer compatibility lists on www.soraa.com/resources/compatibility

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Manufacturer	Model	Fixture Type	Soraa 6W & 7.5W Flood MR16	Soraa 7.5W Spot MR16	Soraa 9W Flood MR16	Comment
Eaton Cooper Iris	RPN3MR 3" Non-IC LV MR16 Remodeler Housing; E3AA20, E3AASR, E3AA, E3DNPIN, E3LWW, E3MR, E3OVAL, E3PIN, E3SLOT Optical Elements	Recessed / Downlight	Yes	Yes	No	
Eaton Cooper Iris	RPN3M RSA 3" Non-IC LV MR16 Remodeler Housing; E3SA Optical Element	Recessed / Downlight	Yes	Yes	No	
Eaton Cooper Iris	P4MRICAT 4" Square IC AT LV MR16 Housing; E4AA, E4AASR, E4MR, E4MRSR, E4PIN, E4PINSR, E4RPIN, E4RPINSR Optical Elements	Recessed / Downlight	Yes	Yes	No	
Eaton Cooper Iris	P4MRTAT 4" Square Non-IC AT LV MR16 Housing; E4AA, E4AASR, E4MR, E4MRSR, E4PIN, E4PINSR, E4RPIN, E4RPINSR Optical Elements	Recessed / Downlight	Yes	Yes	No	
Eaton Cooper Iris	P408ICAT 4" Square IC AT Modular Housing; MV4MR Lamp Module; E4LWW, E4RLWW Optical Elements	Recessed / Downlight	Yes	Yes	No	
Eaton Cooper Iris	P406TAT 4" Square Non-IC AT Modular Housing; MV4MR Lamp Module; E4LWW, E4RLWW Optical Elements	Recessed / Downlight	Yes	Yes	No	
Eaton Cooper Iris	P5 5" IC AT Modular Housing; M5MR Lamp Module; E5AA20, E5AA, E5MR, E5PIN, E5SLOT Optical Elements	Recessed / Downlight	Yes	Yes	No	
Eaton Cooper Iris	PN5 5" Non-IC AT Modular Housing; M5MR Lamp Module; E5AA20, E5AA, E5MR, E5PIN, E5SLOT Optical Elements	Recessed / Downlight	Yes	Yes	No	
Edge Lighting	Chopper	Low Voltage Track	Yes	Yes	Yes	
Edge Lighting	Form	Low Voltage Track	Yes	Yes	Yes	
Edge Lighting	Form 2-Head	Low Voltage Track	Yes	Yes	Yes	
Edge Lighting	Harley	Low Voltage Track	Yes	Yes	Yes	
Edge Lighting	Low Rider	Low Voltage Track	Yes	Yes	No	
Edge Lighting	Rebel	Low Voltage Track	Yes	Yes	No	
Edge Lighting	Spirit	Low Voltage Track	Yes	Yes	Yes (see comment)	Approved without shade.
Edge Lighting	Triumph	Low Voltage Track	Yes	Yes	No	
Edge Lighting	Vespa	Low Voltage Track	Yes	Yes	Yes (see comment)	Approved without shade.
Edison Price Lighting	Magic Wand MR16 O	Track Light	Yes	Yes	No	
Edison Price Lighting	Magic Wand MR16 W	Track Light	Yes	Yes	No	
Edison Price Lighting	Artima MR16 O	Track Light	Yes	Yes	No	

SORAA MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL and PHYSICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to ELECTRICAL compatibility For this, please see transformer/dimmer compatibility lists on www.soraa.com/resources/compatibility

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Manufacturer	Model	Fixture Type	Soraa 6W & 7.5W Flood MR16	Soraa 7.5W Spot MR16	Soraa 9W Flood MR16	Comment
Edison Price Lighting	Artima MR16 W	Track Light	Yes	Yes	No	
Edison Price Lighting	Artima XP MR16 O	Track Light	Yes	Yes	No	
Edison Price Lighting	Artima XP MR16 W	Track Light	Yes	Yes	No	
Edison Price Lighting	Maxima MR16 O	Track Light	Yes	Yes	No	
Edison Price Lighting	Maxima MR16 W	Track Light	Yes	Yes	No	
Edison Price Lighting	MiniMax MR16 O	Track Light	Yes	Yes	No	
Edison Price Lighting	MiniMax MR16 W	Track Light	Yes	Yes	No	
Edison Price Lighting	TWO MR DL	Recessed / Downlight	Yes	Yes	No	
Edison Price Lighting	TWO MR AA	Recessed / Downlight	Yes	Yes	No	
Edison Price Lighting	THREE MR DL	Recessed / Downlight	Yes	Yes	No	
Edison Price Lighting	THREE MR AA	Recessed / Downlight	Yes	Yes	No	
Edison Price Lighting	THREE MR WL	Recessed / Downlight	Yes	Yes	No	
Edison Price Lighting	Darklite MR/4	Recessed / Downlight	Yes	Yes	No	
Edison Price Lighting	Anglux MR/4	Recessed / Downlight	Yes	Yes	No	
Edison Price Lighting	Darklite WL MR/4	Recessed / Downlight	Yes	Yes	No	
Edison Price Lighting	Showerlite MR/4	Recessed / Downlight	Yes	Yes	No	
Edison Price Lighting	Showerlite Anglux MR/4	Recessed / Downlight	Yes	Yes	No	
Elite Lighting	BL4-E	Recessed / Downlight	Yes	Yes	No	
Elite Lighting	BL4	Recessed / Downlight	Yes	Yes	No	
Elite Lighting	BL3	Recessed / Downlight	Yes	Yes	No	
Elite Lighting	BL3-E-AT	Recessed / Downlight	Yes	Yes	No	
Elite Lighting	ES3-F-LV-IC-50W-MR16-E-120-BP31	Recessed / Downlight	Yes	Yes	No	
Elite Lighting	B1462	Trim	Under evaluation	Under evaluation	No	
Elite Lighting	EFS-1302-W-WH-BP-ES3-MR16-FR	Trim	Under evaluation	Under evaluation	No	
Elite Lighting	ETS-1302-W-WH-BP-ES3-MR16-FR	Trim	Under evaluation	Under evaluation	No	
Feng Shui Lighting	FSLRH4-LED-ICA	Recessed / Downlight	Yes	Yes	No	
Feng Shui Lighting	FSLRH4-LED-RM	Recessed / Downlight	Yes	Yes	No	
Focal Point	FL4-PELED-E1-SO-T-CP; Trim L2-PELED-SO-DNF-BS-BK	Recessed / Downlight	Yes	Yes	No	

SORAA MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL and PHYSICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to ELECTRICAL compatibility For this, please see transformer/dimmer compatibility lists on www.soraa.com/resources/compatibility

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Manufacturer	Model	Fixture Type	Soraa 6W & 7.5W Flood MR16	Soraa 7.5W Spot MR16	Soraa 9W Flood MR16	Comment
Focal Point	FAVB-SR-1T5HO-2C-120-S-G1-CP-2FM-SBL-BK-X	Recessed / Downlight	Yes	Yes	No	
Hevi Lite	HL-360-AA	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
HK Lighting Group	ZXL16i	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16i-CM	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16i-WM	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16i-WM	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXG16i	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16i-WM2	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16i-WM2	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16-SQ	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16/50PL	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-T	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-TA	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16-CM	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-CM	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16-WM	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-WM	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZX16-IP	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXG16	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink

SORAA MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL and PHYSICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to ELECTRICAL compatibility For this, please see transformer/dimmer compatibility lists on www.soraa.com/resources/compatibility

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Manufacturer	Model	Fixture Type	Soraa 6W & 7.5W Flood MR16	Soraa 7.5W Spot MR16	Soraa 9W Flood MR16	Comment
HK Lighting Group	ZX16-WM2	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
HK Lighting Group	ZXL16-WM2	In-Grade / Outdoor / Fully-Sealed	Yes	Yes	Yes (see comment)	Compatible when used with HK Thermobuster heatsink
John Cullen	Polestar	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Polestar-360	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Flush	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Aquabeam	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Waterlily	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Square	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Square Trimless	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Square Double Trimless	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Minos 35	Monopoint	Yes	Yes	No	
John Cullen	Skinny	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Metal Square	Wall Light	Yes	Yes	No	
John Cullen	Plaster Square	Wall Light	Yes	Yes	No	
John Cullen	Plaster Cube	Wall Light	Yes	Yes	No	
John Cullen	Demilumen	Track Light	Yes	Yes	Yes	
John Cullen	Micro-50	Low Voltage Track	Yes	Yes	No	
John Cullen	Square Highlight	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Adjustable Spiked Spot	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Bollard	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Pillar Light	Wall Light	Yes	Yes	No	
John Cullen	Wall Downlight	Wall Light	Yes	Yes	No	
John Cullen	Wall Spotlight	Wall Light	Yes	Yes	No	
John Cullen	Mesh Wall Light	Wall Light	Yes	Yes	No	
John Cullen	Spinaker	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Nevis	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
John Cullen	Torino Uplight	In-Grade / Outdoor / Fully-Sealed	Yes	Under evaluation	No	
Juno	TL196	Low Voltage Track	Yes	Yes	Yes (see comment)	Approved with no front glass cover

SORAA MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL and PHYSICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to ELECTRICAL compatibility For this, please see transformer/dimmer compatibility lists on www.soraa.com/resources/compatibility

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Manufacturer	Model	Fixture Type	Soraa 6W & 7.5W Flood MR16	Soraa 7.5W Spot MR16	Soraa 9W Flood MR16	Comment
Lighting Services Inc	CX16	Track Light	Yes	Yes	No	
Lighting Services Inc	260	Track Light	Yes	Yes	No	
Lighting Services Inc	LN16	Track Light	Yes	Yes	No	
Lighting Services Inc	GR16	Track Light	Yes	Yes	No	
Lucifer Lighting	DH-IC-ZF-HAL-50-120E / DL21Z	Recessed / Downlight	Yes	Yes	No	
Lucifer Lighting	DH-IC-ZF-HAL-50-120T / DL1ZP	Recessed / Downlight	Yes	Yes	No	
Lucifer Lighting	DH-IC-ZF-HAL-50-120T / DL21Z	Recessed / Downlight	Yes	Yes	No	
Lucifer Lighting	DH-NIC-ZF-HAL-50-120E / DL1ZP	Recessed / Downlight	Yes	Yes	No	
Lucifer Lighting	DH-NIC-ZF-HAL-50-120E / DL21Z	Recessed / Downlight	Yes	Yes	No	
MP Lighting	X01	Rail/Cable	Yes	Yes	Yes	
MP Lighting	X06	Rail/Cable	Yes	Yes	Yes	
MP Lighting	X21	Rail/Cable	Yes	Yes	No	
MP Lighting	X23	Rail/Cable	Yes	Yes	No	
MP Lighting	X31	Rail/Cable	Yes	Yes	Yes	
MP Lighting	X42	Rail/Cable	Yes	Yes	Yes	
MP Lighting	X43	Rail/Cable	Yes	Yes	Yes (see comment)	Approved with no front glass cover
MP Lighting	X45	Rail/Cable	Yes	Yes	No	
MP Lighting	X51	Rail/Cable	Yes	Yes	No	
MP Lighting	X61	Low Voltage Track	Yes	Yes	Yes	
MP Lighting	X62	Low Voltage Track	Yes	Yes	Yes	
Nora Lighting	NL-301AT/1EL	Recessed / Downlight	Yes	Yes	No	
Nora Lighting	NLR-304AT/1EL	Recessed / Downlight	Yes	Yes	No	
Nora Lighting	NLIC-301AT/1EL	Recessed / Downlight	Yes	Yes	No	
Nora Lighting	NL-401AT/1EL	Recessed / Downlight	Yes	Yes	No	
Nora Lighting	NLR-404AT/1EL	Recessed / Downlight	Yes	Yes	No	
Nora Lighting	NLIC-401AT/1EL	Recessed / Downlight	Yes	Yes	No	
Nora Lighting	NLR-403S/1EL	Recessed / Downlight	Yes	Yes	No	
Nora Lighting	NL-402S/1EL	Recessed / Downlight	Yes	Yes	No	
Nora Lighting	NLIC-402AT/1EL	Recessed / Downlight	Yes	Yes	No	

SORAA MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL and PHYSICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to ELECTRICAL compatibility For this, please see transformer/dimmer compatibility lists on www.soraa.com/resources/compatibility

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Manufacturer	Model	Fixture Type	Soraa 6W & 7.5W Flood MR16	Soraa 7.5W Spot MR16	Soraa 9W Flood MR16	Comment
Precision Lighting	Demilumen	Low Voltage Track	Yes	Yes	Yes	
Precision Lighting	Rotor	Low Voltage Track	Yes	Yes	Yes	
Precision Lighting	Retro 16	Low Voltage Track	Under evaluation	Under evaluation	No	
Precision Lighting	Evo X16 Short Snoot	Low Voltage Track	Yes	Yes	No	
Precision Lighting	Evo X16 Glare Guard	Low Voltage Track	Yes	Yes	No	
Precision Lighting	Evo X16 Long Snoot	Low Voltage Track	Yes	Yes	No	
Precision Lighting	Evo S16 Short Snoot	Low Voltage Track	Under evaluation	Under evaluation	No	
Precision Lighting	Evo S16 Glare Guard	Low Voltage Track	Yes	Yes	No	
Precision Lighting	Evo S16 Long Snoot	Low Voltage Track	Yes	Yes	No	
Pure Lighting	Aurora Dual MR16 Round Edge 3.3	Recessed / Downlight	Yes	Yes	No	
Pure Lighting	Aurora Dual MR16 Square Edge 3.3	Recessed / Downlight	Yes	Yes	No	
Pure Lighting	Aurora MR16 Accent Round Beveled 2.0	Recessed / Downlight	Yes	Yes	No	
Pure Lighting	Aurora MR16 Accent Round Edge 1.3	Recessed / Downlight	Yes	Yes	No	
Pure Lighting	Aurora MR16 Accent Round Edge 2.0	Recessed / Downlight	Yes	Yes	No	
Pure Lighting	Aurora MR16 Accent Round Edge 3.3	Recessed / Downlight	Yes	Yes	No	
Pure Lighting	Aurora MR16 Accent Round Edge 3.3 RGB	Recessed / Downlight	Yes	Yes	No	
Pure Lighting	Aurora MR16 Accent Square Beveled 2.0	Recessed / Downlight	Yes	Yes	No	
Pure Lighting	Aurora MR16 Accent Square Edge 1.3	Recessed / Downlight	Yes	Yes	No	
Pure Lighting	Aurora MR16 Accent Square Edge 2.0	Recessed / Downlight	Yes	Yes	No	
Pure Lighting	Aurora MR16 Accent Square Edge 3.3	Recessed / Downlight	Yes	Yes	No	
Pure Lighting	Aurora MR16 Accent Square Edge 3.3 RGB	Recessed / Downlight	Yes	Yes	No	
Recesso by Dolan Designs	TC350-GU with Compatible Trims T350, T351, T353, T354, T358	Recessed / Downlight	Yes	Yes	No	
Recesso by Dolan Designs	TC350R-GU with Compatible Trims T350, T351, T353, T354, T358	Recessed / Downlight	Yes	Yes	No	
Recesso by Dolan Designs	IC350-GU with Compatible Trims T350, T351, T353, T354, T358	Recessed / Downlight	Yes	Yes	No	
Recesso by Dolan Designs	TC401-MR with Compatible Trims T401, T404, T411, T412, T413	Recessed / Downlight	Yes	Yes	No	
Recesso by Dolan Designs	TC401R-MR with Compatible Trims T401, T404, T411, T412, T413	Recessed / Downlight	Yes	Yes	No	

SORAA MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL and PHYSICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to ELECTRICAL compatibility For this, please see transformer/dimmer compatibility lists on www.soraa.com/resources/compatibility

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Manufacturer	Model	Fixture Type	Soraa 6W & 7.5W Flood MR16	Soraa 7.5W Spot MR16	Soraa 9W Flood MR16	Comment
Recesso by Dolan Designs	IC401-MR with Compatible Trims T401, T404, T411, T412, T413	Recessed / Downlight	Yes	Yes	No	
Recesso by Dolan Designs	TC400-GU with Compatible Trims T401, T404, T411, T412, T413	Recessed / Downlight	Yes	Yes	No	
Recesso by Dolan Designs	TC400R-GU with Compatible Trims T401, T404, T411, T412, T413	Recessed / Downlight	Yes	Yes	No	
Recesso by Dolan Designs	IC400-GU with Compatible Trims T401, T404, T411, T412, T413	Recessed / Downlight	Yes	Yes	No	
Times Square Lighting	LED1020 - Soraa LED MR16	Track Light	Yes	Yes	No	
Times Square Lighting	LED10P - Soraa LED Projector	Track Light	Under evaluation	Under evaluation	No	
Tech Lighting	Adler Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Aero Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Cam Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Elton Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	John Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	K-Bye-Bye Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	K-Hello Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	K-Jane Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	K-Johnny Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	K-Pivot Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	K-Telescope Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Mo-Pivot Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Sportster Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Spot Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Sprocket Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Sullivan Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Swivel Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Tele Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	T156 Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Tellium Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Tilt Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover

SORAA MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL and PHYSICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to ELECTRICAL compatibility For this, please see transformer/dimmer compatibility lists on www.soraa.com/resources/compatibility

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Manufacturer	Model	Fixture Type	Soraa 6W & 7.5W Flood MR16	Soraa 7.5W Spot MR16	Soraa 9W Flood MR16	Comment
Tech Lighting	Wall Archie Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Wall Georgi Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Wall Telescope Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Wally Lite Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Mini Om	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Roto Head	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Bell Shade	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Belladonna Shade	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Tinkerbell Shade	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Tinkerbell Shade With Integrated Lens Holder	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Tinkerbell (Satin Nickel)	Low Voltage Track	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Backlight Shield	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Flight Paper	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Lil Wok Shade	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tech Lighting	Spy Accessory	Track Light	Yes	Yes	Yes (see comment)	Approved with no front glass cover
Tegan Lighting	EVO-LGS	Low Voltage Track	Yes	Yes	No	
Tegan Lighting	EVO-AGS	Low Voltage Track	Yes	Yes	No	
Twice Bright	CL1220	Recessed / Downlight	Yes	Yes	No	
Twice Bright	CL1220TL	Recessed / Downlight	Yes	Yes	No	
Twice Bright	CL1220TLF	Recessed / Downlight	Yes	Yes	No	
Twice Bright	CL1220TI	Recessed / Downlight	Yes	Yes	No	
Twice Bright	CL1220TIF	Recessed / Downlight	Yes	Yes	No	
Twice Bright	CL1220TITL	Recessed / Downlight	Yes	Yes	No	
WAC Lighting	HR-301E	Recessed / Downlight	Yes	Yes	No	
WAC Lighting	HR-301M	Recessed / Downlight	Yes	Yes	No	
WAC Lighting	HR-302E	Recessed / Downlight	Yes	Yes	No	
WAC Lighting	HR-302M	Recessed / Downlight	Yes	Yes	No	
WAC Lighting	HR-8401E	Recessed / Downlight	Yes	Yes	No	
WAC Lighting	HR-8402E	Recessed / Downlight	Yes	Yes	No	

SORAA MR16 Fixture Compatibility List

Notes:

This compatibility list states THERMAL and PHYSICAL compatibility between Soraa 12V MR16 lamps and the listed fixtures.

This list does NOT refer to ELECTRICAL compatibility For this, please see transformer/dimmer compatibility lists on www.soraa.com/resources/compatibility

This list has been compiled based on data made available by the fixture manufacturers on the date it was made. Soraa is not responsible for changes made by manufacturers on their products.

Manufacturer	Model	Fixture Type	Soraa 6W & 7.5W Flood MR16	Soraa 7.5W Spot MR16	Soraa 9W Flood MR16	Comment
WAC Lighting	HR-8401H	Recessed / Downlight	Yes	Yes	No	
WAC Lighting	HR-8402H	Recessed / Downlight	Yes	Yes	No	
WAC Lighting	HR-8402HL	Recessed / Downlight	Yes	Yes	No	
WAC Lighting	HR-8403H	Recessed / Downlight	Yes	Yes	No	
WAC Lighting	MT-116/MT116TL	Recessed / Downlight	Yes	Yes	No	
WAC Lighting	MT-216/MT216TL	Recessed / Downlight	Yes	Yes	No	
WAC Lighting	MT-316/MT316TL	Recessed / Downlight	Yes	Yes	No	