

SORAA PAR20 120V 5.4W - DIMMER COMPATIBILITY LIST - North America

Manufacturer	Model	MD #	Edge Trigger	Dim (%)	Comments
Cooper		D106P	L	4%	
Cooper		SLC03P	L	21%	
ETC		Echo ERP 300W Dimmer, ELV10-S (Sensor3), ELV10 (DRd, Unison Legacy), D20 (SR3, DRd, Unison Legacy), and ELVD. (*)	L/T	PASS	Tested by dimmer manufacturer
Insteon	SwitchLinc	2477D	L	0%	
Legrand		ADTP703TU	T	10%	
Leviton		6613-P	L	26%	
Leviton		6615-P	T	15%	
Leviton		6633-P	L	11%	
Leviton		IPL06	L	1%	
Lightolier		ZP1000	L	NC	
Lightolier		ZP600	L	NC	
Lutron	Athena	T-1000	L	NC	
Lutron	Contour	CNLV-600P	L	0%	
Lutron	Contour	CT-603PG	L	0%	
Lutron	Diva	DV-600P	L	6%	
Lutron	Diva	DVCL-153P	L	NC	
Lutron	Diva	DVLV-600P	L	7%	
Lutron	Glyder	GL 6B38	L	0%	
Lutron	Glyder	GL-600H-DK	L	7%	
Lutron	Lumea	LGCL-153P	L	24%	
Lutron	Maestro	MA-600	L	NC	
Lutron	Maestro	MACL-153M	L	2%	
Lutron	Maestro	MAELV-600	T	4%	
Lutron	Maestro	MALV-600	L	NC	
Lutron	Maestro	MAW-600	L	NC	
Lutron	Maestro	MRF2-6ND-120	L	NC	
Lutron	Nova	NTELV-300	T	3%	
Lutron	Nova	NTLV-600	L	20%	
Lutron	Radio RA2	RRD-10D	L	NC	
Lutron	Radio RA2	RRD-6NA	T	0%	
Lutron	Rotary	D-603PGH	L	22%	
Lutron	Skylark	CT-600P	L	0%	

SORAA PAR20 120V 5.4W - DIMMER COMPATIBILITY LIST - North America

Manufacturer	Model	MD #	Edge Trigger	Dim (%)	Comments
Lutron	Skylark	CTCL-153P	L	20%	
Lutron	Skylark	S-600	L	0%	
Lutron	Skylark	S-603PG	L	15%	
Lutron	Skylark	SELV-300P	T	5%	
Lutron	Skylark	SLV-600P	L	0%	
Lutron	Spacer	SPELV-600	T	4%	
Lutron	Toggler	TG-600PR	L	5%	
Lutron	Verti	VTELV-600M	T	2%	

Notes:

Compatibility tests are conducted by Soraa (unless stated otherwise) only as guidance for the user

All tests are conducted under bench conditions; results may differ from test results depending on conditions at the application site

Results may vary due to variability in component choices and manufacturing processes by the dimmer manufacturer

Regards compatibility tests conducted by dimmer manufacturer, please contact the manufacturer for more details and/or reports.

(*) Test results with this dimmer added to the compatibility list as of Revision B

--%	Dims to < 20% (of the measured light output)
--%	Dims to 20-30% (of the measured light output)
NC	Not compatible (or dims to >30%)
Blank cell	Not tested