

SORAA GU10 230V 5.4W - DIMMER COMPATIBILITY - International

| Manufacturer | Brand | Model | Edge Trigger | Dim (%) | Note |
|--------------|-------|-------------------------|--------------|--------------------------------|---------------------|
| | | | | | |
| AURORA | | AU-DSP400X | L | 1 Lamp: N C 2,3 Lamps: 20% | Please See Footnote |
| AURORA | | AU-DSP651 | L | 16% | Please See Footnote |
| Berker | | 2830 10 | L | NC | Please See Footnote |
| Berker | | 2861-10 | L | 25% | Please See Footnote |
| Berker | | 286710 | T | NC | |
| Busch | | 2247 U | L | 1 Lamp: 15% 2,3 Lamps: N C | Please See Footnote |
| Busch | | 2250 U | L | 1,3 Lamps: 20% 2 Lamps: N C | Please See Footnote |
| Busch | | 6513 U-102 | T | NC | |
| Busch | | 6523 U102 | L | 4% | Please See Footnote |
| Click | | MD9042 | L | 21% | Please See Footnote |
| Dignet | | DGLCDM400 | T | 13% | |
| Electron | | DMR.730 | T | 0% | |
| Electron | | DMR.731 | T | 0% | |
| Elko | | 315GLE PH | T | 1,2 Lamps: N C 3 lamps: 16% | |
| Eltako | | EUD61NPN-UC | T | 12% | |
| Feller | | 40.600RL | L | 1 Lamp: N C 2,3 Lamps: 12% | Please See Footnote |
| Feller | | 40300.RC | T | 1 Lamp: N C 2,3 Lamps: 15% | |
| Feller | | 40420.RLC | Adaptive | NC | |
| Fibaro | | FGD212 EU v3.2 | T | NC | |
| Futronix | | P400 | L | NC | Please See Footnote |
| GIRA | | 0307 00 I02 | T | NC | |
| GIRA | | 2262 00 / I00 | L | 7% | Please See Footnote |
| GIRA | | System 2000-2390 00/I00 | L | 16% | Please See Footnote |
| Govena | | ProLED250 | L | 28% | Please See Footnote |
| Helvar | 452 | DALI Rotary | Adaptive T | 12% | |
| Helvar | 454 | DALI Slider | T | 10% | |
| Hamilton | | H-LEDSTAT | T | 16% | |
| iLight | | SCI0405S | L | NC | Please See Footnote |
| iLight | | SCT0405S | T | 1,2 Lamps: 27% 3 Lamps: 19% | |
| JUNG | | 225 NV | L | 25% | Please See Footnote |

SORAA GU10 230V 5.4W - DIMMER COMPATIBILITY - International

| Manufacturer | Brand | Model | Edge Trigger | Dim (%) | Note |
|---------------|-------------|--------------------------|--------------|--------------------------------|---------------------|
| | | | | | |
| JUNG | | 225 TDE | T | NC | |
| JUNG | | 266 G DE | L | 1,2 Lamps: 19% 3 Lamps: N C | Please See Footnote |
| JUNG | | 1224 LED UDE | T | 14% | |
| JUNG | | 1271 LED DE | L | 23% | Please See Footnote |
| Legrand | | 450P | Adaptive | NC | |
| Legrand | | 665114 A 14W3731 | L | 20% | Please See Footnote |
| Legrand | | AR400A3PM | T | NC | |
| Legrand | | EM400A3P | T | NC | |
| Lunatone | DALI PD | 86458619 (25W LED) | T | 2% | |
| Lunatone | DALI PD | 86458619-300 (300W LED) | T | 4% | |
| Lutron | Grafik eye | QSGR-6PCE | L | NC | Please See Footnote |
| Lutron | Grafik eye | QSGR-6PCE+NGRX-ELVI-CE | T | 0% | |
| Lutron | Homeworks | QSNE-4A-D | T | 21% | |
| Lutron | Homeworks | QSNE-4A-D | L | 22% | Please See Footnote |
| Lutron | LCP128 | LP-RPM-4A-230 | T | 10% | |
| Lutron | LCP128 | LP-RPM-4U-240 | L | NC | Please See Footnote |
| Lutron | Lyneo | LSSI-501B-FAW-M | L | NC | Please See Footnote |
| Lutron | Rania | RNDU-252B-FAW-M | T | NC | |
| Lutron | Rania | RNDU-425B-FAW-M | T | NC | |
| Maintronic | | DAD1200 DALI | T | NC | |
| MARBO | Crabtree | DV21912 | L | 1 Lamp: N C 2,3 Lamps: 14% | Please See Footnote |
| Merten | | MEG5131-0000 (SBD400R-1) | L | 10% | Please See Footnote |
| Merten | | MEG5133-0000 (SBD600RL) | L | 12% | Please See Footnote |
| Merten | | MEG5136-0000 (SBD315RC) | T | 1 Lamp: N C 2,3 Lamps: 16% | |
| MK | K1501 WHILV | 47543SL | L | NC | Please See Footnote |
| MK | K1511 WHILV | | L | NC | Please See Footnote |
| MK | K1522 WHILV | 43395PL | L | NC | Please See Footnote |
| MK | K1523WHILV | 52470SL | L | 20% | Please See Footnote |
| MK | K1526 | | L | NC | Please See Footnote |
| Mode Lighting | Evolution | EVO-SGP | L | NC | Please See Footnote |

SORAA GU10 230V 5.4W - DIMMER COMPATIBILITY - International

| Manufacturer | Brand | Model | Edge Trigger | Dim (%) | Note |
|------------------------|---------------|----------------------|--------------|--------------------------------|---------------------|
| | | | | | |
| Mode Lighting | Mirage | MP-10-01 | L | NC | Please See Footnote |
| Panasonic | | WEG57813 | L | 1,2 Lamps: 15% 3 Lamps: N C | Please See Footnote |
| Philips | Dynalite | DGLM402 | L | NC | Please See Footnote |
| Philips | Dynalite | DGTM402 | T | NC | |
| Philips | Dynalite | DGLED401 | T | 1,2 Lamps: 22% 3 Lamps: 20% | |
| Rako | | RMT500 | T | 0% | |
| Schneider | | GD1G2W4 | L | NC | Please See Footnote |
| Schneider | | SBD315RC | T | 1 Lamp: N C 2,3 Lamps: 16% | |
| Siemens | | 5TC8 263 | L | 10% | Please See Footnote |
| Vadsbo | | LD 220 (E 13 774 40) | T | 3% | |
| Varilight | | HQ7W | L | 1,2 Lamps: 20% 3 Lamps: N C | Please See Footnote |
| Varilight | | IQP401W | L | NC | Please See Footnote |
| Varilight | V-Pro | JQP401W | T | NC | |
| Vossloh Schwabe | | 554591 | T | 6% | |
| Vossloh Schwabe | | 554592 | T | 6% | |
| Zano | | WH400 | L | 1 Lamp: 27% 2,3 Lamps: 15% | Please See Footnote |
| Zano | | ZGRIDLED | T | NC | |
| Zano | | ZGRID500 | L | NC | Please See Footnote |

Notes:

Compatibility tests are conducted by Soraa (unless stated otherwise) only as guidance for the user

All tests are conducted under bench conditions; results may differ from test results depending on conditions at the application site

Results may vary due to variability in component choices and manufacturing processes by the dimmer manufacturer

This lamp may emit a low level of audible noise when used with some leading edge dimmers. Testing with the intended dimmer is recommended to ensure acceptable audible levels at the application site.

Regards compatibility tests conducted by dimmer manufacturer, please contact the manufacturer for more details and/or reports.

(*) Test results with this dimmer added to the compatibility list as of Revision B

| | |
|------------|---|
| --% | Dims to < 20% (of the measured light output) |
| --% | Dims to 20-30% (of the measured light output) |
| NC | Not compatible (or dims to >30%) |
| Blank cell | Not tested |