

57006

# HyGo Mobile Cleaning Station, Yellow



Vikan's HyGo is the food and beverage industry's first mobile cleaning station to combine hygiene, efficiency, and maneuverability in a purpose-built solution. Beyond elevating cleaning efforts, HyGo also conquers space challenges, lost equipment, and wasted time. HyGo easily navigates tight spaces like doorways with its narrow frame and 360-degree wheels.

The tool modules and brackets can be customised and can adapt as your needs change. As standard, the tool brackets can mount up to five tools. With additional brackets purchased and added to it, the HyGo can hold up to 12 mounted tools. The two rear castors can be locked. The upper tray can carry up to 26 lbs. and the lower tray can carry up to 44 lbs. HyGo can be disassembled, and the individual parts can be dry cleaned or wet cleaned.

# Technical Data

Item Number	57006
Castor Diameter	4,9 "
Assembled/Unassembled	Unassembled
Material	Polypropylene Stainless Steel (AISI 304) Stainless Steel (AISI 316) Brass TPE Rubber
Complies with FDA Regulationl CFR 21 <sup>1</sup>	No <sup>2</sup>
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
PFAS, Phthalates and BPA intentionally added	No
Design Registration No.	DM/235083, AU202410933, US29/929201
Box Quantity	1 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	11 Pcs.
Quantity Per Layer (Pallet)	1 Pcs.
Box Length	28.3 "
Box Width	28.3 "
Box Height	7.9 "
Length	30.7 "
Width	20.9 "
Height	40.6 "
Net Weight	23.3686 lbs
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.04 lbs
Weight cardboard (Recycling symbol "20" PAP)	5.18 lbs
Tare Total	5.22 lbs
Gross Weight	28.5935 lbs
Cubic Feet	15.046 ft <sup>3</sup>
The Products Weight Capacity	70.5 lbs
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (non food contact)	176 °F
Min. usage temperature	32 °F
GTIN-13 Number	5705022044333
Customs Tariff No.	87168000
Country of Origin	Denmark

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 32 °Fahrenheit.

2. Partially made with food contact materials, see Declaration of Compliance.

We recommend that you retighten the bolts on trays and wheels every 6 months to ensure good HyGo stability.