


HELIX® 2052

HexArmor®

Innovation intertwined with safety. That's the DNA of the Helix® Series. The Helix® 2052 brings you a tightly knit, yet extremely dexterous 13-gauge HPPE/steel/fiberglass blend shell offering 360° level A7 cut protection. A flexible foam nitrile coating provides superior grip and abrasion resistance at the palm.

The 2052 works as a comfortable and breathable hi-vis, touchscreen-compatible glove that's perfect for a variety of applications.

Protection zones



ANSI/ISEA 105-2024
CUT

A7



ANSI/ISEA 105-2024
GRAM SCORE

4331



ANSI/ISEA 105-2024
PUNCTURE

4



ANSI/ISEA 105-2024
ABRASION

5



EN388:2016+A1:2018

4X43F

Attributes

| | | |
|-----------------|----------------|---|
| Shell: | | 13G HPPE/ fiberglass/ steel blend |
| Coating: | Material: | Foam nitrile |
| | Finish: | Textured, slightly tacky |
| | Weight: | Medium |
| | Breathability: | Fair |
| | Flexibility: | Good |
| | Grip: | Dry, oil, or wet |
| Sizes: | | 5/XXS through 11/XXL |



Touchscreen

Product features

- 13-gauge HPPE, steel, and fiberglass blend shell for industry-leading 360° cut resistance
- Flexible foam nitrile palm coating provides superior grip and abrasion resistance
- Black palm coating hides dirt and soil
- Hi-vis color on back-of-hand enhances visibility and compliance
- Touchscreen capabilities
- Elastic knit wrist helps prevent dirt and debris from entering the glove
- Ultimate dexterity and tactility
- Seamless construction for enhanced comfort and breathability
- Launderable for extended life
- Vend-packed

Call **1.877.MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending