



Thermal protection

TEMP-DEX 745

Dexterity and resistance to cuts for optimized thermal protection



CUT PROTECTION
LEVEL E

EN388



4544E

EN407



X2XXXX

ANSI CUT



SPECIFIC ADVANTAGES



Cut protection

- Knitted aramid fibers ensures protection from cuts



Thermal protection

- Comfort and insulation of the interior terry-cloth



Durability

- Longer service life: good abrasion resistance



Productivity

- Special nitrile Grip coating facilitates work in moderately oily environments



Skin protection

- Free of harmful substances: DMF Free



Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting

INDUSTRIES

- Mechanical industry
- Other industries
- Rubber industry

APPLICATIONS

- Handling of hot piping
- Handling of hot steel after welding
- Handling of molds in the ceramic industry
- Working with hot, sharp and oily parts
- Vulcanization, demolding, forming, etc.



Thermal protection

TEMP-DEX 745


LEGENDS

EN388

MECHANICAL HAZARDS



PERFORMANCE LEVELS (X = NOT TESTED)




EN407

THERMAL RISKS (HEAT AND FIRE)



PERFORMANCE LEVELS (X = NOT TESTED)



ANSI CUT

CUT RESISTANCE



A5 ≥ 2200 G

FOOD CONTACT

US (FDA)

PRODUCT DETAILS

Interior finish	Knitted thermal protection
Exterior finish	Dots
Material	Nitrile
Cuff characteristic	Knitted Cuff
Colour.s	Blue
Length (inches)	9.5-11.0"
European sizes	7 9 11

LOGISTIC DETAILS

Packaging	1 pair/bag 48 pairs/carton
-----------	-------------------------------

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).