



A LINCOLN ELECTRIC COMPANY

Safety Data Sheet

acc. to OSHA GHS (29 CFR 1910.1200)

Printing date: 04/15/2016

Revision: 04/15/2016

1 Identification

- **Product identifier**
- **Trade name: Map-Pro™ Torch Fuel Gas**
- **CAS Number:**
115-07-1
- **Other means of identification:** Fuel Gas
- **Recommended use and restriction on use**
- **Recommended use:** Fuel
- **Restrictions on use:** No relevant information available.
- **Manufacturer/Importer/Supplier/Distributor information**
- **Manufacturer/Supplier:**
Harris Products Group
4501 Quality Place
Mason, Ohio 45040 US
513-754-2000
- **Safety Data Sheet Questions:** salesinfo@jwharris.com
- **Arc Welding Safety Information:** www.lincolnelectric.com/safety
- **24-Hour Emergency Response Telephone Numbers:**
USA/Canada/Mexico: +1 (888) 609-1762
Americas/Europe: +1 (216) 383-8962
Asia Pacific: +1 (216) 383-8966
Middle East/Africa: +1 (216) 383-8969
- **3E Company Access Code:** 333988

2 Hazard(s) identification

Classified according to the criteria of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS), OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Controlled Products Regulations.

· **Classification of the substance or mixture**



GHS02 Flame

Flam. Gas 1 H220 Extremely flammable gas.



GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.

Simple Asphyxiant May displace oxygen and cause rapid suffocation.

(Cont'd. on page 2)

Safety Data Sheet

acc. to OSHA GHS (29 CFR 1910.1200)

Printing date: 04/15/2016

Revision: 04/15/2016

Trade name: Map-Pro™ Torch Fuel Gas

(Cont'd. of page 1)

- **Label elements**

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS02 GHS04

- **Signal word:** Danger

- **Hazard-determining components of labeling:**

propene

- **Hazard statements:**

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

May displace oxygen and cause rapid suffocation.

- **Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 Eliminate all ignition sources if safe to do so.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

- **Other hazards** There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

- **Chemical characterization: Substances**

- **CAS No. Description**

115-07-1 propene

- **Components:**

74-98-6	propane	0-0.5%
---------	---------	--------

- **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

- **Description of first aid measures**

- **After inhalation:**

Supply fresh air.

Provide oxygen treatment if affected person has difficulty breathing.

Seek medical treatment in case of complaints.

- **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

In cases of frostbite, rinse with plenty of water. Do not remove clothing.

If skin irritation continues, consult a doctor.

(Cont'd. on page 3)

Safety Data Sheet

acc. to OSHA GHS (29 CFR 1910.1200)

Printing date: 04/15/2016

Revision: 04/15/2016

Trade name: Map-Pro™ Torch Fuel Gas

(Cont'd. of page 2)

- **After eye contact:**
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Unlikely route of exposure.
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**
Headache
Coughing
Nausea
Dizziness
- **Danger:** May displace oxygen and cause rapid suffocation.
- **Indication of any immediate medical attention and special treatment needed:**
If necessary oxygen respiration treatment.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Water fog / haze
Foam
Fire-extinguishing powder
Carbon dioxide
- **For safety reasons unsuitable extinguishing agents:** Water stream.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Special fire fighting procedures:**
Use standard firefighting procedures and consider the hazards of other involved materials.
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information:**
Cool endangered containers with water fog.
Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**
Use respiratory protective device against the effects of fumes/dust/aerosol.
Ensure adequate ventilation.
Use personal protective equipment as required.
Remove persons from danger area.
- **Environmental precautions:** Report spills to authorities as required.
- **Methods and material for containment and cleaning up:**
Allow to evaporate.
Absorb liquid components with liquid-binding material.

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA GHS (29 CFR 1910.1200)

Printing date: 04/15/2016

Revision: 04/15/2016

Trade name: Map-Pro™ Torch Fuel Gas

(Cont'd. of page 3)

Send for recovery or disposal in suitable receptacles.

· **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling**

· **Precautions for safe handling:**

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Contains gas under pressure; may explode if heated.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

· **Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:**

Observe official regulations on storing packagings with pressurized containers.

Avoid storage near extreme heat, ignition sources or open flame.

· **Information about storage in one common storage facility:** Store away from foodstuffs.

· **Further information about storage conditions:**

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· **Specific end use(s):** No relevant information available.

8 Exposure controls/personal protection

· **Control parameters**

· **Exposure Guidelines:**

Threshold Limit Values (TLVs) and Biological Exposure Indices (BEIs) are values published by the American Conference of Government Industrial Hygienists (ACGIH). ACGIH Statement of Positions Regarding the TLVs® and BEIs® states that the TLV-TWA should be used as a guide in the control of health hazards and should not be used to indicate a fine line between safe and dangerous exposures. See Sections 2, 3, 8, 10, and 11 for information on potential fume constituents of health interest. Threshold Limit Values are figures published by the American Conference of Government Industrial Hygienists.

· **Components with limit values that require monitoring at the workplace:**

115-07-1 propene

TLV (USA)	Long-term value: 860 mg/m ³ , 500 ppm
EL (Canada)	Long-term value: 500 ppm
EV (Canada)	Long-term value: 500 ppm
LMPE (Mexico)	Long-term value: 500 ppm
	A4

74-98-6 propane

PEL (USA)	Long-term value: 1800 mg/m ³ , 1000 ppm
-----------	--

(Cont'd. on page 5)

Safety Data Sheet

acc. to OSHA GHS (29 CFR 1910.1200)

Printing date: 04/15/2016

Revision: 04/15/2016

Trade name: Map-Pro™ Torch Fuel Gas

(Cont'd. of page 4)

REL (USA)	Long-term value: 1800 mg/m ³ , 1000 ppm
TLV (USA)	refer to Appendix F in TLVs and BEIs book
EL (Canada)	Long-term value: 1000 ppm
EV (Canada)	Long-term value: 1000 ppm
LMPE (Mexico)	Long-term value: 1000 ppm

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Use only in well ventilated areas.

- **Engineering controls:** No relevant information available.

- **Breathing equipment:**

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

- **Protection of hands:**



Protective gloves

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing

- **Limitation and supervision of exposure into the environment** No relevant information available.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **Appearance:**

Form: Liquefied gas

Color: Colorless

- **Odor:** Hydrocarbon.

- **Odor threshold:** Not determined.

- **pH-value:** Not determined.

- **Melting point/Melting range:** -185 °C (-301 °F)

(Cont'd. on page 6)

Safety Data Sheet

acc. to OSHA GHS (29 CFR 1910.1200)

Printing date: 04/15/2016

Revision: 04/15/2016

Trade name: Map-Pro™ Torch Fuel Gas

(Cont'd. of page 5)

· Boiling point/Boiling range:	Not determined.
· Flash point:	-107.8 °C (-162 °F)
· Flammability (solid, gaseous):	Extremely flammable gas.
· Auto-ignition temperature:	497 °C (927 °F)
· Decomposition temperature:	Not determined.
· Danger of explosion:	Not determined.
· Explosion limits	
Lower:	2 Vol %
Upper:	11 Vol %
· Oxidizing properties:	Non-oxidizing.
· Vapor pressure at 21 °C (70 °F):	109.73 PSIG
· Density:	Not determined.
· Relative density:	0.52 (liquid)
· Vapor density at 0 °C (32 °F):	1.5
· Evaporation rate:	Not applicable.
· Solubility in / Miscibility with Water:	Slightly soluble.
· Partition coefficient (n-octanol/water):	1.77
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No relevant information available.

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
Danger of receptacles bursting because of high vapor pressure if heated.
- **Possibility of hazardous reactions:**
Reacts with strong oxidizing agents.
Reacts with strong acids.
Reacts with halogenated compounds.
- **Conditions to avoid:** Excessive heat.
- **Incompatible materials:** Oxidizers
- **Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Hydrocarbons

(Cont'd. on page 7)

Safety Data Sheet

acc. to OSHA GHS (29 CFR 1910.1200)

Printing date: 04/15/2016

Revision: 04/15/2016

Trade name: Map-Pro™ Torch Fuel Gas

(Cont'd. of page 6)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** Contact with rapidly expanding gas may cause burns or frostbite.
- **On the eye:** Heat rays (infrared radiation) from flame or hot metal can injure eyes.
- **Sensitization:** No sensitizing effects known.
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer):**

115-07-1 | propene

3

- **NTP (National Toxicology Program):**

Substance is not listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

Substance is not listed.

- **Probable route(s) of exposure:**

Inhalation.

Eye contact.

Skin contact.

- **Acute effects (acute toxicity, irritation and corrosivity):**

May displace oxygen and cause rapid suffocation.

- **Repeated dose toxicity:** From product as supplied: None.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

- **Carcinogenicity:** Based on available data, the classification criteria are not met.

- **Reproductive toxicity:** Based on available data, the classification criteria are not met.

- **STOT-single exposure:** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

- **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** Biodegradable.
- **Bioaccumulative potential:** Non significant accumulation in organisms
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**
Due to available data on eliminability/decomposition and bioaccumulation potential, a prolonged damage of the environment is unlikely.
Generally not hazardous for water
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

(Cont'd. on page 8)

Safety Data Sheet

acc. to OSHA GHS (29 CFR 1910.1200)

Printing date: 04/15/2016

Revision: 04/15/2016

Trade name: Map-Pro™ Torch Fuel Gas

(Cont'd. of page 7)

- **vPvB:** Not applicable.
- **Other adverse effects:** No relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Contact waste processors for recycling information.
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|----------------------------------|----------------|
| · UN-Number | |
| · DOT, ADR, IMDG, IATA | UN1077 |
| · UN proper shipping name | |
| · DOT, IATA | Propylene |
| · ADR | 1077 PROPYLENE |
| · IMDG | PROPYLENE |

- **Transport hazard class(es)**

- **DOT**



- | | |
|----------------|-----|
| · Class | 2.1 |
| · Label | 2.1 |

- **ADR**



- | | |
|----------------|------------|
| · Class | 2 2F Gases |
| · Label | 2.1 |

(Cont'd. on page 9)

Safety Data Sheet

acc. to OSHA GHS (29 CFR 1910.1200)

Printing date: 04/15/2016

Revision: 04/15/2016

Trade name: Map-Pro™ Torch Fuel Gas

(Cont'd. of page 8)

· IMDG, IATA



· Class 2.1
· Label 2.1

· Packing group This UN-number is not assigned a packing group.


· Environmental hazards
· Marine pollutant: No

· Special precautions for user Warning: Gases
· Danger code (Kemler): 23
· EMS Number: F-D,S-U

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· IATA



Cargo Aircraft Only.

* 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· US Federal Regulations

Substance is not listed.

· SARA

· Section 313 (TRI reporting)

115-07-1 | propene

· Section 355 (extremely hazardous substances):

Substance is not listed.

· CERCLA Hazardous Substance List (40 CFR 302.4):

Substance is not listed.

· TSCA (Toxic Substances Control Act)

Substance is listed.

· Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

(Cont'd. on page 10)

Safety Data Sheet

acc. to OSHA GHS (29 CFR 1910.1200)

Printing date: 04/15/2016

Revision: 04/15/2016

Trade name: Map-Pro™ Torch Fuel Gas

(Cont'd. of page 9)

- **Proposition 65 (California)**

- **Chemicals known to cause cancer:**

Substance is not listed.

- **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

- **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

- **Chemicals known to cause developmental toxicity:**

Substance is not listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency):**

Substance is not listed.

- **IARC (International Agency for Research on Cancer):**

115-07-1 propene

3

- **NIOSH-Ca (National Institute for Occupational Safety and Health):**

Substance is not listed.

- **State Right to Know Listings**

- **US. New Jersey Worker and Community Right-to-Know Act**

propene

propane

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

- **Date of preparation / last revision** 04/15/2016 / -

- **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Flam. Gas 1: Flammable gases, Hazard Category 1

Press. Gas: Gases under pressure: Compressed gas

- **Sources**

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN:

(Cont'd. on page 11)

Safety Data Sheet
acc. to OSHA GHS (29 CFR 1910.1200)

Printing date: 04/15/2016

Revision: 04/15/2016

Trade name: Map-Pro™ Torch Fuel Gas

(Cont'd. of page 10)

978-0-07-176923-5.
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:
ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com

· **Disclaimer:**

We urge each end user and recipient of this SDS to study it carefully. If necessary consult an industrial hygienist or other expert to understand this information and safeguard the environment and protect workers from potential hazards associated with the handling or use of this product.

Harris Products Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for use, handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.