Version 3.3	Revision Date 10/01/2023	Print Date 11/11/2024

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ENFORCER INSTANT KNOCKDOWN WASP & HORNET KILLER 12/CS 24N16
Material number	:	EWHIK16
Manufacturer or supplier's o	leta	nils
Company	:	Zep Commercial Sales & Service, a unit of Zep, Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone numbers		
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

#### SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	Aerosol containing a compressed gas
Colour	clear, white
Odour	slight, characteristic

#### **GHS** Classification

Flammable aerosols Gases under pressure Skin sensitisation	: Category 1 : Compressed gas : Category 1
GHS label elements	
Hazard pictograms	Flame Gas cylinder Exclamation mark
Signal word	: Danger
Hazard statements	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H317 May cause an allergic skin reaction.</li> </ul>
Precautionary statements	: <b>Prevention:</b> P210 Keep away from heat, hot surfaces, sparks, open flames

Version 3.3	Revision Date 10/01/2023	Print Date 11/11/2024
	and other ignition sources. No sm P211 Do not spray on an open fla	
	P251 Pressurized container: Do n use.	5
	P261 Avoid breathing dust/ fume/ P272 Contaminated work clothing the workplace.	
	P280 Wear protective gloves. <b>Response:</b> P302 + P352 IF ON SKIN: Wash with plenty of soap and P333 + P313 If skin irritation or rash occurs: Get medica advice/ attention. P363 Wash contaminated clothing before reuse. <b>Storage:</b> P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. <b>Disposal:</b>	
	P501 Dispose of contents/contain regulation.	er in accordance with local

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8	>= 90 - < 100
carbon dioxide	124-38-9	>= 1 - < 3
m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2- dimethylcyclopropanecarboxylate	52645-53-1	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

General advice	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.	
If inhaled	If unconscious, place in recovery position and seek medica advice. If symptoms persist, call a physician. Move to fresh air.	al
In case of skin contact	Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. If symptoms persist, call a physician. Wash off immediately with soap and plenty of water.	
In case of eye contact	Remove contact lenses.	

Version 3.3	Revision Date 10/01/2023	Print Date 11/11/2024
	Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s If in eyes, rinse with water for 15 m	•
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to a If symptoms persist, call a physicia DO NOT induce vomiting unless di physician or poison control center.	an. irected to do so by a
Most important symptoms and effects, both acute and delayed	: Effects are immediate and delayed Symptoms may include irritation, re May cause an allergic skin reaction Review section 2 of SDS to see all	edness, pain, and rash. n.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

# SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wat courses.	er
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Further information	<ul> <li>For safety reasons in case of fire, cans should be stored separately in closed containments.</li> <li>Use a water spray to cool fully closed containers.</li> </ul>	
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.	

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Ensure adequate ventilation.
protective equipment and	Remove all sources of ignition.
emergency procedures	Evacuate personnel to safe areas.
	Beware of vapours accumulating to form explosive
	concentrations. Vapours can accumulate in low areas.

Version 3.3	Revision Date 10/01/2023	Print Date 11/11/2024
Environmental precautions	: Prevent product from entering drain Prevent further leakage or spillage	
	If the product contaminates rivers a respective authorities.	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mater acid binder, universal binder, sawd Sweep up or vacuum up spillage a container for disposal.	ust).

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist. Always replace cap after use.
Conditions for safe storage	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	Oxidizing agents

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL	5 mg/m3	CAL PEL

Version 3.3

I	1	(nertievalete)	1	1
	404.00.0	(particulate)	=	
carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m3	NIOSH REL
		ST	30,000 ppm	NIOSH REL
			54,000 mg/m3	
		TWA	5,000 ppm	OSHA Z-1
			9,000 mg/m3	
		TWA	10,000 ppm	OSHA P0
			18,000 mg/m3	
		STEL	30,000 ppm	OSHA P0
			54,000 mg/m3	
		PEL	5,000 ppm	CAL PEL
			9,000 mg/m3	
		STEL	30,000 ppm	CAL PEL
			54,000 mg/m3	

Revision Date 10/01/2023

Print Date 11/11/2024

Engineering measures	effective ventilation in all processing areas	
Personal protective equipme	t	
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrate that exposures are within recommended exposure guideline	
Hand protection Material Remarks	Protective gloves The suitability for a specific workplace should be discussed	
	with the producers of the protective gloves.	
Eye protection	Safety glasses Access to clean water to rinse eyes must be available, option include: eye wash stations or showers, or eye wash bottles with pure water.	ons
Skin and body protection	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place	€.
Hygiene measures	Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.	

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a compressed gas	5
Colour	: clear, white	
Odour	: slight, characteristic	

Version 3.3	Revision Date 10/01/2023	Print Date 11/11/2024
Odour Threshold	: No data available	
рН	: Not applicable	
Melting point/freezing point	: No data available	
Boiling point	: 217.77 °C	
Flash point	:	
	Not applicable	
Evaporation rate	: <1 n-Butyl Acetate = 1.0	
Flommobility (aplid app	•	
Flammability (solid, gas, liquid)	: Extremely flammable aerosol.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: 0.093 hPa	
Relative vapour density	: No data available	
Density	: 0.8 g/cm3	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 45.79 kJ/g	

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides

Version 3.3

Revision Date 10/01/2023

Print Date 11/11/2024

### SECTION 11. TOXICOLOGICAL INFORMATION

## **Potential Health Effects**

Aggravated Medical Condition Symptoms of Overexposure	<ul> <li>None known.</li> <li>Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. May cause an allergic skin reaction. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.</li> </ul>
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed
ACGIH	human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential
OSHA	carcinogen by ACGIH. No component of this product present at levels greater than or accurate to 0.1% is an OSUM's list of regulated agreeing and
NTP	equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	
Acute inhalation toxicity	: Acute toxicity estimate : 100.01 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : 2,587 mg/kg Method: Calculation method
Components:	
Distillates (petroleum), hydr Acute oral toxicity	otreated light: : LD50 Rat: > 5,000 mg/kg
Acute inhalation toxicity	: LC50 Rat: > 4.6 mg/l Exposure time: 6 h
Acute dermal toxicity	: LD50 Rat: > 2,000 mg/kg

## Skin corrosion/irritation

Version 3.3

Revision Date 10/01/2023

Print Date 11/11/2024

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

### Product:

Remarks: Causes sensitisation.

#### **Components:**

**m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:** Classification: May cause sensitisation by skin contact.

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

#### **Further information**

### Product:

Remarks: No data available

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available Bioaccumulative potential

#### Product:

Version 3.3	Revision Date 10/01/2023	Print Date 11/11/2024
Partition coefficient: n- octanol/water	: Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sect Substances	
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 CF + B).	defined by the U.S.
Additional ecological information	: No data available	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada):

Version 3.3

Revision Date 10/01/2023

Print Date 11/11/2024

#### UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

#### Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION

Causes moderate eye irritation.

Harmful if swallowed.

Harmful if inhaled.

Harmful if absorbed through skin.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. This pesticide is extremely toxic to fish and aquatic invertebrates.

This product is highly toxic to bees and other pollinating insects exposed to direct treatment or residues on blooming crops or weeds.

Observe label precautions.

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Gases under pressure Respiratory or skin sensitisation
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Version 3.3	Revision Date 10/01/2023	Print Date 11/11/2024

# California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## The components of this product are reported in the following inventories:

 
 DSL
 This product contains one or several components that are not on the Canadian DSL nor NDSL.

 TSCA
 On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

### SECTION 16. OTHER INFORMATION

Version 3.3

Revision Date 10/01/2023

Print Date 11/11/2024

## **Further information**

## NFPA:

HEALTH	2
FLAMMABILITY	4
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High

4 = Extreme

## HMIS III:

HEALTH	1
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

## **OSHA - GHS Label Information:**

Hazard pictograms		
	Flame Gas cy linder Exclamation mark	
Signal w ord	: Danger:	
Hazard statements	Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction.	
Precautionary statements	: Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignit sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Contaminated w ork clothing should not be allow ed of the w orkplace. Wear protective gloves. <b>Response:</b> IF ON SKIN: Wash w ith plenty of soap and w ater. If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse. <b>Storage:</b> Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 12 °F.	

Version 3.3

Revision Date 10/01/2023

Print Date 11/11/2024

**Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	3.3
Revision Date:	10/01/2023
Print Date:	11/11/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.