



Sta-Lube FG Anti-Seize & Lubricating Compound

ATTRIBUTES –

Item Number

1007942

Legacy Number

SL35905

Product Description

For applications where incidental food contact is possible. Prevents seizing, galling, rust, corrosion and heat freeze. Non-staining & odorless. NSF H1 registered. Conductive.

Applications

Food processing machinery to lubricate fittings, bushings, flanges, headers, nuts, screws, studs, threaded surfaces, pipes, plugs, and manifolds to prevent seizing and galling of surfaces.

Unit Package Description

8 Ounce Brush-Top Bottle

Brand

CRC

Net Fill

8 Wt Oz

UPC Code

072213359053

Unit Dimensions

4.25H x 2.5W x 2.5D in

Units Per Case

12

Case Dimensions

5.0H x 10.0W x 6.63D in

Cases per pallet USA

95

Appearance

Opaque Off-White Semi-Solid Paste

Base Type

Synthetic

Flash point (F)

445°F

Flash point (C)

229°C

Flammability Class - CPSC

Not a Consumer Product

Spec Gravity Concentrate

1.21

KB Value

N/A

Plastic Safe

Yes

Film Type

Wet

Evaporation Rate

Slow

Dielectric Strength

Not Determined

Timken Ok Load (lbs)

N/A

Propellant

None

NSF Category Code

H1

NSF Number

131549

Military Specification Number

Mil-PRF-907E

DOT Proper Shipping Name

Not Regulated

4 Ball EP

Not Determined

4 Ball Wear

Not Determined

Drop Point

None

pH

N/A

ISO Viscosity Grade

Not Applicable

NLGI Grade

1

SAE Grade

N/A

Water Washout

Not Determined

Working Temp (F)

-65 to 1800°F

Working Temp (C)

-53.9 to 982.2°C

VOC % (Consumer Product def)

2.2

VOC g/L (Consumer Product def)

26.6

VOC lbs/gal (Consumer Prod def)

0.22

VOC Category

Anti-Seize Lubricant - Non-Aerosol

Removal (How To)

Remove with general purpose degreaser.