

ACQUAFIT

TECHNICAL MANUAL

ACQUAFIT

Design CRS Fantini



93 K021 - 93 8116 - 93 G573B+D373A - K101

Rectangular AcquaFit	p. 608
Square AcquaFit	p. 612
Round AcquaFit	p. 619

Technical information

ACQUAFIT DREAM WITH LIGHTS

ART.	WEIGHT	POWER
K001	7 Kg	13 W
K021	10 Kg	18 W
K031B+K031A	10 Kg	10 W
K041B+K031A	7 Kg	8 W
K061	7 Kg	12 W

- Flexible connections not included in the package

ACQUAFIT

ART.	WEIGHT
K002	7 Kg
K022	10 Kg
K032B+K031A	10 Kg
K042B+K031A	7 Kg
K052	4 Kg
K062	7 Kg
K072	3,5 Kg



Link to video
Acquafit

Water functions

art. K021 / K022 / K031B+K031A / K032B+K031A

- 1st function: 170 anti - limestone nozzles water flow concentrated in the middle
- 2nd function: 25 anti - limestone nozzles toning jet

art. K001 / K002 / K041B+K031A / K042B+K031A / K052 / K053

- 1st function: 125 anti - limestone nozzles water flow concentrated in the middle

art. K061 / K062 / K072 / K073

- 1st function: 240 anti - limestone nozzles water flow concentrated in the middle

Light functions

- white RGB led lights
- RGB led chromotherapy: red, green, blue and yellow
- "Feel" colour programme to create an emotional atmosphere:
 - Dawn (from dark blue to light blue)
 - Leaves (from light blue to yellow)
 - Sunset (from yellow to red)
 - Night (from red to dark blue)

NB: to choose the mixer please refer to the pages with shower compositions for each collection

Electrical features

- Tension: 220-240 VAC.
- Frequency: 50/60 Hz
- IPX5 protection class (protection against water jets)
- Environmental conditions: Humidity: 0 ÷ 100% - Maximum temperature: 50°C

Functions control board

The control board includes:


- A) BUILT-IN PIECE consisting of:
 - Plastic box
- B) EXTERNAL PIECE consisting of:
 - Glass panel
 - Touch board with backlit function symbols




Ceiling installation examples

CEILING

FALSE CEILING



BUILT-IN PIECE



PARTIALLY BUILT-IN
PIECE



EXTERNAL PIECE



SURFACE MOUNTED

Certifications

ACQUAFIT DREAM and TOUCH CONTROL BOARD are IMQ certified



Also suitable for use in hammams

Matériel de base:

ACIER INOXYDABLE AISI 304

Finitions:

- 13 Matt Black (RAL 9005)
- 29 Matt White (RAL 9016)
- 95 Polished Nickel PVD
- P5 Matt Gun Metal PVD

- P6 Matt British Gold PVD
- P9 Matt Copper PVD
- S1 Deep Black PVD
- Q7 Pure Brass PVD

- Q8 Raw Metal PVD
- 01 Gold Plus
- 38 Brilliant Stainless Steel
- 93 Brushed Stainless Steel

Control board finishing


CV White glass

Accessoire optionnel

art. W098 - Coupole pour installation de pomme de douche dans le plafond d'un Hammam




Instructions d'installation



RECTANGULAR ACQUAFIT

Multifunction showerhead
ceiling-mount


K021
DREAM WITH LIGHTS
frame: 50 x 35 cm
showerhead: 45 x 30 cm
rain / toning jet / white led light /
chromotherapy / "Feel" colour programme



K022
frame: 50 x 35 cm
showerhead: 45 x 30 cm
rain / toning jet


Multifunction showerhead
wall-mount

K031B+K031A
DREAM WITH LIGHTS
showerhead: 45 x 30 cm
rain / toning jet / white led light / chro-
motherapy / "Feel" colour programme




K032B+K031A
showerhead: 45 x 30 cm
rain / toning jet

SQUARE ACQUAFIT

Multifunction showerhead
ceiling-mount

K001
DREAM WITH LIGHTS
frame: 35 x 35 cm
showerhead: 30 x 30 cm
rain / white led light / chromotherapy /
"Feel" colour programme



K002
frame: 35 x 35 cm
showerhead: 30 x 30 cm
rain

Multifunction showerhead
wall-mount

K041B+K031A
DREAM WITH LIGHTS
showerhead: 30 x 30 cm
rain / white led light / chromotherapy /
"Feel" colour programme



K042B+K031A
showerhead: 30 x 30 cm
rain



K052
showerhead: 30 x 30 cm - 2 mm
rain



K053
showerhead: 30 x 30 cm
rain

ROUND ACQUAFIT

Multifunction showerhead
ceiling-mount

K061
DREAM WITH LIGHTS
frame: Ø 35 cm _ showerhead: Ø 30 cm
rain / white led light / chromotherapy /
"Feel" colour programme



K062
frame: Ø 35 cm _ showerhead: Ø 30 cm
rain



K072
showerhead: Ø 30 cm
rain



K073
showerhead: Ø 30 cm
rain


Multifunction showerhead
wall-mount

K022

Multi-function showerhead

- Water functions:
- 1st function: 170 anti - limestone nozzles
 - 2nd function: 25 anti - limestone nozzles
 - frame 50x35 cm
 - showerhead 45x30 cm
 - built-in part included
 - check valve
 - flow restrictor 14 l/min at 3 bar
 - For ceiling installation: built-in piece, partially built-in piece, external piece


NOTE: conditions necessary for the correct functioning:Min. Flow Rate: 12 l/min



NB: to choose the mixer please refer to the pages with shower compositions for each collection

Brilliant Stainless Steel	79 38 K022
Matt Black	79 13 K022
Matt White	79 29 K022
Polished Nickel PVD	79 95 K022
Matt Gun Metal PVD	79 P5 K022
Matt British Gold PVD	79 P6 K022
Matt Copper PVD	79 P9 K022
Deep Black PVD	79 S1 K022
Gold Plus	79 01 K022



Brushed Stainless Steel 79 93 K022



W098

Cover for installing the shower head in the ceiling of a Hammam

- waterproof
- for art. C031 - C032 - K021 - K022 - K001 - K002 - K061 - K062
- to be installed before the false ceiling is created
- installation instructions on Acqua Zone and Acquafit technical pages



91 00 W098

Multi-function showerhead

Water functions:

- 1st function: 170 anti - limestone nozzles
- 2nd function: 25 anti - limestone nozzles
- 30 x 45 cm
- check valve
- flow restrictor 14 l/min at 3 bar
- wall-mount

NOTE: conditions necessary for the correct functioning:Min. Flow Rate: 12 l/min


NB: to choose the mixer please refer to the pages with shower compositions for each collection

K032B

External piece

Brilliant Stainless Steel	79 38 K032B
Matt Black	79 13 K032B
Matt White	79 29 K032B
Polished Nickel PVD	79 95 K032B
Matt Gun Metal PVD	79 P5 K032B
Matt British Gold PVD	79 P6 K032B
Matt Copper PVD	79 P9 K032B
Deep Black PVD	79 S1 K032B
Gold Plus	79 01 K032B


Brushed Stainless Steel 79 93 K032B



K031A

Built-in piece

79 00 K031A



K001

Multi-function showerhead Dream

Water functions:


- 1st function: 125 anti - limestone nozzles

Light functions:

- white RGB led lights
- RGB led chromotherapy: red, green, blue and yellow
- "Feel" colour programme
- power supply
- frame 35x35 cm
- showerhead 30x30 cm
- built-in part included
- check valve
- flow restrictor 12 l/min at 3 bar


NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 9 l/min

NB: to choose the mixer please refer to the pages with shower compositions for each collection



Brilliant Stainless Steel	79 38 K001
Matt Black	79 13 K001
Matt White	79 29 K001
Polished Nickel PVD	79 95 K001
Matt Gun Metal PVD	79 P5 K001
Matt British Gold PVD	79 P6 K001
Matt Copper PVD	79 P9 K001
Deep Black PVD	79 S1 K001
Pure Brass PVD	79 Q7 K001
Raw Metal PVD	79 Q8 K001
Gold Plus	79 01 K001



Brushed Stainless Steel 79 93 K001



W098

Cover for installing the shower head in the ceiling of a Hammam

- waterproof
- for art. C031 - C032 - K021 - K022 - K001 - K002 - K061 - K062
- to be installed before the false ceiling is created
- installation instructions on Acqua Zone and Acquafit technical pages




91 00 W098

K101

Touch functions control board

- optional
- 3 backlit touch buttons for the light functions: Color, Feel and Light
- built-in part included



White Glass

79 CV K101

K002


Rain showerhead

Water functions:

- 1st function: 125 anti - limestone nozzles
- frame 35x35 cm
- showerhead 30x30 cm
- built-in part included
- check valve
- flow restrictor 12 l/min at 3 bar
- For ceiling installation: built-in piece, partially built-in piece, external piece


NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 9 l/min

NB: to choose the mixer please refer to the pages with shower compositions for each collection



Brilliant Stainless Steel	79 38 K002
Matt Black	79 13 K002
Matt White	79 29 K002
Polished Nickel PVD	79 95 K002
Matt Gun Metal PVD	79 P5 K002
Matt British Gold PVD	79 P6 K002
Matt Copper PVD	79 P9 K002
Deep Black PVD	79 S1 K002
Pure Brass PVD	79 Q7 K002
Raw Metal PVD	79 Q8 K002
Gold Plus	79 01 K002



Brushed Stainless Steel 79 93 K002



W098

Cover for installing the shower head in the ceiling of a Hammam

- waterproof
- for art. C031 - C032 - K021 - K022 - K001 - K002 - K061 - K062
- to be installed before the false ceiling is created
- installation instructions on Acqua Zone and Acquafit technical pages



91 00 W098


Multi-function showerhead Dream

Water functions:

- 1st function: 125 anti - limestone nozzles
- Light functions:
- white RGB led lights
 - RGB led chromotherapy: red, green, blue and yellow
 - "Feel" colour programme
 - showerhead 30x30 cm
 - check valve
 - flow restrictor 12 l/min at 3 bar
 - wall-mount

NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 9 l/min

NB: to choose the mixer please refer to the pages with shower compositions for each collection



K041B



External piece

Brilliant Stainless Steel	79 38 K041B
Matt Black	79 13 K041B
Matt White	79 29 K041B
Polished Nickel PVD	79 95 K041B
Matt Gun Metal PVD	79 P5 K041B
Matt British Gold PVD	79 P6 K041B
Matt Copper PVD	79 P9 K041B
Deep Black PVD	79 S1 K041B
Gold Plus	79 01 K041B


Brushed Stainless Steel 79 93 K041B

K031A



Built-in piece


79 00 K031A



K101

Touch functions control board

- optional
- 3 backlit touch buttons for the light functions: Color, Feel and Light
- built-in part included



White Glass

79 CV K101

Rain showerhead

Water functions:

- 1st function: 125 anti - limestone nozzles
- 30x30 cm
- check valve
- flow restrictor 12 l/min at 3 bar
- wall-mount

NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 9 l/min




NB: to choose the mixer please refer to the pages with shower compositions for each collection

K042B

External piece

Brilliant Stainless Steel	79 38 K042B
Matt Black	79 13 K042B
Matt White	79 29 K042B
Polished Nickel PVD	79 95 K042B
Matt Gun Metal PVD	79 P5 K042B
Matt British Gold PVD	79 P6 K042B
Matt Copper PVD	79 P9 K042B
Deep Black PVD	79 S1 K042B
Gold Plus	79 01 K042B


Brushed Stainless Steel 79 93 K042B



K031A

Built-in piece

79 00 K031A



K052


Rain showerhead

Water functions:

- 1st function: 125 anti - limestone nozzles
- h. 2 mm
- 30x30 cm
- check valve
- flow restrictor 12 l/min at 3 bar
- ceiling-moun: surface mounted


NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 9 l/min

NB: to choose the mixer please refer to the pages with shower compositions for each collection



Brilliant Stainless Steel	79 38 K052
Matt Black	79 13 K052
Matt White	79 29 K052
Polished Nickel PVD	79 95 K052
Matt Gun Metal PVD	79 P5 K052
Matt British Gold PVD	79 P6 K052
Matt Copper PVD	79 P9 K052
Deep Black PVD	79 S1 K052
Pure Brass PVD	79 Q7 K052
Raw Metal PVD	79 Q8 K052
Gold Plus	79 01 K052

Brushed Stainless Steel 79 93 K052



K053

Multi-function showerhead

Water functions:

- 1st function: 125 anti - limestone nozzles
- 30x30 cm
- check valve
- flow restrictor 12 l/min at 3 bar
- wall-mount

NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 9 l/min


NOTE: Shower arm to be separatly ordered

NB: to choose the mixer please refer to the pages with shower compositions for each collection



Brilliant Stainless Steel	79 38 K053
Matt Black	79 13 K053
Matt White	79 29 K053
Polished Nickel PVD	79 95 K053
Matt Gun Metal PVD	79 P5 K053
Matt British Gold PVD	79 P6 K053
Matt Copper PVD	79 P9 K053
Deep Black PVD	79 S1 K053
Pure Brass PVD	79 Q7 K053
Raw Metal PVD	79 Q8 K053
Gold Plus	79 01 K053

Brushed Stainless Steel 79 93 K053





8027

Shower arm

- 30 cm long
- round backplate
- wall-mount
- 1/2" inlet



Chrome	86 02 8027
Matt Black	86 13 8027
Matt White	86 29 8027
Polished Nickel PVD	86 95 8027
Matt Gun Metal PVD	86 P5 8027
Matt British Gold PVD	86 P6 8027
Matt Copper PVD	86 P9 8027
Deep Black PVD	86 S1 8027
Pure Brass PVD	86 Q7 8027
Raw Metal PVD	86 Q8 8027
Gold Plus	86 01 8027

Brushed Stainless Steel 86 93 8027
OPTIONAL: Built-in part for plasterboard
W046 91 00 W046




8137

Shower arm

- 35 cm long
- round backplate
- wall-mount
- 1/2" inlet



Chrome	86 02 8137
Matt Black	86 13 8137
Matt White	86 29 8137
Polished Nickel PVD	86 95 8137
Matt Gun Metal PVD	86 P5 8137
Matt British Gold PVD	86 P6 8137
Matt Copper PVD	86 P9 8137
Deep Black PVD	86 S1 8137
Pure Brass PVD	86 Q7 8137
Raw Metal PVD	86 Q8 8137
Gold Plus	86 01 8137

Brushed Stainless Steel 86 93 8137
OPTIONAL: Built-in part for plasterboard
W046 91 00 W046


8028

Shower arm

- 45 cm long
- round backplate
- wall-mount
- 1/2" inlet





Chrome	86 02 8028
Matt Black	86 13 8028
Matt White	86 29 8028
Polished Nickel PVD	86 95 8028
Matt Gun Metal PVD	86 P5 8028
Matt British Gold PVD	86 P6 8028
Matt Copper PVD	86 P9 8028
Deep Black PVD	86 S1 8028
Pure Brass PVD	86 Q7 8028
Raw Metal PVD	86 Q8 8028
Gold Plus	86 01 8028

Brushed Stainless Steel 86 93 8028

OPTIONAL: Built-in part for plasterboard

W046 91 00 W046



K061**Multi-function showerhead Dream**

Water functions:

- 1st function: 240 anti - limestone nozzles

Light functions:

- white RGB led lights
- RGB led chromotherapy: red, green, blue and yellow
- "Feel" colour programme
- power supply
- frame Ø 35 cm
- showerhead Ø 30 cm
- check valve
- flow restrictor 14 l/min at 3 bar
- built-in part included
- For ceiling installation: built-in piece, partially built-in piece, external piece




NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 12 l/min



NB: to choose the mixer please refer to the pages with shower compositions for each collection

Brilliant Stainless Steel	79 38 K061
Matt Black	79 13 K061
Matt White	79 29 K061
Polished Nickel PVD	79 95 K061
Matt Gun Metal PVD	79 P5 K061
Matt British Gold PVD	79 P6 K061
Matt Copper PVD	79 P9 K061
Deep Black PVD	79 S1 K061
Pure Brass PVD	79 Q7 K061
Raw Metal PVD	79 Q8 K061
Gold Plus	79 01 K061

Brushed Stainless Steel 79 93 K061

**W098****Cover for installing the shower head in the ceiling of a Hammam**


- waterproof
- for art. C031 - C032 - K021 - K022 - K001 - K002 - K061 - K062
- to be installed before the false ceiling is created
- installation instructions on Acqua Zone and Acquafit technical pages



91 00 W098

K101**Touch functions control board**

- optional
- 3 backlit touch buttons for the light functions: Color, Feel and Light
- built-in part included



White Glass

79 CV K101

K062

Rain showerhead

Water functions:

- 1st function: 240 anti - limestone nozzles
- frame Ø 35 cm
- showerhead Ø 30 cm
- check valve
- flow restrictor 14 l/min at 3 bar
- built-in part included
- For ceiling installation: built-in piece, partially built-in piece, external piece


NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 12 l/min

NB: to choose the mixer please refer to the pages with shower compositions for each collection



Brilliant Stainless Steel	79 38 K062
Matt Black	79 13 K062
Matt White	79 29 K062
Polished Nickel PVD	79 95 K062
Matt Gun Metal PVD	79 P5 K062
Matt British Gold PVD	79 P6 K062
Matt Copper PVD	79 P9 K062
Deep Black PVD	79 S1 K062
Pure Brass PVD	79 Q7 K062
Raw Metal PVD	79 Q8 K062
Gold Plus	79 01 K062



Brushed Stainless Steel 79 93 K062




W098

Cover for installing the shower head in the ceiling of a Hammam

- waterproof
- for art. C031 - C032 - K021 - K022 - K001 - K002 - K061 - K062
- to be installed before the false ceiling is created
- installation instructions on Acqua Zone and Acquafit technical pages



91 00 W098





8027

Shower arm

- 30 cm long
- round backplate
- wall-mount
- 1/2" inlet



Chrome	86 02 8027
Matt Black	86 13 8027
Matt White	86 29 8027
Polished Nickel PVD	86 95 8027
Matt Gun Metal PVD	86 P5 8027
Matt British Gold PVD	86 P6 8027
Matt Copper PVD	86 P9 8027
Deep Black PVD	86 S1 8027
Pure Brass PVD	86 Q7 8027
Raw Metal PVD	86 Q8 8027
Gold Plus	86 01 8027

Brushed Stainless Steel 86 93 8027
OPTIONAL: Built-in part for plasterboard
W046 91 00 W046




8137

Shower arm

- 35 cm long
- round backplate
- wall-mount
- 1/2" inlet



Chrome	86 02 8137
Matt Black	86 13 8137
Matt White	86 29 8137
Polished Nickel PVD	86 95 8137
Matt Gun Metal PVD	86 P5 8137
Matt British Gold PVD	86 P6 8137
Matt Copper PVD	86 P9 8137
Deep Black PVD	86 S1 8137
Pure Brass PVD	86 Q7 8137
Raw Metal PVD	86 Q8 8137
Gold Plus	86 01 8137

Brushed Stainless Steel 86 93 8137
OPTIONAL: Built-in part for plasterboard
W046 91 00 W046


8028

Shower arm

- 45 cm long
- round backplate
- wall-mount
- 1/2" inlet



Chrome	86 02 8028
Matt Black	86 13 8028
Matt White	86 29 8028
Polished Nickel PVD	86 95 8028
Matt Gun Metal PVD	86 P5 8028
Matt British Gold PVD	86 P6 8028
Matt Copper PVD	86 P9 8028
Deep Black PVD	86 S1 8028
Pure Brass PVD	86 Q7 8028
Raw Metal PVD	86 Q8 8028
Gold Plus	86 01 8028

Brushed Stainless Steel 86 93 8028

OPTIONAL: Built-in part for plasterboard

W046 91 00 W046

