

# MILANOSLIM OUTDOOR

TECHNICAL MANUAL

# MILANOSLIM OUTDOOR

design Franco Sargiani



93 H121U

MilanoSlim Outdoor.1

p. 581

## Technical information

	MILANOSLIM OUTDOOR.1 - Art. # H121U
Minimum hydraulic pressure:	29PSI
Maximum hydraulic pressure:	75PSI
Hot water max temperature:	176°F
Weight:	65 lbs
Recommended installation conditions:	
- Hydraulic pressure:	43PSI

## Functions

Milanoslim Outdoor has 3 water functions:

- Rainfall
- Front body spray
- Handshower

## Operation

Top handle: 3-way diverter

Bottom handle: progressive shower mixe

### Base materials:

STAINLESS STEEL AISI 316


### Finish:

93 Brushed Stainless Steel

### Shower column

- Rain showerhead
- Body spray
- FIT handshower
- 48" Vinyl hose
- Progressive cartridge
- Integrated shelf
- 3-way diverter with turning knob
- 1/2" NPT inlets and outlets

**NOTE: Shipping to be quoted separately**



**Brushed Stainless steel**      72 93 H121U





**Fantini USA Inc.**

A&D BUILDING - 150 East 58th Street, 8th floor - New York, NY 10155

Ph. 212 308 8833 - Fax 212 308 8820

[www.fantiniusa.com](http://www.fantiniusa.com) - [fantini@fantiniusa.com](mailto:fantini@fantiniusa.com)