

NICE

TECHNICAL MANUAL

NICE

Matteo Thun & Antonio Rodriguez



HANDLES p. 04

WASHBASIN

1/4 turn ceramic disc cartridge p. 05
traditional cartridge p. 07
spouts p. 10

BIDET

traditional cartridge p. 11

SHOWER

thermostatic cartridge p. 13
shower sets with thermostatic cartridges p. 13

TUB p. 24

spouts p. 24

MISCELLANEOUS ARTICLES p. 29


Technical information

The NICE mixers are supplied **WITHOUT HANDLES**, to be ordered separately.

All washbasin and bidet mixers are **restricted** to 1.2 GPM.



BASINS HOLE SIZE:

- For single-hole washbasin and bidet mixers.



- Three-hole washbasin mixer.

Art. S104SU



EXAMPLE:

Art. G572BU+D373AU

a) shut-off rotating diverter - By rotating the diverter knob from centre to right clockwise, one opens the first outlet, shuts off at the centre and rotating left opens the second and third outlets in a sequence.

b) temperature control.



Base materials:

- Brass

02 Chrome

13 Matte Black (RAL 9005)

Finishes for the handles PMMA (Polymethyl methacrylate)

	F1 White	F2 Red	F3 Black	F4 Blue	F5 Turquoise	F7 Green
 S148	•	•	•	•	•	•
 S048 S248	•	•	•	•	•	•

Prices of the following Nice items do **not include handles**, to be ordered separately.

* For spare parts, accessories, miscellaneous items and extensions please refer to the dedicated sections

1/4 TURN CERAMIC DISC CARTRIDGE

Three-hole washbasin mixer
_7 1/4" spout projection



S104SWU+F3S148 (2 PCS)
WITHOUT DRAIN

S104SU+F3S148 (2 PCS)
WITH DRAIN

Wall-mount washbasin mixer
_5 7/8" spout projection



S210SBU+R010AU+F3S148 (2 PCS)
WITHOUT DRAIN

Wall-mount washbasin mixer
_7 7/8" spout projection



S213SBU+R010AU+F3S148 (2 PCS)
WITHOUT DRAIN

TRADITIONAL CARTRIDGE

Single-hole washbasin mixer
_5" spout projection



S004SWU+F3S048
WITHOUT DRAIN

S004SU+F3S048
WITH DRAIN

Single-hole high washbasin mixer
_6 5/8" spout projection



S006SWU+F3S048
WITHOUT DRAIN

Wall-mount washbasin mixer
_5 7/8" spout projection



S009SBU+M011AU+F3S248
WITHOUT DRAIN



S010SBU+M011AU+F3S248
WITHOUT DRAIN

Wall-mount washbasin mixer
_7 7/8" spout projection



S011SBU+M011AU+F3S248
WITHOUT DRAIN



S013SBU+M011AU+F3S248
WITHOUT DRAIN

Single-hole bidet mixer
_5 1/8" spout projection



S008SWU+F3S048
WITHOUT DRAIN

S008SU+F3S048
WITH DRAIN


S148

NICE handle

for articles: S104SWU - S104SU - S210SBU+R010AU - S213SBU+R010AU
- S065SU - S067SU



Red	65 F2 S148
Black	65 F3 S148
Blue	65 F4 S148
Turquoise	65 F5 S148
Green	65 F7 S148
White	65 F1 S148




S048

NICE handle

for articles: S004SWU - S004SU - S006SWU - S008SWU - S008SU



Red	65 F2 S048
Black	65 F3 S048
Blue	65 F4 S048
Turquoise	65 F5 S048
Green	65 F7 S048
White	65 F1 S048




S248

NICE handle

for articles: S010SBU+M011AU - S013SBU+M011AU - S009SBU+M011AU -
S011SBU+M011AU - S063SBU+M063AU - S020SBU+R021AU - S021SBU+R021AU



Red	65 F2 S248
Black	65 F3 S248
Blue	65 F4 S248
Turquoise	65 F5 S248
Green	65 F7 S248
White	65 F1 S248



S104SWU


Three-hole washbasin mixer

- 7 1/4" spout projection
- Without handles
- Water flow restricted to 1.2 GPM
- 90° ceramic cartridge
- Flexible supply lines
- Without drain

Note: Handles (2 PCS required) to be ordered separately, please refer to the "Handles" section.

Drain to be ordered separately: please select #9865U, #W095U or #W097U.

Chrome 65 02 S104SWU
Matte Black 65 13 S104SWU




S104SU

Three-hole washbasin mixer

- 7 1/4" spout projection
- Without handles
- Water flow restricted to 1.2 GPM
- 90° ceramic cartridge
- Flexible supply lines
- Push-up drain, 1 1/4"

Note: Handles (2 PCS required) to be ordered separately, please refer to the "Handles" section.

Chrome 65 02 S104SU
Matte Black 65 13 S104SU



Wall-mount washbasin mixer

- 5 7/8" spout projection
- Without handles
- Water flow restricted to 1.2 GPM
- 90° ceramic cartridge
- 1/2" inlets
- Without drain


Note: Handles (2 PCS required) to be ordered separately, please refer to the "Handles" section.

Drain to be ordered separately: please select #9865U, #W095U or #W097U.

Trim

Chrome 65 02 S210SBU
Matte Black 65 13 S210SBU


S210SBU



R010AU

Rough

44 00 R010AU






Wall-mount washbasin mixer


- 7 7/8" spout projection
- Without handles
- Water flow restricted to 1.2 GPM
- 90° ceramic cartridge
- 1/2" inlets
- Without drain

Note: Handles (2 PCS required) to be ordered separately, please refer to the "Handles" section.

Drain to be ordered separately: please select #9865U, #W095U or #W097U.



S213SBU



Trim

Chrome	65 02 S213SBU
Matte Black	65 13 S213SBU

R010AU



Rough

44 00 R010AU

S004SWU

Single-hole washbasin mixer


- 5" spout projection
- Without handle
- Water flow restricted to 1.2 GPM
- Flexible supply lines
- Without drain



NOTE: Handle to be ordered separately, please refer to the "Handles" section.

Drain to be ordered separately: please select #9865U, #W095U or #W097U.

Chrome 65 02 S004SWU
Matte Black 65 13 S004SWU



S004SU


Single-hole washbasin mixer

- 5" spout projection
- Without handle
- Water flow restricted to 1.2 GPM
- Flexible supply lines
- Push-up drain, 1 1/4"



NOTE: Handle to be ordered separately, please refer to the "Handles" section.

Chrome 65 02 S004SU
Matte Black 65 13 S004SU



S006SWU

Single-hole vessel mixer


- 6 5/8" spout projection
- Without handle
- Water flow restricted to 1.2 GPM
- Flexible supply lines
- Without drain



NOTE: Handle to be ordered separately, please refer to the "Handles" section.

Drain to be ordered separately: please select #9865U, #W095U or #W097U.

Chrome 65 02 S006SWU
Matte Black 65 13 S006SWU




Wall-mount washbasin mixer

- 5 7/8" spout projection
- Without handle
- Water flow restricted to 1.2 GPM
- 1/2" inlets
- Without drain

NOTE: Handle to be ordered separately, please refer to the "Handles" section.

Drain to be ordered separately: please select #9865U, #W095U or #W097U.



S010SBU



Trim	
Chrome	65 02 S010SBU
Matte Black	65 13 S010SBU

M011AU




Rough	
	44 00 M011AU

Wall-mount washbasin mixer

- 7 7/8" spout projection
- Without handle
- Water flow restricted to 1.2 GPM
- 1/2" inlets
- Without drain

NOTE: Handle to be ordered separately, please refer to the "Handles" section.

Drain to be ordered separately: please select #9865U, #W095U or #W097U.



S013SBU



Trim	
Chrome	65 02 S013SBU
Matte Black	65 13 S013SBU

M011AU




Rough	
	44 00 M011AU

Wall-mount washbasin mixer

- 5 7/8" spout projection
- Without handle
- Water flow restricted to 1.2 GPM
- 1/2" inlets
- Without drain

NOTE: Handle to be ordered separately, please refer to the "Handles" section.

Drain to be ordered separately: please select #9865U, #W095U or #W097U.



S009SBU



Trim	
Chrome	65 02 S009SBU
Matte Black	65 13 S009SBU

M011AU




Rough	
	44 00 M011AU

Wall-mount washbasin mixer

- 7 7/8" spout projection
- Without handle
- Water flow restricted to 1.2 GPM
- 1/2" inlets
- Without drain

NOTE: Handle to be ordered separately, please refer to the "Handles" section.

Drain to be ordered separately: please select #9865U, #W095U or #W097U.



S011SBU



Trim	
Chrome	65 02 S011SBU
Matte Black	65 13 S011SBU

M011AU



Rough	
	44 00 M011AU

Wall-mount separate control for washbasin spouts

- Without handles
- 1/2" inlets
- 7.6 GPM @ 60 PSI

NOTE: Handle to be ordered separately, please refer to the "Handles" section.

S063SBU

Trim



- Chrome 65 02 S063SBU
- Matte Black 65 13 S063SBU



M063AU

Rough

- 44 00 M063AU



WASHBASIN : spouts


8497U

Wall-mount washbasin spout

- 6" spout projection
- Water flow restricted to 1.2 GPM
- 1/2" NPT male connection



- Chrome 65 02 8497U
- Matte Black 65 13 8497U




8498U

Wall-mount washbasin spout

- 8" spout projection
- Water flow restricted to 1.2 GPM
- 1/2" NPT male connection



- Chrome 65 02 8498U
- Matte Black 65 13 8498U




S008SWU

Single-hole bidet mixer

- 5 1/8" spout projection
- Without handle
- Water flow restricted to 1.2 GPM
- Articulated spout
- Flexible supply lines

NOTE: Handle to be ordered separately, please refer to the "Handles" section.

Drain to be ordered separately: please select #9865U, #W095U or #W097U.




Chrome 65 02 S008SWU
 Matte Black 65 13 S008SWU

S008SU

Single-hole bidet mixer

- 5 1/8" spout projection
- Without handle
- Water flow restricted to 1.2 GPM
- Articulated spout
- Flexible supply lines
- Push-up drain, 1 1/4"

NOTE: Handle to be ordered separately, please refer to the "Handles" section.




Chrome 65 02 S008SU
 Matte Black 65 13 S008SU


THERMOSTATIC CARTRIDGE

Built-in shower mixer


.3/4" inlets



G572BU+D331AU
volume control
1 outlet



G572BU+D372AU
diverter
2 outlets



G572BU+D373AU
diverter
3 outlets



G500BU+D300AU



G591BU+D391AU
volume control
1 outlet



G576BU+D376AU
diverter
2 outlets



G576BU+D377AU
diverter
3 outlets



3/4" Thermostatic mixer with integrated volume control

- For horizontal installation
- 3/4" NPT inlets and 1/2" outlets
- With shut-off valve
- Rectangular backplate
- Handles included
- 15.3 GPM @ 60 PSI

G572BU

Trim


Chrome	87 02 G572BU
Matte Black	87 13 G572BU



D331AU

Rough

19 00 D331AU





3/4" Thermostatic mixer with 2-way diverter

- For horizontal installation
- 3/4" NPT inlets and 1/2" outlets
- With shut-off valve
- Rectangular backplate
- Handles included
- 8.9 GPM @ 60 PSI (primary outlet)
- 7.6 GPM @ 60 PSI (secondary outlet)

G572BU

Trim


Chrome	87 02 G572BU
Matte Black	87 13 G572BU



D372AU


Rough

19 00 D372AU



3/4" Thermostatic mixer with 3-way diverter


- For horizontal installation
- 3/4" NPT inlets and 1/2" outlets
- With shut-off valve
- Rectangular backplate
- Handles included
- 8.7 GPM @ 60 PSI (primary outlet)
- 7.4 GPM @ 60 PSI (secondary outlet)
- 7.4 GPM @ 60 PSI (third outlet)



G572BU

Trim


Chrome 87 02 G572BU
Matte Black 87 13 G572BU



D373AU

Rough


19 00 D373AU



3/4" Thermostatic mixer without volume control

- Independent thermostatic shower/tub valve
- Round backplate
- 3/4" NPT inlets and outlet on rough
- Adjustable temperature range to 100° with push button override
- Sound insulation foam back
- Trim includes handles
- 16.9 GPM @ 60 PSI

Select one or more stop valves (#G591BU+#D391AU or #G576BU+#D376AU or #G576BU+#D377AU)



G500BU

Trim


Chrome 87 02 G500BU
Matte Black 87 13 G500BU



D300AU

Rough

19 00 D300AU



3/4" Volume control


- For remote installation
- Round backplate
- 3/4" NPT inlet and outlet
- Sound insulation foam back
- Handle included
- 15.3 GPM @ 60 PSI

To be used with thermostatic valve (#G500BU+#D300AU)

G591BU

Trim


Chrome	87 02 G591BU
Matte Black	87 13 G591BU



D391AU

Rough



19 00 D391AU



W042U

OPTIONAL - Easy Fix System

- plate and connections:
- for vertical and horizontal installation:
 - to install art- D300AU/ D391AU - **1 outlet**
 - to install art- D300AU / D391AU - **2 outlets**



EXAMPLE OF INSTALLATION - 1 OUTLET



EXAMPLE OF INSTALLATION - 2 OUTLETS





91 00 W042U

W043U

OPTIONAL - Easy Fix System

- plate and connections:
 • for vertical and horizontal installation:
 • to install art- D300AU / D391AU - **3 outlets**



EXAMPLE OF INSTALLATION - 3 OUTLETS



91 00 W043U

2-Way diverter with integrated volume control


- For remote installation
- For remote installation
- 1/2" NPT inlets and outlets
- With shut-off valve
- Handle included
- 8.9 GPM @ 60 PSI (primary outlet)
- 7.6 GPM @ 60 PSI (secondary outlet)

To be used with thermostatic valve (#G500BU+#D300AU)

G576BU

Trim



- Chrome 87 02 G576BU
- Matte Black 87 13 G576BU



D376AU

Rough

19 00 D376AU



3-Way diverter with integrated volume control

- For remote installation
- 1/2" NPT inlets and outlets
- With shut-off valve
- Handle included
- 8.7 GPM @ 60 PSI (primary outlet)
- 7.4 GPM @ 60 PSI (secondary outlet)
- 7.4 GPM @ 60 PSI (third outlet)

To be used with thermostatic valve (#G500BU+#D300AU)

G576BU

Trim


Chrome	87 02 G576BU
Matte Black	87 13 G576BU



D377AU

Rough

19 00 D377AU





8083U

9 1/2" Round showerhead

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 2.5 GPM

Shower arm for wall installation: #8028U, #8027U, #9231U, #8011U
Shower arms for ceiling installation: #9236U, #9237U





Chrome 86 02 8083U
 Matte Black 86 13 8083U

8083UC

9 1/2" Round showerhead

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 1.8 GPM

Shower arm for wall installation: #8028U, #8027U, #9231U, #8011U
Shower arms for ceiling installation: #9236U, #9237U





Chrome 86 02 8083UC
 Matte Black 86 13 8083UC

K073U

Multifunction showerhead

- ACQUAFIT
- Water functions:
 - 240 nozzles
 - 11 3/4"
 - check valve
 - 1/2" inlet
- Anti-limescale membrane
- wall-mount
- Water flow restricted to 2.5 GPM





Polished Stainless steel 79 38 K073U
 Matte Black 79 13 K073U

K073UC

Multifunction showerhead

- ACQUAFIT
- Water functions:
 - 240 nozzles
 - 11 3/4"
 - check valve
 - 1/2" inlet
- Anti-limescale membrane
- wall-mount
- Water flow restricted to 1.8 GPM



Polished Stainless steel 79 38 K073UC
 Matte Black 79 13 K073UC


8084U

14 1/8" Round showerhead

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 2.5 GPM

Shower arms for ceiling installation: #9236U, #9237U

Shower arm for wall installation: #8028U



Chrome

86 02 8084U


8084UC

14 1/8" Round showerhead

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 1.8 GPM

Shower arms for ceiling installation: #9236U, #9237U

Shower arm for wall installation: #8028U




Chrome

86 02 8084UC

8135U

Wall-mount adjustable showerhead

- 1/2" NPT male connection
- Anti-limescale membrane
- Round escutcheon
- Water flow restricted to 2.2 GPM




Polished Stainless steel
Matte Black

86 38 8135U
86 13 8135U

8135UC

Wall-mount adjustable showerhead

- 1/2" NPT male connection
- Anti-limescale membrane
- Round escutcheon
- Water flow restricted to 1.8 GPM



Polished Stainless steel 86 38 8135UC
 Matte Black 86 13 8135UC


8027U

11 3/4" Wall-mount shower arm

- Round escutcheon
- Curved angle
- 1/2" NPT male connection
- Matching showerhead: #8083U, #8083UC




Chrome 86 02 8027U
 Matte Black 86 13 8027U



OPTIONAL: Built-in part for drywall

W046U 91 00 W046U




8137U

13 3/4" Wall-mount shower arm

- Round escutcheon
- Curved angle
- 1/2" NPT male connection




Chrome 86 02 8137U
 Matte Black 86 13 8137U



OPTIONAL: Built-in part for drywall

W046U 91 00 W046U



8028U

17 3/4" Wall-mount shower arm



- Round escutcheon
- Curved angle
- 1/2" NPT male connection
- Matching showerhead: #8083U, #8083UC, #8084U, #8084UC



Chrome 86 02 8028U
Matte Black 86 13 8028U

OPTIONAL: Built-in part for drywall

W046U 91 00 W046U



9236U

10" Ceiling-mount shower arm



- Round escutcheon
- 1/2" NPT male connection
- Matching showerhead: #8113U, #8113UC



Chrome 86 02 9236U
Matte Black 86 13 9236U

OPTIONAL: Built-in part for drywall

W046U 91 00 W046U



9237U

18" Ceiling-mount shower arm



- Round escutcheon
- 1/2" NPT male connection
- Matching showerhead: #8113U, #8113UC



Chrome 86 02 9237U
Matte Black 86 13 9237U

OPTIONAL: Built-in part for drywall


W046U 91 00 W046U



8093U

Wall-mount handshower set

- FIT handshower with anti-siphon check valve
- Anti-limescale membrane
- 58" vinyl hose
- Water outlet with shower holder
- Round escutcheon
- 1/2" NPT male connection
- Water flow restricted to 1.8 GPM




Chrome
Matte Black

86 02 8093U
86 13 8093U

8783U

FIT handshower

- Cylindrical shape
- Anti-backflow
- Anti-limescale membrane
- Water flow restricted to 1.8 GPM




Chrome
Matte Black

90 02 8783U
90 13 8783U

9323U

Wall-mount handshower holder with water outlet

- Round escutcheon
- Solid brass construction
- 1/2" NPT male connection




Chrome
Matte Black

91 02 9323U
91 13 9323U

7034U

Wall-mount water outlet

- Round escutcheon
- Solid brass construction
- 1/2" NPT male connection



Chrome 91 02 7034U
 Matte Black 91 13 7034U

9349

58" Vinyl hose

- 1/2" Female metal connecting nuts
- Easy to clean
- High resistance to pressure and heat



Chrome 90 02 9349
 Matte Black 90 13 9349

9193

Metal Hose for Hand Shower

- 1/2" Female metal connecting nuts
- High resistance to pressure and heat



Chrome 90 02 9193
 Matte Black 90 13 9193

9671



78" Vinyl hose

- 1/2" Female metal connecting nuts
- Easy to clean
- High resistance to pressure and heat





Chrome 90 02 9671
 Matte Black 90 13 9671

COMBINATION.1	Art.	Description	Finishing
	8083U	9 1/2" Round showerhead	02 Chrome
	8027U	11 3/4" Wall-mount shower arm	13 Matte Black
	8093U	Wall-mount handshower set	
	G572BU+D372AU	3/4" Thermostatic mixer with 2-way diverter	

COMBINATION.2	Art.	Description	Finishing
	K073U	Multifunction showerhead	02 Chrome
	8027U	11 3/4" Wall-mount shower arm	13 Matte Black
	8093U	Wall-mount handshower set	
	G572BU+D372AU	3/4" Thermostatic mixer with 2-way diverter	

COMBINATION.3	Art.	Description	Finishing
	K072U	Multifunction showerhead	02 Chrome
	8093U	Wall-mount handshower set	13 Matte Black
	G572BU+D372AU	3/4" Thermostatic mixer with 2-way diverter	

COMBINATION.4	Art.	Description	Finishing
	K062U	Multifunction showerhead	02 Chrome
	8093U	Wall-mount handshower set	13 Matte Black
	G572BU+D372AU	3/4" Thermostatic mixer with 2-way diverter	

COMBINATION.5	Art.	Description	Finishing
	K061U	Multifunction showerhead Dream	02 Chrome
	8093U	Wall-mount handshower set	13 Matte Black
	G572BU+D372AU	3/4" Thermostatic mixer with 2-way diverter	*optional
	K101 OPT.	Backlit glass digital control board	K101 Touch functions control board

1/4 TURN CERAMIC DISC CARTRIDGE

Wall-mount tub set

_1/2" inlets



S020SBU+R021AU+F3S248

2 outlets



S021SBU+R021AU+F3S248

2 outlets

Deck-mount roman tub set

_1/2" inlets



S065SU+F3S148 (2 PCS)

2 outlets



S067SU+F3S148 (2 PCS)

2 outlets

Floor-mount single-control tub filler

_1/2" inlets




S080BU+R080AU

2 outlets

Floor-mount single-control tub filler

- 7 7/8" spout projection
- Handle included
- open/close handle with flow and temperature control
- FIT handshower
- Handshower holder
- 58" PVC hose
- 1/2" inlets

S080BU



Trim


Chrome	65 02 S080BU
Matte Black	65 13 S080BU

R080AU



Rough


44 00 R080AU



W010U

Wall-mount tub spout

- 6" spout projection
- Max 6.5 GPM
- 1/2" NPT male connection




Chrome
Matte Black

65 02 W010U
65 13 W010U

8499U

Wall-mount tub spout

- Max 6.5 GPM
- 8" spout projection
- 1/2" NPT male connection



Chrome
Matte Black


65 02 8499U
65 13 8499U

MISCELLANEOUS ARTICLES

9865U

1 1/4" Push-up drain with overflow

N.B. complete finishing list in the section miscellaneous articles at the end of the pricelist




Chrome
Matte Black

91 02 9865U
91 13 9865U

W095U

1 1/4" Push-up drain with overflow

N.B. complete finishing list in the section miscellaneous articles at the end of the pricelist




Chrome
Matte Black

91 02 W095U
91 13 W095U

W097U

1 1/4" Free flow drain (always open)

N.B. complete finishing list in the section miscellaneous articles at the end of the pricelist



Chrome 91 02 W097U
Matte Black 91 13 W097U


8402U

Flush actuator plate

- Stainless steel construction
- Projecting push-button controls
- Round push-button controls
- Compatible with GEBERIT models: 111.798.00.1, 111.335.00.5
- Concealed fixing system



N.B. complete finishing list in the section miscellaneous articles at the end of the pricelist



Polished Stainless steel 91 38 8402U
Matte Black 91 13 8402U


8486U

Double-function hydrobrush

- For toilet cleaning
- For personal care if used with a shower mixer
- Water plug with shower holder
- Stop valve
- Brass construction
- Round backplate
- 47 1/4" Vinyl hose
- 1/2" inlet
- 1.70 GPM @ 60 PSI



N.B. complete finishing list in the section miscellaneous articles at the end of the pricelist




Chrome 91 02 8486U
Matte Black 91 13 8486U

9325

Mounting plate for deck-mount bathtub mixer

- screw covers
 - mounting plate
 - without cover plate
- NOTE: To be finished with inspectable cover materials



Chrome 91 02 9325



Fantini USA Inc.

A&D BUILDING - 150 East 58th Street, 8th floor - New York, NY 10155

Ph. 212 308 8833 - Fax 212 308 8820

www.fantiniusa.com - fantini@fantiniusa.com