

SAILING

TECHNICAL MANUAL

SAILING

design YabuPushelberg



P5 J007WU

WASHBASIN	p. 132
BIDET	p. 133
SHOWER	p. 135
TUB	p. 147
MISCELLANEOUS ARTICLES	p. 149


Technical information

All SAILING articles are supplied WITH HANDLES.


Washbasin and bidet mixers are **restricted to 1.2 gpm.**

HOLE SIZE GUIDELINES:

- Two-hole washbasin mixers.




- Three-hole washbasin mixers.



The 3/4" thermostatic shower mixer is available with integrated volume controls in these versions:

- with one volume control (1 outlet) J272BU + D331AU
- with 2-way diverter (2 outlets) J272BU + D372AU
- with 3-way diverter (3 outlets) J272BU + D373AU

Diverterers **include volume control** and **do not allow to share functions.**



OPERATION EXAMPLE:

J272BU + D373AU

- a) **rotating diverter with volume control:** from the OFF position, the first function is activated by rotating the knob clockwise, volume increases progressively. The second and third are activated in sequence turning the handle counterclockwise.
- b) **temperature control** with safety override button at 100° F.

Base materials:

BRASS

Finish:

- P5 Matte Gun Metal PVD
- P6 Matte British Gold PVD
- S1 Deep Black PVD

* For spare parts, accessories, miscellaneous items and extensions please refer to the dedicated sections

1/4 TURN CERAMIC DISC CARTRIDGE

Three-hole washbasin mixer*_5 3/4" spout projection*

J007WU
WITHOUT DRAIN

Wall-mount washbasin mixer*_7 7/8" spout projection*

J013BU+R010AU
WITHOUT DRAIN

Single-hole bidet mixer*_5 5/8" spout projection*

J062WU
WITHOUT DRAIN

PROGRESSIVE CARTRIDGE

Two-hole washbasin mixer*_5 3/4" spout projection*

J107WU
WITHOUT DRAIN


J007WU

Three-hole washbasin mixer

- 5 3/4" spout projection
- Flexible supply lines included
- Water flow restricted to 1.2 gpm

Drain not included, please select W095U or W097U in the Miscellaneous Articles section.

Matte Gun Metal PVD	67 P5 J007WU
Matte British Gold PVD	67 P6 J007WU
Deep Black PVD	67 S1 J007WU




Wall-mount three-hole washbasin mixer

- 7 7/8" spout projection
- Water flow restricted to 1.2 gpm
- 1/4 turn ceramic cartridge
- 1/2" inlets
- Without drain


Drain not included, please select W095U or W097U in the Miscellaneous Articles section.

Trim

Matte Gun Metal PVD	67 P5 J013BU
Matte British Gold PVD	67 P6 J013BU
Deep Black PVD	67 S1 J013BU




J013BU



R010AU

Rough

44 00 R010AU




J107WU

Two-hole washbasin mixer with single-control

- 5 3/4" spout projection
- Without drain
- Progressive cartridge
- Flexible supply lines included
- Water flow restricted to 1.2 gpm

Drain not included, please select W095U or W097U in the Miscellaneous Articles section.

Matte Gun Metal PVD	67 P5 J107WU
Matte British Gold PVD	67 P6 J107WU
Deep Black PVD	67 S1 J107WU



J062WU


Single-hole bidet mixer

- 5 5/8" spout projection
- Adjustable aerator
- Flexible supply lines included
- Water flow restricted to 1.2 gpm

Drain not included, please select W095U or W097U in the Miscellaneous Articles section.



- | | |
|------------------------|--------------|
| Matte Gun Metal PVD | 67 P5 J062WU |
| Matte British Gold PVD | 67 P6 J062WU |
| Deep Black PVD | 67 S1 J062WU |



THERMOSTATIC CARTRIDGE

Built-in shower mixer

.3/4" inlets




J272BU+D331AU
 volume control
 1 outlet



J272BU+D372AU
 diverter
 2 outlets



J272BU+D373AU
 diverter
 3 outlets



J200BU+D400AU



J291BU+D391AU
 volume control
 1 outlet



J276BU+D376AU
 diverter
 2 outlets



J276BU+D377AU
 diverter
 3 outlets


3/4" Thermostatic mixer with integrated volume control

- Temperature control with safety override button at 100° F
- 3/4" NPT inlets, 1/2" outlet on rough
- Flow rate: 15.3 gpm @ 60 psi
- Anti-scald mechanism
- Watertight casing for added safety
- Accessible shut-off valves and filters
- For horizontal installation

J272BU

Trim


Matte Gun Metal PVD	67 P5 J272BU
Matte British Gold PVD	67 P6 J272BU
Deep Black PVD	67 S1 J272BU



D331AU

Rough

19 00 D331AU




3/4" Thermostatic mixer with 2-way diverter

- Temperature control with safety override button at 100° F
- 3/4" NPT inlets, 1/2" outlets on rough
- Flow rate: 8.9 gpm @ 60 psi (primary outlet)
- Flow rate: 7.6 gpm @ 60 psi (secondary outlet)
- Anti-scald mechanism
- Watertight casing for added safety
- Accessible shut-off valves and filters
- For horizontal installation

J272BU

Trim


Matte Gun Metal PVD	67 P5 J272BU
Matte British Gold PVD	67 P6 J272BU
Deep Black PVD	67 S1 J272BU



D372AU



Rough

19 00 D372AU



3/4" Thermostatic mixer with 3-way diverter

- Temperature control with safety override button at 100° F
- 3/4" NPT inlets, 1/2" outlets on rough
- Flow rate: 8.7 gpm @ 60 psi (primary outlet)
- Flow rate: 7.4 gpm @ 60 psi (secondary outlet)
- Flow rate: 7.4 gpm @ 60 psi (third outlet)
- Anti-scald mechanism
- Watertight casing for added safety
- Accessible shut-off valves and filters
- For horizontal installation



J272BU

Trim


Matte Gun Metal PVD	67 P5 J272BU
Matte British Gold PVD	67 P6 J272BU
Deep Black PVD	67 S1 J272BU



D373AU

Rough

19 00 D373AU





3/4" Thermostatic shower mixer without volume control

- Temperature control with safety override button at 100° F
- 3/4" NPT inlets and outlet on rough
- Flow rate: 16.9 gpm @ 60 psi
- Anti-scald mechanism
- Watertight casing for added safety
- Accessible shut-off valves and filters
- Compatible with Easy Fix art. # W213U and W214U

To be used with volume control(s) or diverter(s):

- volume control art. # J291BU+D391AU
- 2-way diverter art. # J276BU+D376AU
- 3-way diverter art. # J276BU+D377AU



J200BU

Trim

Matte Gun Metal PVD	67 P5 J200BU
Matte British Gold PVD	67 P6 J200BU
Deep Black PVD	67 S1 J200BU



D400AU

Rough

19 00 D400AU



3/4" Volume control


- For remote installation
- 3/4" NPT inlets and outlets
- Live outlet available for additional volume controls
- Sound insulation foam back
- 15.3 gpm @ 60 psi

To be used with thermostatic mixer (J200BU+D400AU)

J291BU

Trim


Matte Gun Metal PVD	67 P5 J291BU
Matte British Gold PVD	67 P6 J291BU
Deep Black PVD	67 S1 J291BU



D391AU

Rough


19 00 D391AU



W213U

OPTIONAL - Easy Fix System

- Includes backplate and connections
- Suitable for vertical and horizontal installation
- **1 outlet:** D400AU + D391AU
- **2 outlets:** D400AU + (2) D391AU



EXAMPLE OF CONFIGURATION - 1 OUTLET



EXAMPLE OF CONFIGURATION - 2 OUTLETS




91 00 W213U


W214U

OPTIONAL - Easy Fix System

- Includes backplate and connections
- Suitable for vertical and horizontal installation
- **3 outlets:** D400AU + (3) D391AU



EXAMPLE OF CONFIGURATION - 3 OUTLETS



91 00 W214U

2-Way diverter with integrated volume control


- For remote installation
- 1/2" NPT inlets and outlets
- Round backplate
- Flow rate: 8.9 gpm @ 60 psi (primary outlet)
- Flow rate: 7.6 gpm @ 60 psi (secondary outlet)

To be used with thermostatic mixer (J200BU+D400AU)

J276BU

Trim


Matte Gun Metal PVD	67 P5 J276BU
Matte British Gold PVD	67 P6 J276BU
Deep Black PVD	67 S1 J276BU



D376AU

Rough

19 00 D376AU



3-Way diverter with integrated volume control

- For remote installation
- 1/2" NPT inlets and outlets
- Round backplate
- Flow rate: 8.7 gpm @ 60 psi (primary outlet)
- Flow rate: 7.4 gpm @ 60 psi (secondary outlet)
- Flow rate: 7.4 gpm @ 60 psi (third outlet)

To be used with thermostatic mixer (J200BU+D400AU)

J276BU



Trim


Matte Gun Metal PVD	67 P5 J276BU
Matte British Gold PVD	67 P6 J276BU
Deep Black PVD	67 S1 J276BU

D377AU



Rough

19 00 D377AU




K073U

ACQUAFIT Round showerhead

- 240 nozzles
- 11 3/4" diameter
- check valve
- 1/2" connection
- Anti-limescale membrane
- Water flow restricted to 2.0 gpm



Compatible with all Fantini wall and ceiling mount shower arms



- | | |
|------------------------|-------------|
| Matte Gun Metal PVD | 79 P5 K073U |
| Matte British Gold PVD | 79 P6 K073U |
| Deep Black PVD | 79 S1 K073U |


K073UC

ACQUAFIT Round showerhead - Restricted to 1.8 gpm

- 240 nozzles
- 11 3/4" diameter
- check valve
- 1/2" connection
- Anti-limescale membrane
- Water flow restricted to 1.8 gpm



Compatible with all Fantini wall and ceiling mount shower arms



- | | |
|------------------------|--------------|
| Matte Gun Metal PVD | 79 P5 K073UC |
| Matte British Gold PVD | 79 P6 K073UC |
| Deep Black PVD | 79 S1 K073UC |


8146U

9 7/8" Round showerhead

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 2.0 gpm



Compatible with all Fantini wall and ceiling mount shower arms



- | | |
|------------------------|-------------|
| Matte Gun Metal PVD | 86 P5 8146U |
| Matte British Gold PVD | 86 P6 8146U |
| Deep Black PVD | 86 S1 8146U |


8146UC

9 7/8" Round showerhead - Restricted to 1.8 gpm

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 1.8 gpm



Compatible with all Fantini wall and ceiling mount shower arms





- | | |
|------------------------|--------------|
| Matte Gun Metal PVD | 86 P5 8146UC |
| Matte British Gold PVD | 86 P6 8146UC |
| Deep Black PVD | 86 S1 8146UC |

8083U

9 1/2" Round showerhead

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 2.0 gpm

Compatible with all Fantini wall and ceiling mount shower arms





Matte Gun Metal PVD	86 P5 8083U
Matte British Gold PVD	86 P6 8083U
Deep Black PVD	86 S1 8083U

8083UC

9 1/2" Round showerhead - Restricted to 1.8 gpm

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 1.8 gpm

Compatible with all Fantini wall and ceiling mount shower arms






Matte Gun Metal PVD	86 P5 8083UC
Matte British Gold PVD	86 P6 8083UC
Deep Black PVD	86 S1 8083UC

8142U

9 1/2" Round showerhead

- Base material: ABS
- Anti-limescale membrane
- Water flow restricted to 2.0 gpm

Compatible with all Fantini wall and ceiling mount shower arms






Matte Gun Metal PVD	86 P5 8142U
Matte British Gold PVD	86 P6 8142U

8142UC

9 1/2" Round showerhead - Restricted to 1.8 gpm

- Base material: ABS
- Anti-limescale membrane
- Water flow restricted to 1.8 gpm

Compatible with all Fantini wall and ceiling mount shower arms



Matte Gun Metal PVD	86 P5 8142UC
Matte British Gold PVD	86 P6 8142UC


8027U

11 3/4" Wall-mount shower arm

- Round escutcheon
- Curved angle
- 1/2" NPT male connection




Matte Gun Metal PVD 86 P5 8027U
 Matte British Gold PVD 86 P6 8027U
 Deep Black PVD 86 S1 8027U



OPTIONAL: Built-in part

W046U 91 00 W046U




8137U

13 3/4" Wall-mount shower arm

- Round escutcheon
- Curved angle
- 1/2" NPT male connection




Matte Gun Metal PVD 86 P5 8137U
 Matte British Gold PVD 86 P6 8137U
 Deep Black PVD 86 S1 8137U



OPTIONAL: Built-in part

W046U 91 00 W046U




8028U

17 3/4" Wall-mount shower arm

- Round escutcheon
- Curved angle
- 1/2" NPT male connection




Matte Gun Metal PVD 86 P5 8028U
 Matte British Gold PVD 86 P6 8028U
 Deep Black PVD 86 S1 8028U



OPTIONAL: Built-in part

W046U 91 00 W046U



9236U

10" Ceiling-mount shower arm



- Round escutcheon
- 1/2" NPT male connection



Matte Gun Metal PVD	86 P5 9236U
Matte British Gold PVD	86 P6 9236U
Deep Black PVD	86 S1 9236U

OPTIONAL: Built-in part

W046U	91 00 W046U
--------------	-------------



9237U

18" Ceiling-mount shower arm



- Round escutcheon
- 1/2" NPT male connection



Matte Gun Metal PVD	86 P5 9237U
Matte British Gold PVD	86 P6 9237U
Deep Black PVD	86 S1 9237U

OPTIONAL: Built-in part

W046U	91 00 W046U
--------------	-------------




8093U

Wall-mount handshower set

- FIT handshower with anti-siphon check valve
- Anti-limescale membrane
- 58" vinyl hose
- Water outlet with holder
- Round escutcheon
- 1/2" NPT male connection
- Water flow restricted to 1.8 gpm




Matte Gun Metal PVD	86 P5 8093U
Matte British Gold PVD	86 P6 8093U
Deep Black PVD	86 S1 8093U





8783U



FIT handshower

- Cylindrical
- Anti-limescale membrane
- Anti-siphon valve
- Water flow restricted to 1.8 gpm



Matte Gun Metal PVD	90 P5 8783U
Matte British Gold PVD	90 P6 8783U
Deep Black PVD	90 S1 8783U

CONFIGURATION.1	Art.	Description	Finish	
	8083U	9 1/2" Round showerhead	P5	Matte Gun Metal PVD
	8027U	11 3/4" Wall-mount shower arm	P6	Matte British Gold PVD
	8093U	Wall-mount handshower set	S1	Deep Black PVD
	J272BU+D372AU	3/4" Thermostatic mixer with 2-way diverter		
				

CONFIGURATION.2	Art.	Description	Finish	
	K073U	ACQUAFIT Round showerhead	P5	Matte Gun Metal PVD
	8027U	11 3/4" Wall-mount shower arm	P6	Matte British Gold PVD
	8093U	Wall-mount handshower set	S1	Deep Black PVD
	J272BU+D372AU	3/4" Thermostatic mixer with 2-way diverter		
				

1/4 TURN CERAMIC DISC CARTRIDGE

Wall-mount tub filler

.1/2" inlets



J019BU+R019AU

2 outlets

Deck-mount tub filler

.3/4" inlets



J065U

2 outlets

Floor-mount tub filler

.1/2" inlets




J080BU+1680AU

2 outlets

Wall-mount tub filler

- 7 7/8" spout projection
- FIT handshower
- 2-way diverter with turning knob
- Water plug with shower holder
- Water flow restricted to 1.8 gpm for handshower
- 7 gpm @ 60 psi



J019BU



Trim


Matte Gun Metal PVD	67 P5 J019BU
Matte British Gold PVD	67 P6 J019BU
Deep Black PVD	67 S1 J019BU

R019AU



Rough


44 00 R019AU



J065U

5-Hole Roman tub set

- 5 3/4" spout projection
- FIT handshower
- 2-way diverter with turning knob
- 58" metal hose
- 1/4 turn ceramic cartridge
- Flexible supply lines included
- Water flow restricted to 1.8 gpm for handshower
- 6 gpm @ 60 psi



Matte Gun Metal PVD	67 P5 J065U
Matte British Gold PVD	67 P6 J065U
Deep Black PVD	67 S1 J065U

Floor-mount tub filler

- 8 1/2" spout projection
- Push-button diverter
- FIT handshower
- Handshower holder
- 58" PVC hose
- 1/4 turn ceramic disc cartridge
- 1/2" NPT inlets
- Water flow restricted to 1.8 gpm for handshower
- 8.5 gpm @ 60 psi

J080BU



Trim


Matte Gun Metal PVD	67 P5 J080BU
Matte British Gold PVD	67 P6 J080BU
Deep Black PVD	67 S1 J080BU

1680AU



Rough

19 00 1680AU




W095U

1 1/4" Universal Push-up drain

• Compatible for installation on sinks with or without overflow



Complete list of available finishes in the Miscellaneous Articles section.



Matte Gun Metal PVD	91 P5 W095U
Matte British Gold PVD	91 P6 W095U
Deep Black PVD	91 S1 W095U


W097U

1 1/4" Universal Free flow drain (always open)

• Compatible for installation on sinks with or without overflow



Complete list of available finishes in the Miscellaneous Articles section.



Matte Gun Metal PVD	91 P5 W097U
Matte British Gold PVD	91 P6 W097U
Deep Black PVD	91 S1 W097U


9234

Bottle Trap

• for washbasin
• 1 1/4" inlet
• 1 1/4" outlet



Complete list of available finishes in the Miscellaneous Articles section.



Matte Gun Metal PVD	91 P5 9234
Matte British Gold PVD	91 P6 9234
Deep Black PVD	91 S1 9234


W036U

P-trap

• for washbasin
• 1 1/4" inlet
• 1 1/4" outlet



Complete list of available finishes in the Miscellaneous Articles section.





Matte Gun Metal PVD	91 P5 W036U
Matte British Gold PVD	91 P6 W036U
Deep Black PVD	91 S1 W036U

8402U

Flush actuator plate - Round buttons

- Stainless steel construction
- Projecting push-button controls
- Round push-button controls
- Compatible with GEBERIT models: 111.798.00.1, 111.335.00.5

Complete list of available finishes in the Miscellaneous Articles section.




Matte Gun Metal PVD	91 P5 8402U
Matte British Gold PVD	91 P6 8402U
Deep Black PVD	91 S1 8402U

8403U

Flush actuator plate - Square buttons

- Stainless steel construction
- Flush fit controls
- Square push-button controls
- Compatible with GEBERIT models: 111.798.00.1, 111.335.00.5

Complete list of available finishes in the Miscellaneous Articles section.




Matte Gun Metal PVD	91 P5 8403U
Matte British Gold PVD	91 P6 8403U
Deep Black PVD	91 S1 8403U

8486U

Double-function hydrobrush

- For toilet cleaning
- For personal care if used with a shower mixer
- Water plug with shower holder
- Stop valve
- Round backplate
- 47 1/4" Vinyl hose
- 1/2" NPT male connection
- 1.70 GPM @ 60 psi

Complete list of available finishes in the Miscellaneous Articles section.



Matte Gun Metal PVD	91 P5 8486U
Matte British Gold PVD	91 P6 8486U
Deep Black PVD	91 S1 8486U



Fantini USA Inc.

A&D BUILDING - 150 East 58th Street, 8th floor - New York, NY 10155

Ph. 212 308 8833 - Fax 212 308 8820

www.fantiniusa.com - fantini@fantiniusa.com