

MINT

TECHNICAL MANUAL



WASHBASIN

traditional cartridge	pag. 18
1/4 turn ceramic disc cartridge	pag. 22

BIDET

traditional cartridge	pag. 23
-----------------------	---------

SHOWER

thermostatic cartridge	pag. 25
complementary fittings	pag. 29

TUB	pag. 35
-----	---------

MISCELLANEOUS ARTICLES	pag. 37
------------------------	---------

SHOWER SET EXAMPLES	pag. 38
---------------------	---------

Technical information

The MINT mixers are supplied WITH HANDLE.


All washbasin and bidet mixers are fitted with 1.2 GPM **flow restrictors** and are supplied WITH DRAIN.

The **washbasin** and **bidet mixers** are available in the following versions:

- **TRADITIONAL** cartridge

The **built-in shower mixers** are available in the following versions:

- **THERMOSTATIC** cartridge



BASINS HOLE SIZE:


- Washbasin and bidet mixers:

the box includes a cover plate to be placed at the bottom of the mixer as cover for the hole.


If the hole diameter is within MIN / MAX 1": **THERE IS NO NEED FOR THE COVER PLATE.**

If the hole diameter is within MIN 1" mm - MAX 1 3/8": **THE COVER PLATE IS NEEDED.**

- Three-hole washbasin mixer.



Three-hole washbasin mixers are supplied with a 1/4 turn ceramic disc cartridge right side (Art. 0892U).




The built-in 3/4" thermostatic shower mixer has two controls:

- Art. F272BU/D272AU - two outlets / Art. F272BU/D273AU - three outlets

a) shut-off rotating diverter - By rotating the diverter knob from center to right clockwise, one opens the first outlet, shuts off at the center and rotating left opens the second and third outlets in a sequence.

b) temperature control.



- Art. F274BU/D274AU - four outlets

c) shut-off rotating diverter with temperature control - By rotating the handle one opens the different outlets, by tilting it back and forward one controls the flow.

d) temperature control.

Base materials:

- Brass

02 Chrome

13 Matte Black (RAL 9005)

- Stainless Steel AISI 316/316 L

93 Brushed Stainless Steel





* For spare parts, accessories, miscellaneous items and extensions please refer to specific pricelist sections

TRADITIONAL CARTRIDGE

Single-control washbasin mixer*_5" spout projection***F004U**
with drain**F004WU**
without drain**Single-control washbasin mixer***_6 1/2" spout projection***F003U**
with drain**F003WU**
without drain**Floor-mount washbasin mixer***_7 1/2" spout projection***F036BU+3336AU**
without drain**Wall-mount washbasin mixer***_5 1/2" spout projection***F810BU+M011AU**
without drain**F809BU+M011AU**
without drain**F813BU+M011AU**
without drain**F811BU+M011AU**
without drain**Single-control vessel mixer***_6 1/2" spout projection***F006WU**
without drain**Single-control bidet mixer***_4" spout projection***F008U**
with drain

1/4 TURN CERAMIC DISC CARTRIDGE

Three-hole washbasin mixer*_5 1/2" spout projection***F304U**
with drain



Art. F006WU




Single-control vessel mixer

- 6 1/2" spout projection
- Adjustable aerator
- Ceramic disc cartridge
- Flexible supply lines
- Handle included
- Water flow restricted to 1.2 GPM

Drain to be ordered separately:
please select #9865U or #9867U

Chrome 34 02 F006WU
Matte Black 34 13 F006WU

Brushed Stainless steel 34 93 F006WU



Wall-mount single-control washbasin mixer

- 5 1/2" spout projection
- Adjustable aerator
- Spout to the left
- Rectangular escutcheon
- Handle included
- Water flow restricted to 1.2 GPM


Drain to be ordered separately:
please select #9865U or #9867U

Art. F810BU

Trim

Chrome 34 02 F810BU
Matte Black 34 13 F810BU

Brushed Stainless steel 34 93 F810BU



Art. M011AU

Rough

44 00 M011AU



TOTAL PRICE

Chrome
Matte Black

Brushed Stainless steel

Wall-mount single-control washbasin mixer with extended spout

- 7 1/2" spout projection
- Adjustable aerator
- Spout to the left
- Rectangular escutcheon
- Ceramic disc cartridge
- Handle included
- Water flow restricted to 1.2 GPM


Drain to be ordered separately: please select #9865U or #9867U

Art. F813BU

**Trim**

Chrome 34 02 F813BU
Matte Black 34 13 F813BU

Brushed Stainless steel 34 93 F813BU



Art. M011AU


**Rough**

44 00 M011AU

TOTAL PRICE

Chrome
Matte Black

Brushed Stainless steel

**Wall-mount single-control washbasin mixer**

- 5 1/2" spout projection
- Adjustable aerator
- Square escutcheons
- Spout to the left
- Handle included
- Water flow restricted to 1.2 GPM


**Drain to be ordered separately:
 please select #9865U or #9867U**

Art. F809BU

**Trim**

Chrome 34 02 F809BU
Matte Black 34 13 F809BU

Brushed Stainless steel 34 93 F809BU



Art. M011AU


**Rough**

44 00 M011AU

TOTAL PRICE

Chrome
Matte Black

Brushed Stainless steel



Wall-mount single-control washbasin mixer with extended spout

- 7 1/2" spout projection
- Adjustable aerator
- Square escutcheons
- Spout to the left
- Ceramic disc cartridge
- Handle included
- Water flow restricted to 1.2 GPM

Drain to be ordered separately:
please select #9865U or #9867U


Art. F811BU



Trim

Chrome 34 02 F811BU
Matte Black 34 13 F811BU

Brushed Stainless steel 34 93 F811BU



Art. M011AU




Rough

44 00 M011AU

TOTAL PRICE

Chrome
Matte Black

Brushed Stainless steel



Floor-mount single-control washbasin mixer

- 7 1/2" spout projection
- Adjustable aerator
- Handle included
- Water flow restricted to 1.2 GPM

Drain to be ordered separately:
please select #9865U or #9867U

Art. F036BU



Trim

Chrome 34 02 F036BU
Matte Black 34 13 F036BU

Art. 3336AU




Rough

19 00 3336AU

TOTAL PRICE

Chrome
Matte Black



Art. F304U


Three-hole washbasin mixer

- 5 1/2" spout projection
- Adjustable aerator
- Pop-up drain, 1 1/4"
- Ceramic disc cartridges, 1/4 turn
- Flexible supply lines
- Handles included
- Water flow restricted to 1.2 GPM



Chrome
Matte Black

34 02 F304U
34 13 F304U




Art. F304WU


Three-hole washbasin mixer


- 5 1/2" spout projection
- Without drain
- Ceramic disc cartridges, 1/4 turn
- Flexible supply lines
- Handles included
- Water flow restricted to 1.2 GPM

**Drain to be ordered separately:
please select #9865U or #9867U**



Brushed Stainless steel 34 93 F304WU





Brushed Stainless steel 34 93 F008WU

THERMOSTATIC CARTRIDGE

Built-in shower mixer

3/4" inlets**F231BU+D231AU**volume control
1 outlet**F272BU+D272AU**diverter
2 outlets**F272BU+D273AU**diverter
3 outlets**F200BU+D200AU****F291BU+D291AU**volume control
1 outlet**F276BU+D276AU**diverter
2 outlets**F276BU+D277AU**diverter
3 outlets

Tub : Summary Table

TRADITIONAL CARTRIDGE

Built-in tub mixer

1/2" inlets**F021BU+D020AU**

2 outlets


Floor-mount tub filler

1/2" inlets**F080BU+3380AU**


2 outlets

1/4 TURN CERAMIC DISC CARTRIDGE

Deck-mount tub mixer

3/4" inlets**F165U**

2 outlets

**F167U**

2 outlets

3/4" Thermostatic mixer with integrated volume control

- For horizontal installation
- 3/4" NPT inlets and outlets
- With shut-off valve
- Rectangular backplate
- Handle included
- 15.3 GPM @ 60 PSI (primary outlet)


Art. F231BU



Trim

Chrome 34 02 F231BU
Matte Black 34 13 F231BU

Brushed Stainless steel 34 93 F231BU



Art. D231AU



Rough

19 00 D231AU

TOTAL PRICE

Chrome
Matte Black

Brushed Stainless steel

3/4" Thermostatic mixer with 2-way diverter

- For horizontal installation
- 3/4" NPT inlets and 1/2" outlets
- With shut-off valve
- Rectangular backplate
- Handle included
- 8.9 GPM @ 60 PSI (primary outlet)
- 7.6 GPM @ 60 PSI (secondary outlet)


Art. F272BU



Trim

Chrome 34 02 F272BU
Matte Black 34 13 F272BU

Brushed Stainless steel 34 93 F272BU



Art. D272AU



Rough

19 00 D272AU

TOTAL PRICE

Chrome
Matte Black

Brushed Stainless steel

3/4" Thermostatic mixer with 3-way diverter

- For horizontal installation
- 3/4" NPT inlets and 1/2" outlets
- With shut-off valve
- Rectangular backplate
- Handle included
- 8.7 GPM @ 60 PSI (primary outlet)
- 7.4 GPM @ 60 PSI (secondary outlet)
- 7.4 GPM @ 60 PSI (third outlet)


Art. F272BU



Trim

Chrome 34 02 F272BU
Matte Black 34 13 F272BU

Brushed Stainless steel 34 93 F272BU



Art. D273AU



Rough

19 00 D273AU

TOTAL PRICE

Chrome
Matte Black

Brushed Stainless steel

3/4" Thermostatic mixer without volume control

- Independent thermostatic shower/tub valve
- 3/4" NPT inlets and outlet on rough
- Adjustable temperature range to 100° with push button override
- Sound insulation foam back
- Handle included
- 16.9 GPM @ 60 PSI

Select one or more stop valves (#F293BU+#D293AU or #F292BU+#D292AU or #F291BU+#D291AU)


Art. F200BU



Trim

Chrome 34 02 F200BU
Matte Black 34 13 F200BU

Brushed Stainless steel 34 93 F200BU



Art. D200AU



Rough

19 00 D200AU

TOTAL PRICE

Chrome
Matte Black

Brushed Stainless steel

3/4" Volume control

- For remote installation
- 3/4" NPT inlet and outlet
- Square backplate
- Handle included
- 1/4 turn clockwise
- Sound insulation foam back
- 15.3 GPM @ 60 PSI


To be used with thermostatic valve (#F200BU+#D200AU)

Art. F291BU

Trim

Chrome 34 02 F291BU
Matte Black 34 13 F291BU

Brushed Stainless steel 34 93 F291BU



Art. D291AU

Rough

19 00 D291AU



TOTAL PRICE

Chrome
Matte Black

Brushed Stainless steel

2-Way diverter with integrated volume control

- For remote installation
- 1/2" NPT inlets and outlets
- With shut-off valve
- Square backplate
- Handle included
- 8.9 GPM @ 60 PSI (primary outlet)
- 7.6 GPM @ 60 PSI (secondary outlet)


To be used with thermostatic valve (#F200BU+#D200AU)

Art. F276BU

Trim

Chrome 34 02 F276BU
Matte Black 34 13 F276BU

Brushed Stainless steel 34 93 F276BU



Art. D276AU

Rough

19 00 D276AU



TOTAL PRICE

Chrome
Matte Black

Brushed Stainless steel

3-Way diverter with integrated volume control

- For remote installation
- 1/2" NPT inlets and outlets
- With shut-off valve
- Square backplate
- Handle included
- 8.9 GPM @ 60 PSI (primary outlet)
- 7.6 GPM @ 60 PSI (secondary outlet)
- 7.4 GPM @ 60 PSI (third outlet)

To be used with thermostatic valve (#F200BU+#D200AU)

Art. F276BU



Trim

- Chrome34 02 F276BU
- Matte Black34 13 F276BU
- Brushed Stainless steel34 93 F276BU

Art. D277AU




Rough

19 00 D277AU

TOTAL PRICE

- Chrome
- Matte Black
- Brushed Stainless steel



Art. 8008U

7 7/8" Square showerhead



- Solid brass construction
- Water flow restricted to 2.2 GPM

Shower arm for wall installation:

#8107U, #8108U, #8038U, #8039U

Shower arm for ceiling installation: #8040U, #8041U

Fully inspectable for maintenance and cleaning



Chrome

86 02 8008U

Matte Black

86 13 8008U

Art. 8008UC

7 7/8" Square showerhead



- Solid brass construction
- Water flow restricted to 1.8 GPM

Shower arm for wall installation:

#8107U, #8108U, #8038U, #8039U

Shower arm for ceiling installation: #8040U, #8041U

Fully inspectable for maintenance and cleaning



Chrome

86 02 8008UC

Matte Black



86 13 8008UC

Art. 8020U

Wall-mount square double showerhead

- Rainfall jet
- 1/2" Male NPT fittings
- Square escutcheons
- Solid brass construction
- Fixing system ensuring firm installation
- Anti-lime scale system
- Both arms carry the water flow
- Water flow restricted to 2.2 GPM (each outlets)

Fully inspectable for maintenance and cleaning



Chrome


86 02 8020U

Art. 8023U

Double square showerhead with ceiling-mount shower arms

- Rainfall jet
- 1/2" Male NPT fittings
- Anti-lime scale system
- Square escutcheons
- Solid brass construction
- Fixing system ensuring firm installation
- Both arms carry the water flow
- Water flow restricted to 2.2 GPM (each outlets)

Fully inspectable for maintenance and cleaning



Chrome

86 02 8023U

BELVEDERE showerhead

- Prismatic shape
- Rough and trim all made of solid brass
- Fixing system ensuring firm installation
- Anti-lime scale system
- 1/2" Male NPT fittings
- Water flow restricted to 2.2 GPM @ 60 PSI

Fully inspectable for maintenance and cleaning

Art. 8042BU

Trim


Chrome 86 02 8042BU



Art. 8034AU

Rough

86 00 8034AU



TOTAL PRICE

Chrome

BELVEDERE showerhead

- Prismatic shape
- Rough and trim all made of solid brass
- Fixing system ensuring firm installation
- Anti-lime scale system
- 1/2" Male NPT fittings
- Water flow restricted to 1.8 GPM

Fully inspectable for maintenance and cleaning

Art. 8042BUC

Trim


Chrome 86 02 8042BUC



Art. 8034AU

Rough

86 00 8034AU




TOTAL PRICE

Chrome

Art. 8087U


Wall-mount square adjustable showerhead

- Square escutcheon
- Stainless steel construction
- Anti-lime scale system
- 1/2" Male NPT fittings
- Water flow restricted to 2.5 GPM



Chrome 86 02 8087U


Brushed Stainless steel 86 93 8087U



Art. 8087UC


Wall-mount square adjustable showerhead

- Anti-lime scale system
- Square escutcheon
- Stainless steel construction
- 1/2" Male NPT fittings
- Water flow restricted to 1.8 GPM



Chrome 86 02 8087UC

Brushed Stainless steel 86 93 8087UC



Art. 8107U

11 3/4" Wall-mount shower arm


- Square escutcheon
- Curved angle
- 1/2" Male NPT fittings
- Matching showerhead: #8008U, #8008UC, #8109U, #8109UC, #8112U, #8112UC



Chrome 86 02 8107U

Matte Black 86 13 8107U

Brushed Stainless steel 86 93 8107U



Art. 8108U

18" Wall-mount shower arm


- Square backplate
- Curved angle
- 1/2" Male NPT fittings
- Matching showerhead: #8008U, #8008UC, #8109U, #8109UC, #8112U, #8112UC



Chrome 86 02 8108U

Matte Black 86 13 8108U

Brushed Stainless steel 86 93 8108U



Art. 8038U

11 3/4" Wall-mount shower arm


- Square escutcheon
- 90° angle
- 1/2" Male NPT fittings
- Matching showerhead: #8008U, #8008UC, #8109U, #8109UC, #8112U, #8112UC



Chrome 86 02 8038U

Matte Black 86 13 8038U


Brushed Stainless steel 86 93 8038U



Art. 8039U

18" Wall-mount shower arm

- Square escutcheon
- 90° angle
- 1/2" Male NPT fittings
- Matching showerhead: #8008U, #8008UC, #8109U, #8109UC, #8112U, #8112UC




Chrome 86 02 8039U
Matte Black 86 13 8039U

Brushed Stainless steel 86 93 8039U

Art. 8081U

16" Wall-mount shower arm

- Square escutcheon
- 1/2" Male NPT fittings
- Matching showerhead: #8008U, #8008UC, #8109U, #8109UC, #8112U, #8112UC




Chrome 86 02 8081U
Matte Black 86 13 8081U

Art. 8040U

10" Ceiling-mount shower arm

- Square escutcheon
- 1/2" Male NPT fittings
- Matching showerhead: #8008U, #8008UC, #8109U, #8109UC, #8112U, #8112UC




Chrome 86 02 8040U
Matte Black 86 13 8040U

Brushed Stainless steel 86 93 8040U

Art. 8041U

18" Ceiling-mount shower arm

- Square escutcheon
- 1/2" Male NPT fittings
- Matching showerhead: #8008U, #8008UC, #8109U, #8109UC, #8112U, #8112UC



Chrome 86 02 8041U
Matte Black 86 13 8041U

Brushed Stainless steel 86 93 8041U

Art. 8068U


Wall-mount handshower set

- 2 1/2" Square escutcheon
- Water outlet with shower holder
- FIT handshower with anti-siphon check valve
- Anti-lime scale system
- 58" vinyl hose
- 1/2" NPT fittings
- Water flow restricted to 1.8 GPM



Chrome 86 02 8068U
Matte Black 86 13 8068U

Brushed Stainless steel 86 93 8068U



Art. 8783U


FIT handshower

- Cylindrical shape
- Anti-siphon check valve
- Anti-lime scale system
- Water flow restricted to 1.8 GPM



Chrome 90 02 8783U
Matte Black 90 13 8783U

Brushed Stainless steel 90 93 8783U




Art. 9418U

SOHO handshower

- Rectangular shape
- Metal construction
- Anti-siphon check valve
- Anti-lime scale system
- Water flow restricted to 1.8 GPM



Chrome 90 02 9418U
Matte Black 90 13 9418U



Art. 8016


LINEA slide bar

- Adjustable handshower holder
- 58" vinyl hose

To be completed with the following items:
Wall-mount water outlet #9417U
Rectangular handshower #9418U




Chrome 86 02 8016
Brushed Stainless steel 86 93 8016



Art. 9417U

Wall-mount water outlet

- Square escutcheon
- Solid brass construction
- 1/2" Male NPT fitting




Chrome 91 02 9417U

Brushed Stainless steel 91 93 9417U

Art. 8024U

Wall-mount square adjustable body spray

- 1/2" Male NPT fittings
- Anti-lime scale system
- Water flow restricted to 2.2 GPM




Chrome 86 02 8024U

Matte Black 86 13 8024U

Art. 8056U

In-wall square adjustable body spray

- Anti-lime scale system
- Chromed ABS jet and plate
- Flow restricted to 1.0 GPM
- Built-in part included



To be installed at roughing stage

Chrome 86 02 8056U

In-wall non-thermostatic single-control tub mixer

- 5 1/2" spout projection
- Cylindrical handshower with anti-siphon check valve
- Handshower holder
- 58" vinyl hose
- Handle included
- Diverter
- 5 GPM @ 60 PSI
- Water flow restricted to 1.8 GPM for handshower

Art. F021BU

Trim

Chrome 34 02 F021BU
Matte Black 34 13 F021BU

Brushed Stainless steel 34 93 F021BU




Art. D020AU

Rough

22 00 D020AU

**TOTAL PRICE**


Chrome
Matte Black
Brushed Stainless steel



Art. F165U


5-Hole Roman tub set

- 7 7/8" spout projection
- Cylindrical handshower with anti-siphon check valve
- 58" metal hose
- Diverter
- 7 GPM @ 60 PSI
- Water flow restricted to 1.8 GPM for handshower



Chrome 34 02 F165U
Matte Black 34 13 F165U


Brushed Stainless steel 34 93 F165U



Art. F167U


4-Hole Roman tub set

- Without spout
- Cylindrical handshower with anti-siphon check valve
- 58" metal hose
- Diverter
- 5 GPM @ 60 PSI
- Water flow restricted to 1.8 GPM for handshower



Chrome 34 02 F167U
Matte Black 34 13 F167U

Brushed Stainless steel 34 93 F167U



Floor-mount single-control tub high flow filler

- 9 7/8" spout projection
- 1 5/8" high flow ceramic disc cartridge
- 7-8 GPM @ 60 PSI
- Press-button diverter for handshower
- Handshower with anti-siphon check valve
- 58" vinyl hose
- Water flow restricted to 1.8 GPM for handshower

Art. F080BU



Trim

Chrome 34 02 F080BU
Matte Black 34 13 F080BU

Art. 3380AU




Rough

19 00 3380AU

TOTAL PRICE

Chrome
Matte Black



Art. F045U


Wall-mount tub spout

- 8 1/2" spout projection
- MINT
- Solid brass construction
- Max 6.5 GPM @ 60 PSI
- Water flow restricted
- 1/2" Male NPT fittings
- Square escutcheon



Chrome 34 02 F045U
Matte Black 34 13 F045U

Brushed Stainless steel 34 93 F045U



Art. 8402U


Flush actuator plate

- Stainless steel
- Projecting push-button controls
- With round controls
- Compatible with GEBERIT models: 111.798.00.1, 111.335.00.5
- Without visible fixing system



Matte Black 91 13 8402U
Polished Stainless steel 91 38 8402U

Brushed Stainless steel 91 93 8402U



Art. 8403U


Flush actuator plate

- Stainless steel
- Flush fit controls
- With square controls
- Compatible with GEBERIT models: 111.798.00.1, 111.335.00.5
- Without visible fixing system



Matte Black 91 13 8403U
Polished Stainless steel 91 38 8403U

Brushed Stainless steel 91 93 8403U




Art. 9865U

1 1/4" Push-up drain with overflow



Chrome 91 02 9865U
Matte Black 91 13 9865U

Brushed Stainless steel 91 93 9865U




Art. 9867U

1 1/4" Push-up drain without overflow




Chrome 91 02 9867U
Matte Black 91 13 9867U

Brushed Stainless steel 91 93 9867U




1




86 02 8008U
86 02 8038U
86 02 8068U
34 02 F291BU (x2)
19 00 D291AU (x2)
34 02 F200BU
19 00 D200AU

2




86 02 8008U
86 02 8038U
86 02 8068U
34 02 F272BU
19 00 D272AU

3



86 02 8087U
86 02 8068U
34 02 F291BU (x2)
19 00 D291AU (x2)
34 02 F200BU
19 00 D200AU

4



86 02 8087U
86 02 8068U
34 02 F272BU
19 00 D272AU



Fantini USA Inc.

A&D BUILDING - 150 East 58th Street, 8th floor - New York, NY 10155

Ph. 212 308 8833 - Fax 212 308 8820

www.fantiniusa.com - fantini@fantiniusa.com