





- WASHBASIN p. 46
 - **BIDET** p. 55
 - **SHOWER** p. 57
 - **TUB** p. 75
 - KITCHEN p. 81
- MISCELLANEOUS ARTICLES p. 82

AF/21

Technical information

All AF/21 articles are supplied WITH HANDLES.

Washbasin and bidet mixers are restricted to 1.2 gpm.

HOT MIX OFF COLD





By turning the handle counterclockwise, both the water flow and temperature increase simultaneously.



- TRADITIONAL CARTRIDGE MIXERS


Water flow and temperature are controlled independently.


The flow is controlled by moving the lever up and down, the temperature by turning left for warmer and right for colder water.

HOLE SIZE GUIDELINES:

- Single-hole washbasin and bidet mixers.
- Two-hole washbasin mixers.








The 3/4" thermostatic shower mixer is available with integrated vvolume controls in these versions:

- with one vvolume control (1 outlet) A972BU + D331AU
- with 2-way diverter (2 outlets)
 with 3-way diverter (3 outlets)
 A972BU + D372AU
 A972BU + D373AU

Diverters include volume control and do not allow to share functions.



OPERATION EXAMPLE:

A972BU + D373AU

a) rotating diverter with vvolume control: from the OFF position, the first function is activated by rotating the knob clockwise, volume increases progressively. The second and third are activated in sequence turning the handle counterclockwise.
 b) temperature control with safety override button at 100° F.

Base materials: BRASS

Finish:

- 02 Chrome
- P5 Matte Gun Metal PVD
- P6 Matte British Gold PVD
- P9 Matte Copper PVD

Base materials: STAINLESS STEEL AISI 316/316 L

Finish: 93 Brushed Stainless Steel

* For spare parts, accessories, miscellaneous items and extensions please refer to the dedicated sections

Base materials: BRASS



ART. # A204WU 02 - CHROME



ART. # A204WUCX 02 - CHROME CX - CARRARA WHITE



ART. # A204WUCY 02 - CHROME CY - MARQUINIA BLACK



ART. # A204WU **P5 - MATTE GUN METAL PVD**



ART. # A204WUCX P5 - MATTE GUN METAL PVD CX - CARRARA WHITE



ART. # A204WUCY P5 - MATTE GUN METAL PVD CY - MARQUINIA BLACK



ART. # A204WU P6 - MATTE BRITISH GOLD PVD



ART. # A204WUCX P6 - MATTE BRITISH GOLD PVD CX - CARRARA WHITE



ART. # A204WUCY P6 - MATTE BRITISH GOLD PVD CY - MARQUINIA BLACK



ART. # A204WU P9 - MATTE COPPER PVD



ART. # A204WUCX P9 - MATTE COPPER PVD CX - CARRARA WHITE



P9 - MATTE COPPER PVD CY - MARQUINIA BLACK

Base materials: STAINLESS STEEL AISI 316/316 L



ART. # A204WU 93 - BRUSHED STAINLESS STEEL



ART. # A204WUCX 93 - BRUSHED STAINLESS STEEL CX - CARRARA WHITE



ART. # A204WUCY 93 - BRUSHED STAINLESS STEEL CY - MARQUINIA BLACK

PROGRESSIVE CARTRIDGE

_6 1/8" spout projection

Single-control washbasin mixer Single-control vessel mixer _6 1/8" spout projection



WITHOUT DRAIN

A004WU




A006WU WITHOUT DRAIN

Two-hole washbasin mixer _6 1/8" spout projection



A104WU WITHOUT DRAIN





WITHOUT DRAIN

Single-control bidet mixer _5 1/8" spout projection



A008WU WITHOUT DRAIN

Wall-mount washbasin mixer _8 1/8" spout projection



A713BU+A713AU WITHOUT DRAIN



MARBLE handle WITHOUT DRAIN

TRADITIONAL CARTRIDGE

Single-control washbasin mixer Single-control vessel mixer _6 1/8" spout projection _6 1/8" spout projection



A504WU WITHOUT DRAIN



A506WU WITHOUT DRAIN



MARBLE handle WITHOUT DRAIN

_5" spout projection



A704WU WITHOUT DRAIN

Single-control washbasin mixer Floor-mount single-control _7 1/4" spout projection



A736BU+3336AU WITHOUT DRAIN

Single-control vessel mixer _7 1/4" spout projection



A706WU WITHOUT DRAIN

Wall-mount washbasin mixer _8 3/8" spout projection



A513BU+A513AU WITHOUT DRAIN

Wall-mount washbasin mixer _8 1/8" spout projection

A613BU+A613AU WITHOUT DRAIN


Single-control bidet mixer _5 1/8" spout projection



A508WU WITHOUT DRAIN


1/4 TURN CERAMIC DISC CARTRIDGE

Three-hole washbasin mixer





A204WU WITHOUT DRAIN





A206WU WITHOUT DRAIN

Wall-mount washbasin mixer _8 1/8" spout projection



A813BU+R010AU WITHOUT DRAIN



A204WUCX MARBLE handles WITHOUT DRAIN



A204WUCY MARBLE handles WITHOUT DRAIN



A206WUCX MARBLE handles WITHOUT DRAIN



A206WUCY MARBLE handles WITHOUT DRAIN



A813BUCX+R010AU MARBLE handles WITHOUT DRAIN



A813BUCY+R010AU MARBLE handles WITHOUT DRAIN

Kitchen : Summary Table

TRADITIONAL CARTRIDGE

Single-control kitchen mixer _8 1/2" spout projection




A753U WITHOUT DRAIN

Single-control kitchen mixer _8 3/8" spout projection

A754U WITHOUT DRAIN

WASHBASIN : progressive cartridge

AF/21



1'

8-3/8

8-7/8

2-3/8"

1/2"

0,

1-5/8"

3/4"

5-1/8


<u>1-1/4"</u>

G1/2"

Wall-mount single-control washbasin mixer

- 8 1/8" spout projection
- Without drain
- Aerated flow
- Progressive cartridge
- Water flow restricted to 1.2 gpm

Drain not included, please select W095U or W097U in the **Miscellaneous Articles section.**



Wall-mount single-control washbasin mixer - Handle in Carrara white Marble

- 8 1/8" spout projection
- Without drain
- Aerated flow

Trim

Rough

- Progressive cartridge
- Water flow restricted to 1.2 gpm

Drain not included, please select W095U or W097U in the Miscellaneous Articles section.

A713BUCX




Chrome	27 02 A713BUCX
Matte Gun Metal PVD	27 P5 A713BUCX
Matte British Gold PVD	27 P6 A713BUCX
Matte Copper PVD	27 P9 A713BUCX


Brushed Stainless steel 27 93 A713BUCX


A713AU

44 00 A713AU









Ø1"

2-5/8"

1/2"NPT

3-3/4"

Wall-mount single-control washbasin mixer - Handle in Marquinia black Marble

<u>Ø2-1/2</u>"

<u>Ø2-1/2</u>"

<u>1-1/4"</u>

G1/2"

- 8 1/8" spout projection
- Without drain
 Aerated flow

- Progressive cartridge
 Water flow restricted to 1.2 gpm


Drain not included, please select W095U or W097U in the Miscellaneous Articles section.

	Miscellaneous Articles sec	tion.	$(\cap$	$) \cap$	G1/2"
A713BUCY	Trim		L L	f U	
	Chrome Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD Brushed Stainless steel	27 02 A713BUCY 27 P5 A713BUCY 27 P6 A713BUCY 27 P9 A713BUCY 27 93 A713BUCY	Ŀ	5-1/8"	4 <u>8-3/8"</u> 4-7/8" 11-1/2" 5-1/8" 1/2"NPT ↑ ↑ 1/2"NPT
A713AU	Rough				1-5/8"
1 TO - TO -		44 00 A713AU		+ + + + + + + + + + + + + + + + + + +	8-5/8"



WASHBASIN : traditional cartridge

AF/21



Brushed Stainless steel 27 93 A706WU



Wall-mount single-control washbasin mixer

- 8 3/8" spout projection
- Without drain
- Aerated flow
- Traditional cartridgeWater flow restricted to 1.2 gpm

Drain not included, please select W095U or W097U in the **Miscellaneous Articles section.**



Trim	
Chrome Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD	27 02 A513BU 27 P5 A513BU 27 P6 A513BU 27 P6 A513BU 27 P9 A513BU

Brushed Stainless steel 27 93 A513BU



Rough

17 00 A513AU



Wall-mount single-control washbasin mixer

- 7 7/8" spout projection
- Without drain
- Aerated flow
- Traditional cartridge
- Water flow restricted to 1.2 gpm

Brushed Stainless steel

Rough

Drain not included, please select W095U or W097U in the **Miscellaneous Articles section.**

27 93 A613BU

17 00 A613AU

A613BU





Trim Chrome 27 02 A613BU Matte Gun Metal PVD 27 P5 A613BU Matte British Gold PVD 27 P6 A613BU Matte Copper PVD 27 P9 A613BU



A613AU








1/2

Floor-mount single-control washbasin mixer

- 7 1/4" spout projection
- Without drain
 Aerated flow


- Traditional cartridgeWater flow restricted to 1.2 gpm

Drain not included, please select W095U or W097U in the Miscellaneous Articles section.




WASHBASIN : 1/4 turn ceramic disc cartridge

AF/21



WASHBASIN : 1/4 turn ceramic disc cartridge

AF/21




9"

Wall-mount three-hole washbasin mixer - Handles in Carrara white Marble

- 8 1/8" spout projection
- Without drain
- Aerated flow
- 1/4 turn ceramic disc cartridge
- Water flow restricted to 1.2 gpm

Drain not included, please select W095U or W097U in the **Miscellaneous Articles section.**



Wall-mount three-hole washbasin mixer - Handles in Marguinia black Marble

- 8 1/8" spout projection
- Without drain
- Aerated flow

Trim

- 1/4 turn ceramic disc cartridge
- Water flow restricted to 1.2 gpm

Drain not included, please select W095U or W097U in the Miscellaneous Articles section.

A813BUCY



Chrome	27 02 A813BUCY
Matte Gun Metal PVD	27 P5 A813BUCY
Matte British Gold PVD	27 P6 A813BUCY
Matte Copper PVD	27 P9 A813BUCY


Brushed Stainless steel 27 93 A813BUCY

R010AU


Rough


44 00 R010AU





3-7/8" 3-7/8"





BIDET : progressive cartridge




Single-control bidet mixer

- 5 1/8" spout projection
- Without drain
 Aerated flow
- · Flexible supply lines included



Drain not included, please select W095U or W097U in the Miscellaneous Articles section.

Chrome	27 02 A008WL
Matte Gun Metal PVD	27 P5 A008WL
Matte British Gold PVD	27 P6 A008WL
Matte Copper PVD	27 P9 A008WL



Brushed Stainless steel 27 93 A008WU

BIDET : traditional cartridge


A508WU

Single-control bidet mixer

- 5 1/8" spout projection
- Without drain
- Aerated flow
- Flexible supply lines included

Drain not included, please select W095U or W097U in the Miscellaneous Articles section.

Brushed Stainless steel 27 93 A508WU



PROGRESSIVE CARTRIDGE

Built-in shower mixer

_1/2" inlets



A763BU+A763AU 1 outlet



A785BU+A785AU 2 outlets

A787BU+A787AU 3 outlets



A785BUCX+A785AU 2 outlets - MARBLE handle

A787BUCX+A787AU 3 outlets - MARBLE handle



A785BUCY+A785AU 2 outlets - MARBLE handle

A787BUCY+A787AU 3 outlets - MARBLE handle

THERMOSTATIC CARTRIDGE

Built-in shower mixer _3/4" inlets



A972BU+D331AU volume control 1 outlet

A972BU+D372AU diverter 2 outlets

A972BU+D373AU diverter 3 outlets



A972BUCX+D331AU volume control 1 outlet - MARBLE handle

A972BUCX+D372AU diverter 2 outlets - MARBLE handle

A972BUCX+D373AU diverter 3 outlets - MARBLE handle



A972BUCY+D331AU volume control 1 outlet - MARBLE handle

A972BUCY+D372AU diverter 2 outlets - MARBLE handle

A972BUCY+D373AU diverter 3 outlets - MARBLE handle



A900BU+D400AU



A991BU+D391AU volume control 1 outlet



A976BU+D376AU diverter 2 outlets





A976BU+D377AU diverter 3 outlets



A991BUCY+D391AU

volume control 1 outlet MARBLE handle

Built-in shower mixer

- Non-thermostatic 1/2" mixer
- Flow and temperature controlled by a progressive cartridge
- 6.3 gpm @ 60 psi

To be installed with a remote pressure balance valve

Trim		Ø <u>2-1/2</u> " ¹ 2
Chrome Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD	27 02 A763BU 27 P5 A763BU 27 P6 A763BU 27 P9 A763BU	
Brushed Stainless steel	27 93 A763BU	
Rough		▶ <u>2"</u>
	44 00 A763AU	
	Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD Brushed Stainless steel	Chrome27 02 A763BUMatte Gun Metal PVD27 P5 A763BUMatte British Gold PVD27 P6 A763BUMatte Copper PVD27 P9 A763BUBrushed Stainless steel27 93 A763BURough

Built-in shower mixer

- Non-thermostatic 1/2" mixer
- Flow and temperature controlled by a progressive cartridge
- 2-way diverter

Trim

- 6.0 gpm @ 60 psi (primary outlet)
 5.5 gpm @ 60 psi (secondary outlet)


To be installed with a remote pressure balance valve

A785BU



Chrome 27 02 A785BU Matte Gun Metal PVD 27 P5 A785BU Matte British Gold PVD 27 P6 A785BU Matte Copper PVD 27 P9 A785BU **Brushed Stainless steel** 27 93 A785BU

Ø2-1/2" <u>1-1/4'</u> Ď 2-1/4" Ø2-1/2" 3-1/2" 3-3/8" 11 1/2" 1/8" <u>1-1/4"</u> 5'



A785AU

Rough

44 00 A785AU



AF/21

1-1/4"

3/4"

3-3/4"

02-1/2

0

<u>1-1/4"</u>

1-1/4"

Built-in shower mixer - Handles in Carrara white Marble

- Non-thermostatic 1/2" mixer
- · Flow and temperature controlled by a progressive cartridge
- 2-way diverter
- 6.0 gpm @ 60 psi (primary outlet)
- 5.5 gpm @ 60 psi (secondary outlet)

To be installed with a remote pressure balance valve


Trim	
Chrome	27 02 A785BUCX
Matte Gun Metal PVD Matte British Gold PVD	27 P5 A785BUCX 27 P6 A785BUCX
Matte Copper PVD	27 P9 A785BUCX

Brushed Stainless steel 27 93 A785BUCX

A785AU



44 00 A785AU



Built-in shower mixer - Handles in Marguinia black Marble

- Non-thermostatic 1/2" mixer
- Flow and temperature controlled by a progressive cartridge
- 2-way diverter

Rough

- 6.0 gpm @ 60 psi (primary outlet)
- 5.5 gpm @ 60 psi (secondary outlet)

To be installed with a remote pressure balance valve


A785BUCY




Trim Chrome


Chrome	27 02 A785BUCY
Matte Gun Metal PVD	27 P5 A785BUCY
Matte British Gold PVD	27 P6 A785BUCY
Matte Copper PVD	27 P9 A785BUCY

44 00 A785AU









A785AU

Rough




Built-in shower mixer

- Non-thermostatic 1/2" mixer
- Flow and temperature controlled by a progressive cartridge
- 3-way diverter
- 6.0 gpm @ 60 psi (primary outlet)
- 6.0 gpm @ 60 psi (secondary outlet)
- 5.5 gpm @ 60 psi (third outlet)

To be installed with a remote pressure balance valve

A787BU	Trim Chrome Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD	27 02 A787BU 27 P5 A787BU 27 P6 A787BU 27 P6 A787BU 27 P9 A787BU	3-1/2"
	Brushed Stainless steel	27 93 A787BU	
A787AU	Rough	44 00 A787AU	1/2"NPT
			ļ lo



AF/21

Built-in shower mixer - Handles in Carrara white Marble

- Non-thermostatic 1/2" mixer
- · Flow and temperature controlled by a progressive cartridge
- 3-way diverter
- 6.0 gpm @ 60 psi (primary outlet)
 6.0 gpm @ 60 psi (secondary outlet)
- 5.5 gpm @ 60 psi (third outlet)

To be installed with a remote pressure balance valve

A787BUCX

Trim Chro

Rough


Chrome	27 02 A787BUCX
Matte Gun Metal PVD	27 P5 A787BUCX
Matte British Gold PVD	27 P6 A787BUCX
Matte Copper PVD	27 P9 A787BUCX


Brushed Stainless steel 27 93 A787BUCX

A787AU

44 00 A787AU







<u>ð</u>2-1/2'

AF/21

<u> 2-1/2</u>

1-1/4"

<u>Ø</u>2-1/2"

1-1/4

Built-in shower mixer - Handles in Marquinia black Marble

- Non-thermostatic 1/2" mixer
- Flow and temperature controlled by a progressive cartridge
- 3-way diverter

Rough

- 6.0 gpm @ 60 psi (primary outlet)
 6.0 gpm @ 60 psi (secondary outlet)
- 5.5 gpm @ 60 psi (third outlet)

To be installed with a remote pressure balance valve

A787BUCY




Trim	
Chrome	27 02 A787BUCY
Matte Gun Metal PVD	27 P5 A787BUCY
Matte British Gold PVD	27 P6 A787BUCY
Matte Copper PVD	27 P9 A787BUCY

Brushed Stainless steel 27 93 A787BUCY

A787AU

44 00 A787AU





3/4" Thermostatic mixer with integrated volume control

27 02 A972BU

27 P5 A972BU

27 P6 A972BU

27 P9 A972BU

27 93 A972BU

19 00 D331AU

- · Temperature control with safety override button at 100° F
- 3/4" NPT inlets, 1/2" outlet on rough
- Flow rate: 15.3 gpm @ 60 psi
- Anti-scald mechanism
- · Watertight casing for added safety
- · Accessible shut-off valves and filters
- · For horizontal installation

Matte Gun Metal PVD

Matte Copper PVD


Matte British Gold PVD

Brushed Stainless steel

Trim Chrome

Rough

Ø 2-1/2" = <u>5-1/8</u> " =1	2-3/4"
2-3/4"	1-7/8"
10-5/8"	



3/4" Thermostatic mixer with integrated volume control - Handle in Carrara white Marble

- · Temperature control with safety override button at 100° F
- 3/4" NPT inlets, 1/2" outlet on rough
- Flow rate: 15.3 gpm @ 60 psi
- Anti-scald mechanism

Trim

Rough

- Watertight casing for added safety
- Accessible shut-off valves and filters
- For horizontal installation


A972BUCX


A972BU


D331AU

n.	
L	Gam
1	

27 02 A972BUCX Chrome Matte Gun Metal PVD 27 P5 A972BUCX Matte British Gold PVD 27 P6 A972BUCX 27 P9 A972BUCX Matte Copper PVD







19 00 D331AU

D331AU

SHOWER : thermostatic cartridge

7/8"

1-1/8"

10-5/8"

5-1/8"

4-1/8" 5-1/4"

1-5/8"

3/4" Thermostatic mixer with integrated volume control - Handle in Marquinia black Marble

- Temperature control with safety override button at 100° F
- 3/4" NPT inlets, 1/2" outlet on rough Flow rate: 15.3 gpm @ 60 psi Anti-scald mechanism

- Watertight casing for added safety
- Accessible shut-off valves and filters
- For horizontal installation

A972BUCY

Trim Chrome	27 02 A972BUCY		
Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD	27 P5 A972BUCY 27 P6 A972BUCY 27 P9 A972BUCY	<u>¢</u> 2-1/2" ₊ ↓ ₊ ↓ ∅2-1/2"	<u>ب</u> لیے ۱ <u>-7/8'</u>
Brushed Stainless steel	27 93 A972BUCY		
		<u>− 11"</u> <u>+ 5-1/8"</u>	= 2-7/8'

OUT 1/2"NPT

OUT 1/2"NPT

IN

3-1/8"

IN

┢

3/4"NPT 3/4"NPT

D331AU

Rough

19 00 D331AU



	3/4" Thermostatic mixer v • Temperature control with sa • 3/4" NPT inlets, 1/2" outlets • Flow rate: 8.9 gpm @ 60 psi • Flow rate: 7.6 gpm @ 60 psi • Anti-scald mechanism • Watertight casing for added • Accessible shut-off valves and • For horizontal installation	fety override button at 100° F on rough (primary outlet) (secondary outlet) safety	¢2-1/2" [* 5-1/8" +]
A972BU	Trim		
The C	Chrome Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD	27 02 A972BU 27 P5 A972BU 27 P6 A972BU 27 P9 A972BU	$\begin{array}{c c c c c c c c c c c c c c c c c c c $
	Brushed Stainless steel	27 93 A972BU	11" <u>2-7/8"</u> <u>2-7/8"</u> <u>2-7/8"</u>
D372AU	Rough		1/2" NPT OUT
00		19 00 D372AU	1/2" NPT OUT 3/4" NPT 3/4" NPT 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2"

Prices in US\$

2-7/8"

1-7/8"

3/4" Thermostatic mixer with 2-way diverter - Handle in Carrara white Marble

- · Temperature control with safety override button at 100° F
- 3/4" NPT inlets, 1/2" outlets on rough
- Flow rate: 8.9 gpm @ 60 psi (primary outlet)
- Flow rate: 7.6 gpm @ 60 psi (secondary outlet)
- Anti-scald mechanism
- Watertight casing for added safety
- Accessible shut-off valves and filters
- · For horizontal installation

Rough

A972BUCX


Trim	
Chrome	27 02 A972BUCX
Matte Gun Metal PVD	27 P5 A972BUCX
Matte British Gold PVD	27 P6 A972BUCX
Matte Copper PVD	27 P9 A972BUCX

Brushed Stainless steel 27 93 A972BUCX

D372AU

19 00 D372AU





10-5/8"

5-1/8"

Ø2-1/2"

_|Ø2-1/2"

3/4" Thermostatic mixer with 2-way diverter - Handle in Marguinia black Marble

- · Temperature control with safety override button at 100° F
- 3/4" NPT inlets, 1/2" outlets on rough
- Flow rate: 8.9 gpm @ 60 psi (primary outlet)
- Flow rate: 7.6 gpm @ 60 psi (secondary outlet)
- Anti-scald mechanism


Trim Chrome


- · Watertight casing for added safety
- · Accessible shut-off valves and filters
- · For horizontal installation

A972BUCY



Matte Gun Metal PVD 27 P5 A972BUCY Matte British Gold PVD 27 P6 A972BUCY Matte Copper PVD 27 P9 A972BUCY Brushed Stainless steel 27 93 A972BUCY





D372AU

Rough

19 00 D372AU

27 02 A972BUCY



3/4" Thermostatic mixer with 3-way diverter

- Temperature control with safety override button at 100° F
- 3/4" NPT inlets, 1/2" outlets on rough
- Flow rate: 8.7 gpm @ 60 psi (primary outlet)
- Flow rate: 7.4 gpm @ 60 psi (secondary outlet)
- Flow rate: 7.4 gpm @ 60 psi (third outlet)
- Anti-scald mechanism

Trim

Rough

- Watertight casing for added safety
 Accessible shut-off valves and filters
- · For horizontal installation

A972BU


D373AU

Chrome	27 02 A972BU
Matte Gun Metal PVD	27 P5 A972BU
Matte British Gold PVD	27 P6 A972BU
Matte Copper PVD	27 P9 A972BU




Brushed Stainless steel	27 93 A972BU
	27 P9 A972BU 27 P9 A972BU
	27 P5 A972BU 27 P6 A972BU

19 00 D373AU



. |





3/4" Thermostatic mixer with 3-way diverter - Handle in Carrara white Marble · Temperature control with safety override button at 100° F • 3/4" NPT inlets, 1/2" outlets on rough • Flow rate: 8.7 gpm @ 60 psi (primary outlet) • Flow rate: 7.4 gpm @ 60 psi (secondary outlet) • Flow rate: 7.4 gpm @ 60 psi (third outlet) Anti-scald mechanism • Watertight casing for added safety 10-5/8" · Accessible shut-off valves and filters 2-7/8" 5-1/8 · For horizontal installation A972BUCX Trim Chrome 27 02 A972BUCX ______Ø2-1/2" 1-7/8 Ø2-1/2" 27 P5 A972BUCX Matte Gun Metal PVD Matte British Gold PVD 27 P6 A972BUCX Matte Copper PVD 27 P9 A972BUCX 11" Brushed Stainless steel 27 93 A972BUCX 5-1/8" 2-7/8" 2-1/8" OUT 1/2"NPT **DUT 1/2"NP D373AU** Rough 19 00 D373AU 1-1/8 OUT 1/2"NPT IN IN 1-5/8" 3/4"NPT 3/4"NPT <u>3-1/8"</u>

Prices in US\$

1 2-7/8"

l<mark>a ⊨</mark> 1-7/8"

2-7/8"

2-1/8"

1-1/8

1-5/8"

10-5/8"

5-1/8"

. 1

11"

IN İŇ

<u>3-1/8"</u>

3/4"NPT 3/4"NPT

5-1/8"

۲

OUT 1/2"NPT

OUT 1/2"NPT

_____Ø2-1/2"

4-1/8" 2

ę

OUT 1/2"NPT

Ø2-1/2"

3/4" Thermostatic mixer with 3-way diverter - Handle in Marquinia black Marble

- Temperature control with safety override button at 100° F

- 3/4" NPT inlets, 1/2" outlets on rough
 Flow rate: 8.7 gpm @ 60 psi (primary outlet)
 Flow rate: 7.4 gpm @ 60 psi (secondary outlet)
 Flow rate: 7.4 gpm @ 60 psi (third outlet)
- Anti-scald mechanism
- Watertight casing for added safety
 Accessible shut-off valves and filters
- For horizontal installation

A972BUCY

Trim	
Chrome	27 02 A972BUCY
Matte Gun Metal PVD	27 P5 A972BUCY
Matte British Gold PVD	27 P6 A972BUCY
Matte Copper PVD	27 P9 A972BUCY



Brushed Stainless steel	27 93 A972BUCY
Matte Copper PVD	27 P9 A972BUCY
Matte British Gold PVD	27 P6 A972BUCY
Matte Gun Metal PVD	27 P5 A972BUCY



Rough

D373AU

19 00 D373AU



	-,	si d safety and filters rt. # W213U and W214U trol(s) or diverter(s): BU+D391AU BU+D376AU	
A900BU	Trim		5-1/8" 1-7/8-3"
¥. y.	Chrome Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD	27 02 A900BU 27 P5 A900BU 27 P6 A900BU 27 P9 A900BU 27 P9 A900BU	<u>8-1/4"</u> ↓
	Brushed Stainless steel	27 93 A900BU	
D400AU	Rough		
		19 00 D400AU	
			3-1/8"

Prices in US\$

3/4" Volume control

- For remote installation
- 3/4" NPT inlets and outlets
- · Separate outlet for additional volume controls
- Sound insulation foam back
- 15.3 gpm @ 60 psi

To be used with thermostatic mixer A900BU+D400AU

A991BU	Trim		Ø2-1/2'	 ∙►	<u>1-1/4"</u>
	Chrome Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD	27 02 A991BU 27 P5 A991BU 27 P6 A991BU 27 P9 A991BU 27 P9 A991BU		\bigcirc	
	Brushed Stainless steel	27 93 A991BU			Ø2-1/4"
			<u>3/4"NPT</u>		
D391AU	Rough		₹		[0]]]
		19 00 D391AU	3/4"NPT	<u>1 </u> 1 <u> </u> _ 3/4"NPT	1-5/8"
0					


3/4" Volume control - Handle in Carrara white Marble

- For remote installation
- 3/4" NPT inlets and outlets
- Separate outlet for additional volume controls
- Sound insulation foam back
- 15.3 gpm @ 60 psi


To be used with thermostatic mixer A900BU+D400AU

A991BUCX

Brushed Stainless steel	27 93 A991BUCX
Matte Copper PVD	27 P9 A991BUCX
Matte British Gold PVD	27 P6 A991BUCX
Matte Gun Metal PVD	27 P5 A991BUCX
Chrome	27 02 A991BUCX
Trim	



Ø 1-3/4





Rough

19 00 D391AU



3/4" Volume control - Handle in Marquinia black Marble

- For remote installation
- 3/4" NPT inlets and outlets
- Separate outlet for additional volume controls
- Sound insulation foam back
- 15.3 gpm @ 60 psi

To be used with thermostatic mixer A900BU+D400AU


A991BUCY	Trim		Ø <u>2-1/2</u> "	<u>1-1/4"</u>
	Chrome Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD	27 02 A991BUCY 27 P5 A991BUCY 27 P6 A991BUCY 27 P9 A991BUCY	\bigcirc	Ø2-114"
	Brushed Stainless steel	27 93 A991BUCY		Ø2
D2014U	Deursk		3/4"NPT	≀ ⊮⊾⊢+n →
D391AU	Rough	19 00 D391AU		╷ <u></u> ┩┼╫╷
0			LL T LL T S LL A J → 3/4"NPT	1-5/8"

W213U

OPTIONAL - Easy Fix System

- Includes backplate and connections
- Suitable for vertical and horizontal installation
- 1 outlet: D400AU + D391AU
- 2 outlets: D400AU + (2) D391AU






91 00 W213U

SHOWER : thermostatic cartridge


W214U

- **OPTIONAL Easy Fix System**
 - Includes backplate and connections
 - Suitable for vertical and horizontal installation
 - 3 outlets: D400AU + (3) D391AU



AF/21







2-1/4"

2"

PP

-

1-3/4" 2-7/8"

Ø 2-1/2

1/2"NPT

-3/8

1/2"NPT

4-3/4

U 1-7/8"

91 00 W214U

27 02 A976BU 27 P5 A976BU

27 P6 A976BU 27 P9 A976BU

27 93 A976BU

2-Way diverter with integrated volume control

· For remote installation

Matte Gun Metal PVD

Matte Copper PVD

Matte British Gold PVD

Brushed Stainless steel

- 1/2" NPT inlets and outlets
- · Accessible shut-off valves and filters
- Flow rate: 8.9 gpm @ 60 psi (primary outlet)
 Flow rate: 7.6 gpm @ 60 psi (secondary outlet)

To be used with thermostatic mixer A900BU+D400AU

A976BU



D376AU

Rough

Trim Chrome

19 00 D376AU



Prices in US\$

3 way diverter with integrated volume control

- For remote installation
- 1/2" NPT inlets and outlets
 Accessible shut-off valves and filters
- Flow rate: 8.7 gpm @ 60 psi (primary outlet)
 Flow rate: 7.4 gpm @ 60 psi (secondary outlet)
- Flow rate: 7.4 gpm @ 60 psi (third outlet)

To be used with thermostatic mixer A900BU+D400AU

A976BU

Irim	
Chrome	27 02 A976BU
Matte Gun Metal PVD	27 P5 A976BU
Matte British Gold PVD	27 P6 A976BU
Matte Copper PVD	27 P9 A976BU

Brushed Stainless steel 27 93 A976BU


D377AU

Rough

Taina


19 00 D377AU





2-1/4"

Ø2-1/2"



SHOWER

8053U

9 1/2" Round showerhead

- Stainless steel
- Anti-limescale membrane Water flow restricted to 2.5 gpm

Ø9 1/2" G 1/2





Brushed Stainless steel	81 93 8053U
Matte Copper PVD	81 P9 8053U
Matte British Gold PVD	81 P6 8053U
Matte Gun Metal PVD	81 P5 8053U
Chrome	81 02 8053U
Ohnomo	01 00 005011

8053UC

9 1/2" Round showerhead - Restricted to 1.8 gpm

- Stainless steel
- Anti-limescale membrane
- Water flow restricted to 1.8 gpm







81 02 8053UC
81 P5 8053UC
81 P6 8053UC
81 P9 8053UC

Brushed Stainless steel 81 93 8053UC

8080U

12" Wall-mount shower arm

Round escutcheon


- Curved angle
 1/2" NPT male connection

81 93 8080U
011900000
81 P9 8080U
81 P6 8080U
81 P5 8080U
81 02 8080U

OPTIONAL: Built-in part

W046U

91 00 W046U






SHOWER

8059U

18" Wall-mount shower arm

Round escutcheon

- Curved angle
 1/2" NPT male connection






8058U

10" Ceiling-mount shower arm

Round escutcheon

• 1/2" NPT male connection

Chrome Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD Brushed Stainless steel	81 02 8058U 81 P5 8058U 81 P6 8058U 81 P9 8058U 81 P3 8058U	
OPTIONAL: Built-in part		
W046U	91 00 W046U	



NF

2




8061U

Wall-mount handshower set

- Cylindrical handshower with anti-siphon check valve
- Anti-limescale membrane
 58" PVC hose
- · Water outlet with holder
- 1/2" NPT male connection
- Water flow restricted to 1.8 gpm

Chrome	81 02 8061U
Matte Gun Metal PVD	81 P5 8061U
Matte British Gold PVD	81 P6 8061U
Matte Copper PVD	81 P9 8061U

Brushed Stainless steel 81 93 8061U



SHOWER


AF/21

8063U

Wall-mount round adjustable body spray • Anti-limescale membrane • 1/2" NPT male connection • Water flow restricted to 2.5 gpm







SHOWER : shower sets with progressive cartridges

CONFIGURATION.1	Art.	Description	Finish	
	8053U A785BU+A785AU 8080U 8061U	9 1/2" Round showerhead Built-in shower mixer 12" Wall-mount shower arm Wall-mount handshower set	02 P5 P6 P9 93	Chrome Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD Brushed Stainless steel

SHOWER : shower sets with thermostatic cartridges

CONFIGURATION.1	Art.	Description	Finish	
	8053U A972BU+D372AU	9 1/2" Round showerhead 3/4" Thermostatic mixer with 2-way diverter	02 P5 P6	Chrome Matte Gun Metal PVD Matte British Gold PVD
	8080U 8061U	12" Wall-mount shower arm Wall-mount handshower set	P9 93	Matte Copper PVD Brushed Stainless steel
CONFIGURATION.2	Art.	Description	Finish	
	8053U 8061U 8080U W213U OPT. A900BU+D400AU	9 1/2" Round showerhead Wall-mount handshower set 12" Wall-mount shower arm OPTIONAL - Easy Fix System 3/4" Thermostatic shower mixer without	02 P5 P6 P9 93	Chrome Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD Brushed Stainless steel
	A991BU+D391AU(X 2)	volume control 3/4" Volume control	*optional W213U	OPTIONAL - Easy Fix System

AF/21

1/4 TURN CERAMIC DISC CARTRIDGE

Wall-mount tub filler

_1/2" inlets



A819BU+A819AU 2 outlets



2 outlets

Deck-mount tub filler _3/4" inlets



A265U 2 outlets



A267U 2 outlets



A819BUCX+A819AU 2 outlets - MARBLE handles



A817BUCX+A817AU 2 outlets - MARBLE handles



A265UCX 2 outlets - MARBLE handles



A267UCX 2 outlets - MARBLE handles



A819BUCY+A819AU 2 outlets - MARBLE handles



A817BUCX+A817AU 2 outlets - MARBLE handles



A265UCY 2 outlets - MARBLE handles



A267UCY 2 outlets - MARBLE handles

TRADITIONAL CARTRIDGE

Floor-mount single-control tub filler _1/2" inlets





Wall-mount tub filler

- 8 1/2" spout projection
- Cylindrical handshower with anti-siphon check valve
- 1/2" female inlets
 - Handshower holder with 58" PVC hose and water outlet
 - 2-way diverter

Rough

- 1/4 turn ceramic disc cartridge
- · Water flow restricted to 1.8 gpm for handshower
- 7.1 gpm @ 60 psi

A819BU

	•	
	7	
319AU		


Trim	
Chrome	27 02 A819BU
Matte Gun Metal PVD	27 P5 A819BU
Matte British Gold PVD	27 P6 A819BU
Matte Copper PVD	27 P9 A819BU


Brushed Stainless steel 27 93 A819BU

A819AU

44 00 A819AU







Wall-mount tub filler - Handles in Carrara white Marble

- 8 1/2" spout projection
- Cylindrical handshower with anti-siphon check valve
- 1/2" female inlets
- Handshower holder with 58" PVC hose and water outlet
- · 2-way diverter
- 1/4 turn ceramic disc cartridge
- Water flow restricted to 1.8 gpm for handshower
- 7.1 gpm @ 60 psi

A819BUCX

Trim

Chrome
Matte Gun Metal
Matte British Gold
Matte Copper PV

Rough


	27 02 A819BUCX
al PVD	27 P5 A819BUCX
old PVD	27 P6 A819BUCX
VD	27 P9 A819BUCX


Brushed Stainless steel 27 93 A819BUCX

A819AU

44 00 A819AU







Prices in US\$

Wall-mount tub filler - Handles in Marquinia black Marble

- 8 1/2" spout projection
- Cylindrical handshower with anti-siphon check valve
- 1/2" female inlets
 - Handshower holder with 58" PVC hose and water outlet
 - 2-way diverter
 - 1/4 turn ceramic disc cartridge
 - Water flow restricted to 1.8 gpm for handshower
 - 7.1 gpm @ 60 psi



Trim	
Chrome	27 02 A819BUCY
Matte Gun Metal PVD	27 P5 A819BUCY
Matte British Gold PVD	27 P6 A819BUCY
Matte Copper PVD	27 P9 A819BUCY

Brushed Stainless steel 27 93 A819BUCY

A819AU

44 00 A819AU



Wall-mount tub filler

Without spout

Rough

- Cylindrical handshower with anti-siphon check valve
- 1/2" female inlets
- Handshower holder with 58" PVC hose and water outlet
- 2-way diverter

Trim

- 1/4 turn ceramic disc cartridge
- · Water flow restricted to 1.8 gpm for handshower

A817BU



 Chrome
 27 02 A817BU

 Matte Gun Metal PVD
 27 P5 A817BU

 Matte British Gold PVD
 27 P6 A817BU

 Matte Copper PVD
 27 P9 A817BU


Brushed Stainless steel 27


27 93 A817BU


Rough

44 00 A817AU











Prices in US\$





<u>2-1/4</u>"⊨

Wall-mount tub filler - Handles in Carrara white Marble

- Without spout
- Cylindrical handshower with anti-siphon check valve
- 1/2" female inlets
- · Handshower holder with 58" PVC hose and water outlet
- 2-way diverter
- 1/4 turn ceramic disc cartridge
- Water flow restricted to 1.8 gpm for handshower

A817BUCX	
----------	--

Trim Chrome

Rough

Chrome	27 02 A817BUCX
Matte Gun Metal PVD	27 P5 A817BUCX
Matte British Gold PVD	27 P6 A817BUCX
Matte Copper PVD	27 P9 A817BUCX

Brushed Stainless steel 27 93 A817BUCX

A817AU





Wall-mount tub filler - Handles in Marquinia black Marble

27 02 A817BUCY

44 00 A817AU

- Without spout
- Cylindrical handshower with anti-siphon check valve
- 1/2" female inlets
- Handshower holder with 58" PVC hose and water outlet
- · 2-way diverter

Trim

Chrome

- 1/4 turn ceramic disc cartridge
- · Water flow restricted to 1.8 gpm for handshower

A817BUCY




Matte Gun Metal PVD27 P5 A817BUCYMatte British Gold PVD27 P6 A817BUCYMatte Copper PVD27 P9 A817BUCY


Brushed Stainless steel 27 93 A817BUCY


A817AU


Rough


















TUB: spouts

8307U

- Wall-mount tub spout 8 1/8" spout projection 1/2" NPT connection Max 6.5 gpm @ 60 psi Round escutcheon Integrated aerator



Brushed Stainless steel 27 93 8307U



KITCHEN: traditional cartridge






Single-control	kitchen	mixer
----------------	---------	-------

- 8 1/2" spout projection
 Swivel spout
 Pull-out single function hand spray
 Traditional cartridge
 Flexible supply lines included
 Without drain

- Without drain
- Water flow restricted to 1.8 gpm

Chrome Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD	27 P5 A753U 27 P6 A753U 27 P9 A753U
---	---

Brushed Stainless steel 27 93 A753U





A753U


Single-control kitchen mixer • 8 3/8" spout projection

- Swivel spoutPull-out double function hand spray
- Traditional cartridge
 Flexible supply lines included
- Without drain
 - Water flow restricted to 1.8 gpm

Chrome Matte Gun Metal PVD	27 02 A754U 27 P5 A754U 27 P6 A754U
Matte British Gold PVD Matte Copper PVD	27 P6 A754U 27 P9 A754U

Brushed Stainless steel

27 93 A754U



MISCELLANEOUS ARTICLES

W095U

1 1/4" Universal Push-up drain

· Compatible for installation on sinks with or without overflow



Complete list of available finishes in the Miscellaneous Articles section.		
Chrome Matte Gun Metal PVD Matte British Gold PVD Matte Copper PVD	91 02 W095U 91 P5 W095U 91 P6 W095U 91 P9 W095U	
Brushed Stainless steel	91 93 W095U	



1 1/4" Universal Free flow drain (always open)

· Compatible for installation on sinks with or without overflow

Complete list of available finishes in the Miscellaneous Articles



Brushed Stainless steel 91 93 W097U



9234

Bottle Trap

section.

· for washbasin • 1 1/4" inlet


• 1 1/4" outlet



Complete list of available finishes in the Miscellaneous Articles section.

91 93 9234

Chrome	91 02 9234
Matte Gun Metal PVD	91 P5 9234
Matte British Gold PVD	91 P6 9234
Matte Copper PVD	91 P9 9234



AF/21

1/4"-5/8"

Ø2-1/2" G 1-1/4" Ø2"

/4"-5/8

Ø2-1/2' G1-1/4" Ø2'

Ø1-1/4"

Ø1-1/4"

2-3/4"

0 - 2-3/4"

W036U

P-trap

· for washbasin • 1 1/4" inlet

• 1 1/4" outlet


Brushed Stainless steel

section. 5U

Complete list of available finishes in the Miscellaneous Articles

Chrome	91 02 W036U
Matte Gun Metal PVD	91 P5 W036U
Matte British Gold PVD	91 P6 W036U
Matte Copper PVD	91 P9 W036U

Brushed Stainless steel 91 93 W036U



1-1/4" - 3-3/4"

5-5/8"

MISCELLANEOUS ARTICLES

AF/21	



Flush actuator plate - Round buttons

Stainless steel construction

Projecting push-button controls
Compatible with GEBERIT models: 111.798.00.1, 111.335.00.5

Complete list of available finishes in the Miscellaneous Articles section.



		_ ► = 1/8"
6 1/8"	Ø ¹ Ø7.	
	9 5/8"	1"

|--|

Brushed Stainless steel 91 93 84020

8403U

Flush actuator plate - Square buttons

- Stainless steel construction
- Flush fit controls
- Square push-button controls
- Compatible with GEBERIT models: 111.798.00.1, 111.335.00.5

Complete list of available finishes in the Miscellaneous Articles section.



 38 8403U P5 8403U
 P6 8403U P9 8403U

Brushed Stainless steel 91 93 8403U

8486U


Double-function hydrobrush


- For toilet cleaning
- For personal care if used with a shower mixer
- Water plug with shower holder
- Stop valve
- Round backplate
- 47 1/4" Vinyl hose
- 1.70 GPM @ 60 psi
- 1/2" NPT male connection



Complete list of available finishes in the Miscellaneous Articles section.

Note: Use Brushed Nickel PVD to match with Brushed Stainless Steel





MISCELLANEOUS ARTICLES

AF/21

9325


Mounting plate for deck-mount bathtub mixer

screw covers

mounting platewithout cover plate

NOTE: To be finished with inspectable cover materials





Chrome

91 02 9325



Fantini USA Inc. A&D BUILDING - 150 East 58th Street, 8th floor - New York, NY 10155 Ph. 212 308 8833 - Fax 212 308 8820 www.fantiniusa.com - fantini@fantiniusa.com