

MARE

TECHNICAL MANUAL

MARE

design Franco Sargiani



02 V004WU

WASHBASIN	p. 460
BIDET	p. 462
SHOWER	p. 463
TUB	p. 480
KITCHEN	p. 484
MISCELLANEOUS ARTICLES	p. 484


Technical information

All MARE articles are supplied WITH HANDLES.

Washbasin and bidet mixers are **restricted to 1.2 gpm.**


HOLE SIZE GUIDELINES:

- Washbasin and bidet mixers



The base ring can be used to install the fixtures on holes with a diameter of $1 \frac{3}{8}"$.

- Three-hole washbasin mixer.



The 3/4" thermostatic shower mixer is available with integrated volume controls in these versions:


- with one volume control (1 outlet) V272BU + D331AU
- with 2-way diverter (2 outlets) V272BU + D372AU
- with 3-way diverter (3 outlets) V272BU + D373AU

Diverter **include volume control** and **do not allow to share functions.**

OPERATION EXAMPLE:

V272BU + D373AU

- rotating diverter with volume control:** from the OFF position, the first function is activated by rotating the knob clockwise, volume increases progressively. The second and third are activated in sequence turning the handle counterclockwise.
- temperature control** with safety override button at 100°F .



Base materials:

BRASS

Finish:

- 02 Chrome
- 13 Matte Black (RAL 9005)

* For spare parts, accessories, miscellaneous items and extensions please refer to the dedicated sections

TRADITIONAL CARTRIDGE

Single-hole washbasin mixer*_5 3/8" spout projection***V004WU**

WITHOUT DRAIN

Single-hole high washbasin mixer*_6 7/8" spout projection***1006WU**

WITHOUT DRAIN

Wall-mount washbasin mixer*_7 7/8" spout projection***V011BU+M011AU**

WITHOUT DRAIN

**V013BU+M011AU**

WITHOUT DRAIN

Single-hole bidet mixer*_3 1/4" spout projection***1008WU**

WITHOUT DRAIN

Kitchen : Summary Table

TRADITIONAL CARTRIDGE

Single-control kitchen mixer*_7 7/8" spout projection***1051U**

WITHOUT DRAIN

V004WU




Single-control washbasin mixer

- 5 3/8" spout projection
- Water flow restricted to 1.2 gpm
- Traditional cartridge
- Flexible supply lines included


Drain not included, please select W095U or W097U in the Miscellaneous Articles section.

Chrome
Matte Black

51 02 V004WU
51 13 V004WU



1006WU




Single-control vessel mixer

- 6 7/8" spout projection
- Water flow restricted to 1.2 gpm
- Traditional cartridge
- Flexible supply lines included

Drain not included, please select W095U or W097U in the Miscellaneous Articles section.

Chrome
Matte Black

51 02 1006WU
51 13 1006WU



Wall-mount single-control washbasin mixer

- 7 7/8" spout projection
- Water flow restricted to 1.2 gpm
- Traditional cartridge
- Round escutcheon

Drain not included, please select W095U or W097U in the Miscellaneous Articles section.


V011BU



Trim

Chrome
Matte Black

51 02 V011BU
51 13 V011BU




M011AU



Rough

44 00 M011AU




MARE

- 7 7/8" spout projection
- Water flow restricted to 1.2 gpm
- Traditional cartridge

Drain not included, please select W095U or W097U in the Miscellaneous Articles section.

Trim

Chrome	51 02 V013BU
Matte Black	51 13 V013BU



Rough

44 00 M011AU




undefined

- 3 1/4" spout projection
- Traditional cartridge
- Flexible supply lines included
- Without drain

Drain not included, please select W095U or W097U in the Miscellaneous Articles section.




Chrome	51 02 1008WU
Matte Black	51 13 1008WU



THERMOSTATIC CARTRIDGE

Built-in shower mixer
3/4" inlets



V272BU+D331AU
volume control
1 outlet



V272BU+D372AU
diverter
2 outlets



V272BU+D373AU
diverter
3 outlets



R700BU+D400AU



G591BU+D391AU
volume control
1 outlet



G576BU+D376AU
diverter
2 outlets



G576BU+D377AU
diverter
3 outlets



3/4" Thermostatic mixer with integrated volume control

- Temperature control with safety override button at 100° F
- 3/4" NPT inlets, 1/2" outlet on rough
- Flow rate: 15.3 gpm @ 60 psi
- Anti-scald mechanism
- Watertight casing for added safety
- Accessible shut-off valves and filters
- For horizontal installation

V272BU

Trim


Chrome	51 02 V272BU
Matte Black	51 13 V272BU



D331AU

Rough

19 00 D331AU





3/4" Thermostatic mixer with 2-way diverter

- Temperature control with safety override button at 100° F
- 3/4" NPT inlets, 1/2" outlets on rough
- Flow rate: 8.9 gpm @ 60 psi (primary outlet)
- Flow rate: 7.6 gpm @ 60 psi (secondary outlet)
- Anti-scald mechanism
- Watertight casing for added safety
- Accessible shut-off valves and filters
- For horizontal installation

V272BU

Trim


Chrome	51 02 V272BU
Matte Black	51 13 V272BU



D372AU


Rough

19 00 D372AU




3/4" Thermostatic mixer with 3-way diverter


- Temperature control with safety override button at 100° F
- 3/4" NPT inlets, 1/2" outlets on rough
- Flow rate: 8.7 gpm @ 60 psi (primary outlet)
- Flow rate: 7.4 gpm @ 60 psi (secondary outlet)
- Flow rate: 7.4 gpm @ 60 psi (third outlet)
- Anti-scald mechanism
- Watertight casing for added safety
- Accessible shut-off valves and filters
- For horizontal installation

**V272BU****Trim**

Chrome	51 02 V272BU
Matte Black	51 13 V272BU

**D373AU****Rough**


19 00 D373AU

**3/4" Thermostatic shower mixer without volume control**

- Temperature control with safety override button at 100° F
- 3/4" NPT inlets and outlet on rough
- Flow rate: 16.9 gpm @ 60 psi
- Anti-scald mechanism
- Watertight casing for added safety
- Accessible shut-off valves and filters
- Compatible with Easy Fix art. # W213U and W214U

To be used with volume control(s) or diverter(s):


- volume control art. # G591BU+D391AU
- 2-way diverter art. # G576BU+D376AU
- 3-way diverter art. # G576BU+D377AU

**R700BU****Trim**

Chrome	87 02 R700BU
Matte Black	87 13 R700BU

**D400AU****Rough**

19 00 D400AU



3/4" Volume control


- For remote installation
- Round backplate
- 3/4" NPT inlet and outlet
- Sound insulation foam back
- 15.3 gpm @ 60 psi

To be used with thermostatic mixer R700BU+D400AU

G591BU

Trim


Chrome	87 02 G591BU
Matte Black	87 13 G591BU



D391AU

Rough



19 00 D391AU



W213U

OPTIONAL - Easy Fix System

- Includes backplate and connections
- Suitable for vertical and horizontal installation
- **1 outlet:** D400AU + D391AU
- **2 outlets:** D400AU + (2) D391AU



EXAMPLE OF CONFIGURATION - 1 OUTLET



EXAMPLE OF CONFIGURATION - 2 OUTLETS





91 00 W213U

W214U

OPTIONAL - Easy Fix System

- Includes backplate and connections
- Suitable for vertical and horizontal installation
- **3 outlets:** D400AU + (3) D391AU



EXAMPLE OF CONFIGURATION - 3 OUTLETS



91 00 W214U

2-Way diverter with integrated volume control


- For remote installation
- 1/2" NPT inlets and outlets
- Accessible shut-off valves and filters
- Flow rate: 8.9 gpm @ 60 psi (primary outlet)
- Flow rate: 7.6 gpm @ 60 psi (secondary outlet)

To be used with thermostatic mixer R700BU+D400AU

G576BU

Trim


Chrome	87 02 G576BU
Matte Black	87 13 G576BU



D376AU

Rough

19 00 D376AU



3-Way diverter with integrated volume control

- For remote installation
- 1/2" NPT inlets and outlets
- Accessible shut-off valves and filters
- Flow rate: 8.7 gpm @ 60 psi (primary outlet)
- Flow rate: 7.4 gpm @ 60 psi (secondary outlet)
- Flow rate: 7.4 gpm @ 60 psi (third outlet)

To be used with thermostatic mixer R700BU+D400AU

G576BU

Trim


Chrome	87 02 G576BU
Matte Black	87 13 G576BU



D377AU

Rough


19 00 D377AU



9230U**8" Round showerhead**

- Solid brass construction
- Anti-limescale membrane
- Water flow restricted to 2.0 gpm

Compatible with all Fantini wall and ceiling mount shower arms




Chrome
Matte Black

86 02 9230U
86 13 9230U

9230UC**8" Round showerhead - Restricted to 1.8 gpm**

- Solid brass construction
- Anti-limescale membrane
- Water flow restricted to 1.8 gpm

Compatible with all Fantini wall and ceiling mount shower arms




Chrome
Matte Black

86 02 9230UC
86 13 9230UC

8142U**9 1/2" Round showerhead**

- Base material: ABS
- Anti-limescale membrane
- Water flow restricted to 2.0 gpm

Compatible with all Fantini wall and ceiling mount shower arms




Chrome
Matte Black

86 02 8142U
86 13 8142U

8142UC**9 1/2" Round showerhead - Restricted to 1.8 gpm**

- Base material: ABS
- Anti-limescale membrane
- Water flow restricted to 1.8 gpm

Compatible with all Fantini wall and ceiling mount shower arms



Chrome
Matte Black



86 02 8142UC
86 13 8142UC

8083U

9 1/2" Round showerhead

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 2.0 gpm

Compatible with all Fantini wall and ceiling mount shower arms



Chrome
Matte Black



86 02 8083U
86 13 8083U

8083UC

9 1/2" Round showerhead - Restricted to 1.8 gpm

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 1.8 gpm

Compatible with all Fantini wall and ceiling mount shower arms



Chrome
Matte Black




86 02 8083UC
86 13 8083UC

8084U

14 1/8" Round showerhead

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 2.0 gpm

Compatible with all Fantini wall and ceiling mount shower arms



Chrome




86 02 8084U

8084UC

14 1/8" Round showerhead - Restricted to 1.8 gpm

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 1.8 gpm

Compatible with all Fantini wall and ceiling mount shower arms



Chrome



86 02 8084UC

8146U

9 7/8" Round showerhead

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 2.0 gpm

Compatible with all Fantini wall and ceiling mount shower arms




Chrome	86 02 8146U
Matte Black	86 13 8146U

8146UC

9 7/8" Round showerhead - Restricted to 1.8 gpm

- Solid stainless steel construction
- Anti-limescale membrane
- Water flow restricted to 1.8 gpm

Compatible with all Fantini wall and ceiling mount shower arms



Chrome	86 02 8146UC
Matte Black	86 13 8146UC

8027U

11 3/4" Wall-mount shower arm

- Round escutcheon
- Curved angle
- 1/2" NPT male connection





Chrome	86 02 8027U
Matte Black	86 13 8027U

OPTIONAL: Built-in part

W046U

91 00 W046U



8137U

13 3/4" Wall-mount shower arm

- Round escutcheon
- Curved angle
- 1/2" NPT male connection





Chrome
Matte Black

86 02 8137U
86 13 8137U

OPTIONAL: Built-in part

W046U

91 00 W046U



8028U

17 3/4" Wall-mount shower arm

- Round escutcheon
- 1/2" NPT male connection
- Curved angle





Chrome
Matte Black

86 02 8028U
86 13 8028U

OPTIONAL: Built-in part

W046U

91 00 W046U



9231U

11 3/4" Wall-mount shower arm

- Round escutcheon
- 90° angle
- 1/2" NPT male connection





Chrome
Matte Black

86 02 9231U
86 13 9231U

OPTIONAL: Built-in part

W046U

91 00 W046U



8011U

17 3/4" Wall-mount shower arm

- 90° angle
- Round escutcheon
- 1/2" NPT male connection





Chrome
Matte Black

86 02 8011U
86 13 8011U

OPTIONAL: Built-in part

W046U

91 00 W046U



9236U

10" Ceiling-mount shower arm

- Round escutcheon
- 1/2" NPT male connection





Chrome
Matte Black

86 02 9236U
86 13 9236U

OPTIONAL: Built-in part

W046U

91 00 W046U



9237U

18" Ceiling-mount shower arm

- Round escutcheon
- 1/2" NPT male connection





Chrome
Matte Black

86 02 9237U
86 13 9237U

OPTIONAL: Built-in part

W046U


91 00 W046U



8051U

Wall-mount handshower set

- SUN handshower with anti-siphon check valve
- Anti-limescale membrane
- 58" vinyl hose
- Water outlet with holder
- Round escutcheon
- Water flow restricted to 1.8 gpm
- 1/2" NPT male connection




Chrome
Matte Black

86 02 8051U
86 13 8051U

8093U

Wall-mount handshower set

- FIT handshower with anti-siphon check valve
- Anti-limescale membrane
- 58" vinyl hose
- Water outlet with holder
- Round escutcheon
- 1/2" NPT male connection
- Water flow restricted to 1.8 gpm




Chrome
Matte Black

86 02 8093U
86 13 8093U

9673U

SUN handshower

- Cylindrical
- Anti-siphon valve
- Anti-limescale membrane
- Water flow restricted to 1.8 gpm




Chrome
Matte Black

90 02 9673U
90 13 9673U

8783U

FIT handshower

- Cylindrical
- Anti-siphon valve
- Anti-limescale membrane
- Water flow restricted to 1.8 gpm




Chrome
Matte Black

90 02 8783U
90 13 8783U

8914U

DISCO 3 7/8" handshower

- Chromed ABS
- Anti-limescale membrane
- Anti-siphon valve
- Water flow restricted to 2.5 gpm




Chrome

90 02 8914U

8929U

DISCO 5 1/8" handshower

- Chromed ABS
- 3 functions: rain, mist blow, massage
- Anti-limescale membrane
- Anti-siphon valve
- Water flow restricted to 2.5 gpm



Chrome

90 02 8929U


Matte Black

90 13 8929U

Z348U

Handshower

- 3 jets: rain, tonic jet, massage
- Anti-limescale membrane
- Anti-siphon valve
- Water flow restricted to 1.8 gpm



Chrome

90 02 Z348U

Matte Black


90 13 Z348U

8145

YOUNG slide bar

- Adjustable handshower holder
- 58" vinyl hose

Handshower and water outlet to be purchased separately



Chrome

86 02 8145


Matte Black

86 13 8145

9247

YOUNG slide bar
• Adjustable handshower holder
• 58" vinyl hose


Handshower and water outlet to be purchased separately



Chrome 86 02 9247
Matte Black 86 13 9247

9323U


Wall-mount handshower holder with water outlet - Round escutcheon
• Round escutcheon
• Solid brass construction
• 1/2" NPT male connection



Chrome 91 02 9323U
Matte Black 91 13 9323U

7034U


Wall-mount water outlet - Round escutcheon
• Round escutcheon
• Solid brass construction
• 1/2" NPT male connection



Chrome 91 02 7034U
Matte Black 91 13 7034U

9129


Wall-mount handshower holder



Chrome 90 02 9129
Matte Black 90 13 9129

9349

58" Vinyl hose
• 1/2" Female metal connecting nuts
• Easy to clean
• High resistance to pressure and heat



Chrome 90 02 9349
Matte Black 90 13 9349

9193


Metal Hose for Hand Shower
• 58" for 01 and 02 finishes
• 55" for 95, P5, P6 and P9 finishes
• 1/2" Female metal connecting nuts
• High resistance to pressure and heat



Chrome 90 02 9193
Matte Black 90 13 9193

9671


78" Vinyl hose
• 1/2" Female metal connecting nuts
• Easy to clean
• High resistance to pressure and heat



Chrome 90 02 9671
Matte Black 90 13 9671

9248U


Wall-mount round adjustable body spray
• 1/2" NPT male connection
• Anti-limescale membrane
• Water flow restricted to 2.2 gpm



Chrome 86 02 9248U
Matte Black 86 13 9248U






8055U**In-wall round adjustable body spray**

- Anti-limescale membrane
- Chromed ABS jet and plate
- Flow restricted to 1.0 gpm
- Rough included

To be installed at roughing stage

Chrome

86 02 8055U

CONFIGURATION.1	Art.	Description	Finish	
	9230U	8" Round showerhead	02	Chrome
	V272BU+D372AU	3/4" Thermostatic mixer with 2-way diverter	13	Matte Black
	8027U	11 3/4" Wall-mount shower arm		
	8051U	Wall-mount handshower set		
CONFIGURATION.2	Art.	Description	Finish	
	K073U	ACQUAFIT Round showerhead	02	Chrome
	V272BU+D372AU	3/4" Thermostatic mixer with 2-way diverter	13	Matte Black
	8027U	11 3/4" Wall-mount shower arm		
	8051U	Wall-mount handshower set		
CONFIGURATION.3	Art.	Description	Finish	
	K072U	ACQUAFIT Ceiling-mount round showerhead	02	Chrome
	8051U	Wall-mount handshower set	13	Matte Black
	V272BU+D372AU	3/4" Thermostatic mixer with 2-way diverter		
CONFIGURATION.4	Art.	Description	Finish	
	K062U	ACQUAFIT Ceiling-mount round showerhead	02	Chrome
	8051U	Wall-mount handshower set	13	Matte Black
	V272BU+D372AU	3/4" Thermostatic mixer with 2-way diverter		
CONFIGURATION.5	Art.	Description	Finish	
	K061U	ACQUAFIT Dream Ceiling-mount round showerhead	02	Chrome
	V272BU+D372AU	3/4" Thermostatic mixer with 2-way diverter	13	Matte Black
	8051U	Wall-mount handshower set	K101	*optional
	K101 OPT.	Control board for Acquafit		Touch functions control board

TRADITIONAL CARTRIDGE

Wall-mount tub filler

_1/2" inlets**V084BU+R084AU**

2 outlets

**V020BU+R021AU**

2 outlets

**V021BU+R021AU**

2 outlets

**E120B+D020AU**

2 outlets

**E121B+D020AU**

2 outlets

1/4 TURN CERAMIC DISC CARTRIDGE

Deck-mount tub filler

_3/4" inlets**6365U**

2 outlets

**6367U**

2 outlets

Built-in shower mixer


- 2-way diverter with turning knob
- SUN handshower
- Water plug with shower holder
- 58" vinyl hose
- 1/2" NPT inlets
- Water flow restricted to 1.8 gpm for handshower
- 5.9 gpm @ 60 psi

V084BU**Trim**

Chrome	51 02 V084BU
Matte Black	51 13 V084BU

R084AU**Rough**

44 00 R084AU

**Built-in bathtub mixer**


- 5 7/8" spout projection
- 2-way diverter with turning knob
- SUN handshower
- Water plug with shower holder
- 58" vinyl hose
- 1/2" NPT inlets
- Water flow restricted to 1.8 gpm for handshower
- 5.9 gpm @ 60 psi

V020BU**Trim**

Chrome	51 02 V020BU
Matte Black	51 13 V020BU

R021AU**Rough**

44 00 R021AU



Built-in bathtub mixer

- 7 7/8" spout projection
- 2-way diverter with turning knob
- SUN handshower
- Water plug with shower holder
- 58" vinyl hose
- 1/2" NPT inlets
- Water flow restricted to 1.8 gpm for handshower
- 5.9 gpm @ 60 psi

V021BU



Trim


Chrome	51 02 V021BU
Matte Black	51 13 V021BU

R021AU



Rough

44 00 R021AU



In-wall non-thermostatic single-control tub mixer

- 5 1/2" spout projection
- Cylindrical handshower with anti-siphon check valve
- Handshower holder
- 58" vinyl hose
- Diverter
- Water flow restricted to 1.8 gpm for handshower
- 5 gpm @ 60 psi

E120B



Trim


Chrome	51 02 E120B
Matte Black	51 13 E120B

D020AU



Rough

22 00 D020AU



In-wall non-thermostatic single-control tub mixer

- 7 7/8" spout projection
- Cylindrical handshower with anti-siphon check valve
- Handshower holder
- 58" vinyl hose
- Diverter
- Water flow restricted to 1.8 gpm for handshower
- 5 gpm @ 60 psi


E121B

Trim	
Chrome	51 02 E121B
Matte Black	51 13 E121B



D020AU

Rough	
	22 00 D020AU




6365U

5-Hole Roman tub set

- 8 1/4" spout projection
- Cylindrical handshower with anti-siphon check valve
- 58" vinyl hose
- Diverter
- Lever handles included
- Water flow restricted to 1.8 gpm for handshower
- 7 gpm @ 60 psi




Chrome	51 02 6365U
Matte Black	51 13 6365U



6367U**4-Hole Roman tub set**

- Without spout
- Cylindrical handshower with anti-siphon check valve
- 58" vinyl hose
- Diverter
- Lever handles included
- Water flow restricted to 1.8 gpm for handshower
- 7 gpm @ 60 psi




Chrome
Matte Black

51 02 6367U
51 13 6367U

KITCHEN : traditional cartridge

1051U**Single-control kitchen mixer**

- 7 7/8" spout projection
- Swivel
- Traditional cartridge
- Flexible supply lines included
- Water flow restricted to 1.8 gpm



Chrome
Matte Black


51 02 1051U
51 13 1051U

W095U

1 1/4" Universal Push-up drain

• Compatible for installation on sinks with or without overflow

Complete list of available finishes in the Miscellaneous Articles section.



Chrome
Matte Black


91 02 W095U
91 13 W095U

W097U

1 1/4" Universal Free flow drain (always open)

• Compatible for installation on sinks with or without overflow

Complete list of available finishes in the Miscellaneous Articles section.



Chrome
Matte Black


91 02 W097U
91 13 W097U

9234

Bottle Trap

• for washbasin
• 1 1/4" inlet
• 1 1/4" outlet

Complete list of available finishes in the Miscellaneous Articles section.



Chrome
Matte Black


91 02 9234
91 13 9234

W036U

P-trap

• for washbasin
• 1 1/4" inlet
• 1 1/4" outlet

Complete list of available finishes in the Miscellaneous Articles section.



Chrome
Matte Black

91 02 W036U
91 13 W036U


8402U

Flush actuator plate - Round buttons

- Stainless steel construction
- Projecting push-button controls
- Round push-button controls
- Compatible with GEBERIT models: 111.798.00.1, 111.335.00.5



Complete list of available finishes in the Miscellaneous Articles section.



Polished Stainless steel	91 38 8402U
Matte Black	91 13 8402U


8403U

Flush actuator plate - Square buttons

- Stainless steel construction
- Flush fit controls
- Square push-button controls
- Compatible with GEBERIT models: 111.798.00.1, 111.335.00.5



Complete list of available finishes in the Miscellaneous Articles section.



Polished Stainless steel	91 38 8403U
Matte Black	91 13 8403U


8486U

Double-function hydrobrush

- For toilet cleaning
- For personal care if used with a shower mixer
- Water plug with shower holder
- Stop valve
- Round backplate
- 1/2" NPT male connection
- 1.70 GPM @ 60 psi



Complete list of available finishes in the Miscellaneous Articles section.




Chrome	91 02 8486U
Matte Black	91 13 8486U

9325

Mounting plate for deck-mount bathtub mixer

- screw covers
- mounting plate
- without cover plate

NOTE: To be finished with inspectable cover materials



Chrome	91 02 9325
--------	------------



Fantini USA Inc.

A&D BUILDING - 150 East 58th Street, 8th floor - New York, NY 10155

Ph. 212 308 8833 - Fax 212 308 8820

www.fantiniusa.com - fantini@fantiniusa.com