

# ACQUA ZONE

TECHNICAL MANUAL

# ACQUA ZONE

design Franco Sargiani



38 C031U

Acqua Zone Dream p. 548

Acqua Zone p. 549

## Technical information

	ACQUA ZONE DREAM WITH LIGHTS	ACQUA ZONE
Minimum hydraulic pressure:	30PSI	30PSI
Maximum hydraulic pressure:	75PSI	75PSI
Recommended hydraulic pressure:	45PSI	45PSI
Weight:	<b>C031U</b> : 44 lbs	<b>C032U</b> : 40 lbs
Conditions necessary for the proper functioning:	5 GPM	5 GPM

- Flexible connections not included.

## Water functions

Art. # C031U / C032U

- Main function: RAINFALL (400 nozzles)
- Second function: WATERFALL (15 3/4" wide)

## Light functions

- white RGB led lights
- RGB led chromotherapy: red, green, blue and yellow
- "Feel" colour programme to create an emotional atmosphere:
  - Dawn (from dark blue to light blue)
  - Leaves (from light blue to yellow)
  - Sunset (from yellow to red)
  - Night (from red to dark blue)

## Electrical features

- Tension: 220-240 VAC.
- Frequency: 50/60 Hz
- IPX5 protection class (protection against water jets)
- Environmental conditions: Humidity: 0 ÷ 100% - Maximum temperature: 122°F

## Functions control board

The control board includes:

- A) BUILT-IN PIECE consisting of:
- Plastic box
- B) EXTERNAL PIECE consisting of:
- Glass panel
  - Touch board with backlit function symbols



## Certifications

ACQUA ZONE DREAM and TOUCH CONTROL BOARD are IMQ certified



### Base materials:

STAINLESS STEEL AISI 304

### Finish:

- 13 Matte Black (RAL 9005)
- 29 Matte White (RAL 9016)
- 95 Polished Nickel PVD
- P5 Matte Gun Metal PVD
- P6 Matte British Gold PVD
- P9 Matte Copper PVD
- 01 Gold Plus
- 38 Polished Stainless Steel
- 93 Brushed Stainless Steel

## Control board finishes


CV White glass

## Optional accessory

art. W098 - Cover for installing the shower head in the ceiling of a Hammam



Installation instructions



## ACQUA ZONE DREAM

### Ceiling-mount multifunction showerhead - Rainfall / Waterfall

\_20 7/8" x 20 7/8"



#### **C031U** **DREAM WITH LIGHTS**

rain / waterfall /  
white LED light / cromotherapy /  
"Feel" color program

## ACQUA ZONE

### Ceiling-mount multifunction showerhead - Rainfall / Waterfall

\_20 7/8" x 20 7/8"



#### **C032U**



rain / waterfall

C031U

Ceiling-mount multifunction showerhead - Rainfall / Waterfall

- 20 7/8" x 20 7/8"
- 400 anti-limescale rain jets
- Waterfall (15 3/4" wide)
- Mist blow, 2 anti-limescale jets with anti-drop valves
- White RGB LED lights
- RGB LED cromotherapy in 4 colors
- "Feel" color program: Dawn, Leaves, Sunset, Night
- Stainless steel construction
- 3 blue backlit push buttons serve as stop valves to control each function (Rain, Waterfall and Mist Blow)
- Each function can only be activated independently
- 3 white backlit push buttons to activate the three LED functions: light, feel program (alternating colors) and chromotherapy (color of your choice)
- Minimum flow: 5 gpm
- Minimum flow pressure: 30 psi
- Maximum flow pressure: 75 psi

Requires 3/4" thermostatic mixer plus one volume control or one outlet on a diverter  
Rough and control panel included




Polished Stainless steel	75 38 C031U
Matte Black	75 13 C031U
Matte White	75 29 C031U
Polished Nickel PVD	75 95 C031U
Matte Gun Metal PVD	75 P5 C031U
Matte British Gold PVD	75 P6 C031U
Matte Copper PVD	75 P9 C031U
Gold Plus	75 01 C031U

Brushed Stainless steel 75 93 C031U

W098

Watertight Cover

- Watertight cover for installation in sauna or hammam




C032U

Ceiling-mount multifunction showerhead - Rainfall / Waterfall

- 20 7/8" x 20 7/8"
- Ceiling-mount
- 400 anti-limescale rain jets
- Waterfall (15 3/4" wide)
- Minimum flow: 5 gpm
- Minimum flow pressure: 30 psi
- Maximum flow pressure: 75 psi

Requires 3/4" thermostatic mixer plus two volume controls or two outlets on a diverter  
Rough and trim included





Polished Stainless steel	75 38 C032U
Matte Black	75 13 C032U
Matte White	75 29 C032U
Polished Nickel PVD	75 95 C032U
Matte Gun Metal PVD	75 P5 C032U
Matte British Gold PVD	75 P6 C032U
Matte Copper PVD	75 P9 C032U
Gold Plus	75 01 C032U

**Brushed Stainless steel**      **75 93 C032U**

W098

Watertight Cover

- Watertight cover for installation in sauna or hammam







**Fantini USA Inc.**

A&D BUILDING - 150 East 58th Street, 8th floor - New York, NY 10155

Ph. 212 308 8833 - Fax 212 308 8820

[www.fantiniusa.com](http://www.fantiniusa.com) - [fantini@fantiniusa.com](mailto:fantini@fantiniusa.com)