

# ACQUAFIT

TECHNICAL MANUAL

**ACQUAFIT**  
design CRS Fantini



93 K021 / CV K101  
93 G573B+D373A / 93 8116

- Rectangular Acquafit p. 744
- Square Acquafit p. 746
- Round Acquafit p. 751

## Technical information

### ACQUAFIT DREAM WITH LIGHTS

ART.	WEIGHT	POWER
K001	7 Kg	13 W
K021	10 Kg	18 W
K061	7 Kg	12 W

- Flexible connections not included in the package

### ACQUAFIT

ART.	WEIGHT
K002	7 Kg
K022	10 Kg
K052	4 Kg
K062	7 Kg
K072	3,5 Kg



Link to video Acquafit

## Water functions

art. K021 / K022

- 1st function: 170 anti - limestone nozzles water flow concentrated in the middle
- 2nd function: 25 anti - limestone nozzles toning jet

art. K001 / K002 / K052 / K053

- 1st function: 125 anti - limestone nozzles water flow concentrated in the middle

art. K061 / K062 / K072 / K073

- 1st function: 240 anti - limestone nozzles water flow concentrated in the middle

## Light functions

- white RGB led lights
- RGB led chromotherapy: red, green, blue and yellow
- "Feel" colour programme to create an emotional atmosphere:
  - Dawn (from dark blue to light blue)
  - Leaves (from light blue to yellow)
  - Sunset (from yellow to red)
  - Night (from red to dark blue)

**NB: to choose the mixer please refer to the pages with shower compositions for each collection**

## Electrical features

- Tension: 220-240 VAC.
- Frequency: 50/60 Hz
- IPX5 protection class (protection against water jets)
- Environmental conditions: Humidity: 0 ÷ 100% - Maximum temperature: 50°C

## Functions control board

The control board includes:

A) BUILT-IN PIECE consisting of:

- Plastic box

B) EXTERNAL PIECE consisting of:


- Glass panel
- Touch board with backlit function symbols



## Ceiling installation examples

CEILING

FALSE CEILING



## Certifications

ACQUAFIT DREAM and TOUCH CONTROL BOARD are IMQ certified

Also suitable for use in hammams



### Base material:

STAINLESS STEEL AISI 316/316 L

### Finishing:

13 Matt Black (RAL 9005)	P6 Matt British Gold PVD	Q8 Raw Metal PVD
29 Matt White (RAL 9016)	P9 Matt Copper PVD	S9 Golden Look PVD
95 Polished Nickel PVD	S1 Deep Black PVD	38 Brilliant Stainless Steel
P5 Matt Gun Metal PVD	Q7 Pure Brass PVD	93 Brushed Stainless Steel

## Control board finishing


CV White glass

## Optional accessory

art. W098 - Cover for installing the shower head in the ceiling of a Hammam



Installation instructions



## RECTANGULAR ACQUAFIT

### Multifunction showerhead

*ceiling-mount*



**K021**  
**DREAM WITH LIGHTS**  
 frame: 50 x 35 cm  
 showerhead: 45 x 30 cm  
 rain / toning jet / white led light /  
 chromotherapy / "Feel" colour programme




**K022**  
 frame: 50 x 35 cm  
 showerhead: 45 x 30 cm  
 rain / toning jet

## SQUARE ACQUAFIT

### Multifunction showerhead

*ceiling-mount*



**K001**  
**DREAM WITH LIGHTS**  
 frame: 35 x 35 cm  
 showerhead: 30 x 30 cm  
 rain / white led light / chromotherapy /  
 "Feel" colour programme



**K002**  
 frame: 35 x 35 cm  
 showerhead: 30 x 30 cm  
 rain



**K052**  
 showerhead: 30 x 30 cm - 2 mm  
 rain

## ROUND ACQUAFIT

### Multifunction showerhead

*ceiling-mount*



**K061**  
**DREAM WITH LIGHTS**  
 frame: Ø 35 cm  
 showerhead: Ø 30 cm  
 rain / white led light / chromotherapy /  
 "Feel" colour programme




**K062**  
 frame: Ø 35 cm  
 showerhead: Ø 30 cm  
 rain



**K072**  
 showerhead: Ø 30 cm  
 rain

### Multifunction showerhead

*wall-mount*



**K073**  
 showerhead: Ø 30 cm  
 rain

**K021**



**Multi-function showerhead Dream**

- frame 50x35 cm
- showerhead 45x30 cm
- built-in part included
- check valve
- For ceiling installation: built-in piece, partially built-in piece, external piece
- system **OCS**, Optimal Closing System

- flow restrictor 14 l/min at 3 bar



**Water functions:**

- 1st function: 170 anti - limestone nozzles
- 2nd function: 25 anti - limestone nozzles
- Light functions:
- white RGB led lights
- RGB led chromotherapy: red, green, blue and yellow
- "Feel" colour programme
- power supply

**NOTE: conditions necessary for the correct functioning: Min.**

**Flow Rate: 12 l/min**

**NOTE: To choose the mixer please refer to the pages with shower compositions for each collection**





Brilliant Stainless Steel	79 38 K021
Matt Black	79 13 K021
Matt White	79 29 K021
Polished Nickel PVD	79 95 K021
Matt Gun Metal PVD	79 P5 K021
Matt British Gold PVD	79 P6 K021
Matt Copper PVD	79 P9 K021
Deep Black PVD	79 S1 K021
Mokka PVD	79 S5 K021
Brushed Steel Look PVD	79 92 K021
Golden Look PVD	79 S9 K021
<b>Brushed Stainless Steel</b>	<b>79 93 K021</b>

**W098**

**Cover for installing the shower head in the ceiling of a Hammam**

- for art. C031 - C032 - K021 - K022 - K001 - K002 - K061 - K062 - V561 - V562
- waterproof
- to be installed before the false ceiling is created
- installation instructions on Acqua Zone and Acquafit technical pages




**K101**



**Touch functions control board**

- optional
- 3 backlit touch buttons for the light functions: Color, Feel and Light
- built-in part included



White Glass

79 CV K101

**K022**

**Multi-function showerhead**

- frame 50x35 cm
- showerhead 45x30 cm
- built-in part included
- check valve
- For ceiling installation: built-in piece, partially built-in piece, external piece
- system **OCS**, Optimal Closing System



- flow restrictor 14 l/min at 3 bar

**Water functions:**

- 1st function: 170 anti - limestone nozzles
- 2nd function: 25 anti - limestone nozzles

**NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 12 l/min**

**NOTE: To choose the mixer please refer to the pages with shower compositions for each collection**





Brilliant Stainless Steel	79 38 K022
Matt Black	79 13 K022
Matt White	79 29 K022
Polished Nickel PVD	79 95 K022
Matt Gun Metal PVD	79 P5 K022
Matt British Gold PVD	79 P6 K022
Matt Copper PVD	79 P9 K022
Deep Black PVD	79 S1 K022
Mokka PVD	79 S5 K022
Brushed Steel Look PVD	79 92 K022
Golden Look PVD	79 S9 K022
<b>Brushed Stainless Steel</b>	<b>79 93 K022</b>

**W098**

**Cover for installing the shower head in the ceiling of a Hammam**

- waterproof
- for art. C031 - C032 - K021 - K022 - K001 - K002 - K061 - K062 - V561 - V562
- to be installed before the false ceiling is created
- installation instructions on Acqua Zone and Acquafit technical pages



91 00 W098

**K001**





**Multi-function showerhead Dream**

- frame 35x35 cm
- showerhead 30x30 cm
- built-in part included
- check valve
- system **OCS**, Optimal Closing System
- flow restrictor 12 l/min at 3 bar
- Water functions:**
  - 1st function: 125 anti - limestone nozzles
- Light functions:
  - white RGB led lights
  - RGB led chromotherapy: red, green, blue and yellow
  - "Feel" colour programme
  - power supply

NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 9 l/min

**NOTE: To choose the mixer please refer to the pages with shower compositions for each collection**





Brilliant Stainless Steel	79 38 K001
Matt Black	79 13 K001
Matt White	79 29 K001
Polished Nickel PVD	79 95 K001
Matt Gun Metal PVD	79 P5 K001
Matt British Gold PVD	79 P6 K001
Matt Copper PVD	79 P9 K001
Deep Black PVD	79 S1 K001
Mokka PVD	79 S5 K001
Brushed Steel Look PVD	79 92 K001
Golden Look PVD	79 S9 K001
Pure Brass PVD	79 Q7 K001
Raw Metal PVD	79 Q8 K001
<b>Brushed Stainless Steel</b>	<b>79 93 K001</b>

**W098**

**Cover for installing the shower head in the ceiling of a Hammam**

- waterproof
- for art. C031 - C032 - K021 - K022 - K001 - K002 - K061 - K062 - V561 - V562
- to be installed before the false ceiling is created
- installation instructions on Acqua Zone and Acquafit technical pages




**K101**



**Touch functions control board**

- optional
- 3 backlit touch buttons for the light functions: Color, Feel and Light
- built-in part included



White Glass

79 CV K101

**K002**

**Rain showerhead**

- frame 35x35 cm
- showerhead 30x30 cm
- built-in part included
- check valve
- For ceiling installation: built-in piece, partially built-in piece, external piece
- system **OCS**, Optimal Closing System



- flow restrictor 12 l/min at 3 bar

**Water functions:**

- 1st function: 125 anti - limestone nozzles

NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 9 l/min

**NOTE: To choose the mixer please refer to the pages with shower compositions for each collection**





Brilliant Stainless Steel	79 38 K002
Matt Black	79 13 K002
Matt White	79 29 K002
Polished Nickel PVD	79 95 K002
Matt Gun Metal PVD	79 P5 K002
Matt British Gold PVD	79 P6 K002
Matt Copper PVD	79 P9 K002
Deep Black PVD	79 S1 K002
Mokka PVD	79 S5 K002
Brushed Steel Look PVD	79 92 K002
Golden Look PVD	79 S9 K002
Pure Brass PVD	79 Q7 K002
Raw Metal PVD	79 Q8 K002
<b>Brushed Stainless Steel</b>	<b>79 93 K002</b>

**W098**

**Cover for installing the shower head in the ceiling of a Hammam**

- for art. C031 - C032 - K021 - K022 - K001 - K002 - K061 - K062 - V561 - V562
- waterproof
- to be installed before the false ceiling is created
- installation instructions on Acqua Zone and Acquafit technical pages



91 00 W098

**K052**

**Rain showerhead**

- h. 2 mm
- showerhead 30x30 cm
- check valve
- ceiling-mount: surface mounted
- system**OCS**, Optimal Closing System


- flow restrictor 12 l/min at 3 bar

**Water functions:**


- 1st function: 125 anti - limestone nozzles

NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 9 l/min

**NOTE: To choose the mixer please refer to the pages with shower compositions for each collection**



Brilliant Stainless Steel	79 38 K052
Matt Black	79 13 K052
Matt White	79 29 K052
Polished Nickel PVD	79 95 K052
Matt Gun Metal PVD	79 P5 K052
Matt British Gold PVD	79 P6 K052
Matt Copper PVD	79 P9 K052
Deep Black PVD	79 S1 K052
Mokka PVD	79 S5 K052
Brushed Steel Look PVD	79 92 K052
Golden Look PVD	79 S9 K052
Pure Brass PVD	79 Q7 K052
Raw Metal PVD	79 Q8 K052
<b>Brushed Stainless Steel</b>	<b>79 93 K052</b>



**K053**

**Rain showerhead**

- showerhead 30x30 cm
- check valve
- wall-mount
- system**OCS**, Optimal Closing System

- flow restrictor 12 l/min at 3 bar

**Water functions:**


- 1st function: 125 anti - limestone nozzles

NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 9 l/min

**NOTE: To choose the mixer please refer to the pages with shower compositions for each collection**



Brilliant Stainless Steel	79 38 K053
Matt Black	79 13 K053
Matt White	79 29 K053
Polished Nickel PVD	79 95 K053
Matt Gun Metal PVD	79 P5 K053
Matt British Gold PVD	79 P6 K053
Matt Copper PVD	79 P9 K053
Deep Black PVD	79 S1 K053
Mokka PVD	79 S5 K053
Brushed Steel Look PVD	79 92 K053
Golden Look PVD	79 S9 K053
Pure Brass PVD	79 Q7 K053
Raw Metal PVD	79 Q8 K053
<b>Brushed Stainless Steel</b>	<b>79 93 K053</b>




8027

**Shower arm**

- 30 cm long
- round backplate
- wall-mount
- 1/2" inlet




Chrome	86 02 8027
Matt Black	86 13 8027
Matt White	86 29 8027
Polished Nickel PVD	86 95 8027
Matt Gun Metal PVD	86 P5 8027
Matt British Gold PVD	86 P6 8027
Matt Copper PVD	86 P9 8027
Deep Black PVD	86 S1 8027
Mokka PVD	86 S5 8027
Brushed Steel Look PVD	86 92 8027
Golden Look PVD	86 S9 8027
Pure Brass PVD	86 Q7 8027
Raw Metal PVD	86 Q8 8027
<b>Brushed Stainless Steel</b>	<b>86 93 8027</b>



**OPTIONAL: Built-in part for plasterboard**

**W046** 91 00 W046




8137

**Shower arm**

- 35 cm long
- round backplate
- wall-mount
- 1/2" inlet




Chrome	86 02 8137
Matt Black	86 13 8137
Matt White	86 29 8137
Polished Nickel PVD	86 95 8137
Matt Gun Metal PVD	86 P5 8137
Matt British Gold PVD	86 P6 8137
Matt Copper PVD	86 P9 8137
Deep Black PVD	86 S1 8137
Mokka PVD	86 S5 8137
Brushed Steel Look PVD	86 92 8137
Golden Look PVD	86 S9 8137
Pure Brass PVD	86 Q7 8137
Raw Metal PVD	86 Q8 8137
<b>Brushed Stainless Steel</b>	<b>86 93 8137</b>



**OPTIONAL: Built-in part for plasterboard**

**W046** 91 00 W046




8028

**Shower arm**

- 45 cm long
- round backplate
- wall-mount
- 1/2" inlet



Chrome	86 02 8028
Matt Black	86 13 8028
Matt White	86 29 8028
Polished Nickel PVD	86 95 8028
Matt Gun Metal PVD	86 P5 8028
Matt British Gold PVD	86 P6 8028
Matt Copper PVD	86 P9 8028
Deep Black PVD	86 S1 8028
Mokka PVD	86 S5 8028
Brushed Steel Look PVD	86 92 8028
Golden Look PVD	86 S9 8028
Pure Brass PVD	86 Q7 8028
Raw Metal PVD	86 Q8 8028
<b>Brushed Stainless Steel</b>	<b>86 93 8028</b>



**OPTIONAL: Built-in part for plasterboard**

**W046** 91 00 W046




8124

**Shower arm**

- 40 cm long
- round backplate
- wall-mount
- 1/2" inlet




Chrome	86 02 8124
Matt Black	86 13 8124
Matt White	86 29 8124
Polished Nickel PVD	86 95 8124
Matt Gun Metal PVD	86 P5 8124
Matt British Gold PVD	86 P6 8124
Matt Copper PVD	86 P9 8124
Deep Black PVD	86 S1 8124
Mokka PVD	86 S5 8124
Brushed Steel Look PVD	86 92 8124
Golden Look PVD	86 S9 8124
Pure Brass PVD	86 Q7 8124
Raw Metal PVD	86 Q8 8124
<b>Brushed Stainless Steel</b>	<b>86 93 8124</b>



**OPTIONAL: Built-in part for plasterboard**

**W046** 91 00 W046



**K061**



**Multi-function showerhead Dream**

- frame Ø 35 cm
- showerhead Ø 30 cm
- check valve
- built-in part included
- For ceiling installation: built-in piece, partially built-in piece, external piece
- system **OCS**, Optimal Closing System

- flow restrictor 14 l/min at 3 bar

**Water functions:**


- 1st function: 240 anti - limestone nozzles

**Light functions:**

- white RGB led lights
- RGB led chromotherapy: red, green, blue and yellow
- "Feel" colour programme
- power supply

**NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 12 l/min**

**NOTE: To choose the mixer please refer to the pages with shower compositions for each collection**





Brilliant Stainless Steel	79 38 K061
Matt Black	79 13 K061
Matt White	79 29 K061
Polished Nickel PVD	79 95 K061
Matt Gun Metal PVD	79 P5 K061
Matt British Gold PVD	79 P6 K061
Matt Copper PVD	79 P9 K061
Deep Black PVD	79 S1 K061
Mokka PVD	79 S5 K061
Brushed Steel Look PVD	79 92 K061
Golden Look PVD	79 S9 K061
Pure Brass PVD	79 Q7 K061
Raw Metal PVD	79 Q8 K061
<b>Brushed Stainless Steel</b>	<b>79 93 K061</b>

**W098**

**Cover for installing the shower head in the ceiling of a Hammam**

- for art. C031 - C032 - K021 - K022 - K001 - K002 - K061 - K062 - V561 - V562
- waterproof
- to be installed before the false ceiling is created
- installation instructions on Acqua Zone and Acquafit technical pages




91 00 W098

**K101**



**Touch functions control board**

- optional
- 3 backlit touch buttons for the light functions: Color, Feel and Light
- built-in part included



White Glass

79 CV K101

**K062**

**Rain showerhead**

- frame Ø 35 cm
- showerhead Ø 30 cm
- check valve
- built-in part included
- For ceiling installation: built-in piece, partially built-in piece, external piece
- system **OCS**, Optimal Closing System


- flow restrictor 14 l/min at 3 bar

**Water functions:**

- 1st function: 240 anti - limestone nozzles

**NOTE: conditions necessary for the correct functioning: Min. Flow Rate: 12 l/min**

**NOTE: To choose the mixer please refer to the pages with shower compositions for each collection**





Brilliant Stainless Steel	79 38 K062
Matt Black	79 13 K062
Matt White	79 29 K062
Polished Nickel PVD	79 95 K062
Matt Gun Metal PVD	79 P5 K062
Matt British Gold PVD	79 P6 K062
Matt Copper PVD	79 P9 K062
Deep Black PVD	79 S1 K062
Mokka PVD	79 S5 K062
Brushed Steel Look PVD	79 92 K062
Golden Look PVD	79 S9 K062
Pure Brass PVD	79 Q7 K062
Raw Metal PVD	79 Q8 K062
<b>Brushed Stainless Steel</b>	<b>79 93 K062</b>

**W098**

**Cover for installing the shower head in the ceiling of a Hammam**

- waterproof
- for art. C031 - C032 - K021 - K022 - K001 - K002 - K061 - K062 - V561 - V562
- to be installed before the false ceiling is created
- installation instructions on Acqua Zone and Acquafit technical pages



91 00 W098

**K072**

**Rain showerhead**

- ACQUAFIT
- h. 2 mm
- Ø 30 cm
- check valve
- ceiling-moun: surface mounted
- system**OCS**, Optimal Closing System

• flow restrictor 14 l/min at 3 bar


**Water functions:**

- 1st function: 240 anti - limestone nozzles

**NOTE: conditions necessary for the correct functioning:Min.**

**Flow Rate: 12 l/min**

**NOTE: To choose the mixer please refer to the pages with shower compositions for each collection**



Brilliant Stainless Steel	79 38 K072
Matt Black	79 13 K072
Matt White	79 29 K072
Polished Nickel PVD	79 95 K072
Matt Gun Metal PVD	79 P5 K072
Matt British Gold PVD	79 P6 K072
Matt Copper PVD	79 P9 K072
Deep Black PVD	79 S1 K072
Mokka PVD	79 S5 K072
Brushed Steel Look PVD	79 92 K072
Golden Look PVD	79 S9 K072
Pure Brass PVD	79 Q7 K072
Raw Metal PVD	79 Q8 K072
<b>Brushed Stainless Steel</b>	<b>79 93 K072</b>

**K073**

**Rain showerhead**

- Ø 30 cm
- check valve
- 1/2" inlet
- anti-lime scale system
- wall-mount
- system**OCS**, Optimal Closing System

• flow restrictor 14 l/min at 3 bar

**Water functions:**



- 1st function: 240 anti - limestone nozzles

**NOTE: conditions necessary for the correct functioning: Min.**

**Flow Rate: 12 l/min**

NOTE: Shower arm to be separatly ordered

**NOTE: To choose the mixer please refer to the pages with shower compositions for each collection**



Brilliant Stainless Steel	79 38 K073
Matt Black	79 13 K073
Matt White	79 29 K073
Polished Nickel PVD	79 95 K073
Matt Gun Metal PVD	79 P5 K073
Matt British Gold PVD	79 P6 K073
Matt Copper PVD	79 P9 K073
Deep Black PVD	79 S1 K073
Mokka PVD	79 S5 K073
Brushed Steel Look PVD	79 92 K073
Golden Look PVD	79 S9 K073
Pure Brass PVD	79 Q7 K073
Raw Metal PVD	79 Q8 K073
<b>Brushed Stainless Steel</b>	<b>79 93 K073</b>


8027

**Shower arm**

- 30 cm long
- round backplate
- wall-mount
- 1/2" inlet




Chrome	86 02 8027
Matt Black	86 13 8027
Matt White	86 29 8027
Polished Nickel PVD	86 95 8027
Matt Gun Metal PVD	86 P5 8027
Matt British Gold PVD	86 P6 8027
Matt Copper PVD	86 P9 8027
Deep Black PVD	86 S1 8027
Mokka PVD	86 S5 8027
Brushed Steel Look PVD	86 92 8027
Golden Look PVD	86 S9 8027
Pure Brass PVD	86 Q7 8027
Raw Metal PVD	86 Q8 8027
<b>Brushed Stainless Steel</b>	<b>86 93 8027</b>



**OPTIONAL: Built-in part for plasterboard**

**W046** 91 00 W046




8137

**Shower arm**

- 35 cm long
- round backplate
- wall-mount
- 1/2" inlet




Chrome	86 02 8137
Matt Black	86 13 8137
Matt White	86 29 8137
Polished Nickel PVD	86 95 8137
Matt Gun Metal PVD	86 P5 8137
Matt British Gold PVD	86 P6 8137
Matt Copper PVD	86 P9 8137
Deep Black PVD	86 S1 8137
Mokka PVD	86 S5 8137
Brushed Steel Look PVD	86 92 8137
Golden Look PVD	86 S9 8137
Pure Brass PVD	86 Q7 8137
Raw Metal PVD	86 Q8 8137
<b>Brushed Stainless Steel</b>	<b>86 93 8137</b>



**OPTIONAL: Built-in part for plasterboard**

**W046** 91 00 W046




8028

**Shower arm**

- 45 cm long
- round backplate
- wall-mount
- 1/2" inlet




Chrome	86 02 8028
Matt Black	86 13 8028
Matt White	86 29 8028
Polished Nickel PVD	86 95 8028
Matt Gun Metal PVD	86 P5 8028
Matt British Gold PVD	86 P6 8028
Matt Copper PVD	86 P9 8028
Deep Black PVD	86 S1 8028
Mokka PVD	86 S5 8028
Brushed Steel Look PVD	86 92 8028
Golden Look PVD	86 S9 8028
Pure Brass PVD	86 Q7 8028
Raw Metal PVD	86 Q8 8028
<b>Brushed Stainless Steel</b>	<b>86 93 8028</b>



**OPTIONAL: Built-in part for plasterboard**

**W046** 91 00 W046




8124

**Shower arm**

- 40 cm long
- round backplate
- wall-mount
- 1/2" inlet




Chrome	86 02 8124
Matt Black	86 13 8124
Matt White	86 29 8124
Polished Nickel PVD	86 95 8124
Matt Gun Metal PVD	86 P5 8124
Matt British Gold PVD	86 P6 8124
Matt Copper PVD	86 P9 8124
Deep Black PVD	86 S1 8124
Mokka PVD	86 S5 8124
Brushed Steel Look PVD	86 92 8124
Golden Look PVD	86 S9 8124
Pure Brass PVD	86 Q7 8124
Raw Metal PVD	86 Q8 8124
<b>Brushed Stainless Steel</b>	<b>86 93 8124</b>



**OPTIONAL: Built-in part for plasterboard**

**W046** 91 00 W046







**Fratelli Fantini Spa**

Pella (Novara), Italy - t. +39 0322 918411

[fantini@fantini.it](mailto:fantini@fantini.it) - [www.fantini.it](http://www.fantini.it)