

## High lift truck

### LIFT-M



### Why the LIFT-M?

The Pallit LIFT-M is ideal for temporary stacking and storage operations up to 1600 mm in height. Its low maximum height predestines it for use in low spaces and passing through most doors. In short, a perfect entry-level model in the field of high lift trucks for newcomers to the field.

- **Two options** to choose from: with 1000 kg or 1500 kg capacity
- **Easy picking up and moving** of Euro pallets by operating the foot pedal or by pumping movements of the tiller arm
- **Free lift function** allows pallets to be lifted without changing the overall height of the high lift truck
- **Stepless lowering** via the handle

- **Permanently lubricated ball bearings** for low maintenance requirements
- **Tandem tires on the rollers** underneath the forks provide stability and allow the truck to negotiate speed bumps without difficulty
- With **ergonomic handle** for comfortable operation

## Technical data

### High lift truck LIFT-M

#### OPTIONS Choose between

1 | 2



Load capacity	1000   1500 kg
Weight	214   239 kg

#### DIMENSIONS

Fork length	1150 mm	l
Width	755 mm	b1
Length	1705 mm	
Max. total height	1970 mm	h4
Min. total height	1970 mm	h1
Outer fork with	550 mm	b5
Ground clearance	25 mm	m <sup>1</sup>
Distance between forks	210 mm	
Height from ground	90 mm	h13
Height of drawbar	1200 mm	
Individual fork width	170 mm	e
Centre of gravity	600 mm	c
Turning radius	1380 mm	Wa
Min. aisle width (EPAL1 Euro pallets)	1945 mm	Ast

#### GENERAL INFORMATION

Type of drive	Manual
Material	Steel



#### HUB

Lift type	Manual
Lifting height	1600 mm h3
Free lifting function	Yes
Mast	Mono
Effective lift	1515 mm
Lowering under load	32.5 mm
Lift height per pump strokes	20 mm


#### TYRES

Material of tyres	Polyurethane (PU)
Caster	Tandem
Width of casters	60 mm
Diameter of casters	80 mm
Width of swivel casters	40 mm
Diameter of casters	145 mm

We are improving our products continuously. It is therefore possible that technical data changes without prior notice. Details to our manufacturer warranty available under Declaration of warranty. The platform trolley complies with the EC Safety regulations.



## Images

High lift truck LIFT-M



## Images

High lift truck LIFT-M



## Why Pallit?

- Delivery free of charge within 1-3 workdays
- 100 days right of return
- Five year basic warranty for all platform trolleys
- Live-long first aid in case of technical questions
- On-site repair service available



Questions? Contact our product experts.

☎ 0800 - 000 96 25