

High lift truck LIFT-S



Why the LIFT-S?

The Pallit LIFT-S is ideal for temporary stacking and storage work up to 1200 mm high. The low maximum height predestines it for use in low spaces and passing through most doors. In short: a perfect entry-level model in the field of high lift trucks for newcomers to the field.

- **Two options** to choose from: with 1000 kg or 2000 kg capacity
- **Easy picking up and moving** of Euro pallets by operating the foot pedal or by pumping movements of the drawbar
- **Free lift function** enables pallets to be lifted without changing the overall height of the high lift truck
- **Stepless lowering** via the handle

- **Permanently lubricated ball bearings** for low maintenance
- **Tandem tyres on the castors** underneath the forks provide stability and allow the truck to negotiate speed bumps without difficulty
- With **ergonomic handle** for comfortable operation

Technical data

High lift truck LIFT-S


OPTIONS Choose between

1 | 2

Load capacity	1000 1500 kg
Weight	198 220 kg

DIMENSIONS

Fork length	1150 mm	l
Width	755 mm	b1
Length	1705 mm	l1
Max. total height	1720 mm	h4
Min. total height	1720 mm	h1
Outer fork width	550 mm	b5
Ground clearance	25 mm	m2
Distance between forks	210 mm	
Height from ground	90 mm	h13
Height of drawbar	1200 mm	h14
Individual fork width	170 mm	e
Centre of gravity	600 mm	c
Turning radius	1380 mm	Wa
Min. aisle width (EPAL1 euro-pallet)	1945 mm	Ast



GENERAL INFORMATION

Type of drive	Manual
Material	Steel

LIFT

Lift type	Manual	
Lifting height	1200 mm	h3
Free lifting function	Yes	
Mast	Mono	
Effective lift	1115 mm	
Max. lowering under load	32.5 mm	
Lift height per pump strokes	20 mm	

TYRES

Material of tyres	Polyurethane (PU)
Casters	Tandem
Width of casters	70 mm
Diameter of casters	80 mm
Width of swivel casters	40 mm
Diameter of casters	145 mm
Intake rollers	No

We are improving our products continuously. It is therefore possible that technical data changes without prior notice. Details to our manufacturer warranty available under Declaration of warranty. The platform trolley complies with the EC Safety regulations.



Images

High lift truck LIFT-S



Images

High lift truck LIFT-S



Why Pallit?

- Delivery free of charge within 1-3 workdays
- 100 days right of return
- Five year basic warranty for all platform trolleys
- Live-long first aid in case of technical questions
- On-site repair service available



Questions? Contact our product experts.

📞 0800 - 000 96 25