

## Electric lifting truck ONE+W



### Why the ONE+W?

The ONE+W is an electric pallet truck with scales and printer designed for occasional pallet transport up to 1500 kg and parallel weighing. It is a strong model for wholesale, retail, haulage or production.

- **Scale:** weigh pallets weighing up to 1500 kg with a deviation of +/- 0.2%
- **Printer:** easily print out receipts directly after weighing
- **Use:** ready for use for a full **5 hours** and fully recharged in only **2.5 hours** - intermediate charging possible
- **Efficiency:** Moves 1500 kg pallets quickly and safely at speeds of up to **4.4 km/h**
- **Lithium-ion battery:** **24 V / 20 Ah** power and completely maintenance-free

- **External charger:** Included in the scope of delivery and can be plugged into any 230 V socket
- **Manoeuvrability:** Comparatively small overall length of **1560 mm** and **1387 mm** turning radius allow easy manoeuvring even in tight places
- **Practical operation:** With pin-code panel for keyless locking function, digital display and **crawl speed** for manoeuvring the goods when the tiller is upright
- **Stability:** The tandem tyres on the castors underneath the forks offer smooth running and can cope with minor uneven floors

## Technical data


### Electric lifting truck ONE+W

#### DIMENSIONS

Fork length	1150 mm	l
Width	562 mm	b1
Length	1560 mm	l1
Height	1162 mm	h14
Outer fork with	562 mm	b5
Wheel base	1185 mm	y
Ground clearance	21 mm	m2
Distance between forks	220 mm	
Height from ground	80 mm	h13
Height of drawbar	962 mm	h14
Individual fork width	182 mm	e
Fork height	64 mm	s
Centre of gravity	600 mm	c
Turning radius	1387 mm	Wa
Min. aisle width (EPAL1 Euro pallets)	2000 mm	Ast

#### GENERAL INFORMATION

Load capacity	1500 kg
Weight	180 kg
Type of brakes	Electromagnetic
Sound pressure level according to EN 12053	65 db(A)



#### Drive

Type of drive	Electric motor
Rising capacity, unloaded	16 %
Rising capacity, loaded	6 %
Motor output	0.65 kW
Drive speed loaded	4.2 km/h
Drive speed unloaded	4.4 km/h

#### BATTERY

Battery type	Lithium-ion
Operating period	5 h

Battery weight	4.6 kg
Battery capacity	20 Ah
Battery voltage	24 V

#### Lift

Lifting height (h3)	115 mm
Lift type	Electrical hydraulic
Motor output	0.5 kW

#### WEIGHING FUNCTION

Deviation	+/- 0.2%
Weighing capacity	1500 kg
Measuring points	4 pcs.

#### TYRES

Material of tyres	Polyurethane (PU)
Casters	Tandem
Width of casters	93 mm
Diameter of casters	80 mm
Width of swivel casters	70 mm
Diameter of casters	210 mm

We are improving our products continuously. It is therefore possible that technical data changes without prior notice. Product image and drawings can deviate. Excluded from our manufacturer's warranty "Plus-Guarantee" are wear parts, rechargeable batteries and power packs - details can be found in our warranty declaration. The platform trolley complies with the EC Safety regulations.

## Images

Electric lifting truck ONE+W



## Images

Electric lifting truck ONE+W



## Why Pallit?

- Delivery free of charge within 1-3 workdays
- 100 days right of return
- Live-long first aid in case of technical questions
- On-site repair service available



Questions? Contact our product experts.

📞 0800 - 000 96 25