

Electrical scissor lift table TABLE





Why TABLE?

The Pallit TABLE electric lift table is firmly anchored to or embedded in the floor at the point of use, allowing loads to be moved safely and ergonomically to a lifting height of 1010 mm. Ideal for use in production lines, workshops, warehouses or freight forwarding companies.

- Two options to choose from: 1000 kg or 2000 kg load capacity
- 1300 x 800 mm platform for nonpalletized goods
- Lift 1000 kg to 1010 mm in just a few seconds
- Includes emergency stop switch and key lock on the control panel

- Voltage/motor power: 380 V/ 0.75 kW
- Steel construction, pressure relief
 valve and powder coating ensure long
 service life of the unit
- Enables energy-saving and ergonomic work in the company
- Strong and powerful even in the long run: That's why we offer our **Plus** warranty for 5 years




Technical data

Electrical scissor lift table TABLE

OPTIONS Choose between		
	0 0	
Lifting height	1010 1010 mm	
Load capacity	1000 2000 kg	
Weight	220 280 kg	

DIMENSIONS

Platform dimensions	1300 x 800 mm	
Min. platform height	190 mm	h13
Max. platform height	1010 mm	h3



GENERAL INFORMATION

Material	Steel
Motor output	0.75 kW
Equipment voltage	380 V

LIFT

Lifting type	Electrical hydraulic
Lifting time	25 sec.
Lowering time	35 mm/s

We are improving our products continuously. It is therefore possible that technical data changes without prior notice. Excluded from our manufacturer's warranty "Plus-Guarantee" are wear parts, rechargeable batteries and power packs - details can be found in our warranty declaration.



Images

Electrical scissor lift table TABLE















Images

Electrical scissor lift table TABLE





Why Pallit?

- Delivery free of charge within 1-3 workdays
- o 100 days right of return
- Live-long first aid in case of technical questions
- o On-site repair service available



