

Fork extension



User and parts manual

Keep for future use

Address of the manufacturer

Trading EU GmbH
Gruckingerstrasse 4
D - 85461 Bockhorn

Tel.: +49 (0) 8123 - 989 0 900
Fax: +49 (0) 8123 - 989 0 904
E-mail: info@tradingeu.de
Web: www.tradingeu.de

Fork extension

Dear customer

Thank you for purchasing our product. It is important for you to read and follow all the instructions listed below.

We hope the fork extension will make your job easier and more cost effective. It can extend the working scope and boost the productivity in your organization by provide you the extra support.

Therefore, you will create an efficient and safe working environment. The simple but effective way of lengthening your forks to handle longer loads safety, without damaging to the load.

Heavy duty steel construction. Steel retaining snap ring prevents fork extension from sliding off forks during using and keep the fork extension in place.

ATTENTION: Please consider the machine loading center and its original loading capacity carefully while applying the fork extension. Please lock the snap ring and check if it is fastened before application.

Operating instructions

Document number:	Fork extensions
Version:	1.0
Creation date:	01.01.2020
Last change:	01.09.2022
Model:	Enclosed fork extension Full open fork extension Semi closed fork extension
Year of manufacture:	2022

Customer entries

Inventory no:	
Location:	


Storage

The operating instructions must be kept in the responsible specialist department. They must always be at hand.


Content

I. Enclosed fork extension	4
II. Full open fork extension	5
III. Semi closed fork extension.....	6

I. Enclosed fork extension





ENCLOSED FORK EXTENSION				
1	SIZE	W mm	Tmm	L mm
2	117*62*1200*6	117	62	1200
3	117*62*1500*6	117	62	1500
4	117*62*1800*6	117	62	1800
5	117*62*2000*6	117	62	2000
6	117*62*2200*6	117	62	2200
7	117*62*2400*6	117	62	2400
8	142*62*1500*6	142	62	1500
9	142*62*1800*6	142	62	1800
10	142*62*2000*6	142	62	2000
11	142*62*2200*6	142	62	2200
12	142*62*2400*6	142	62	2400
13	167*67*1500*6	167	67	1500
14	167*67*1800*6	167	67	1800
15	167*67*2000*6	167	67	2000
16	167*67*2200*6	167	67	2200
17	167*67*2400*6	167	67	2400
18	167*67*3000*6	167	67	3000
19	197*92*1800*6	197	92	1800
20	197*92*2000*6	197	92	2000
21	197*92*2200*6	197	92	2200
22	197*92*2400*6	197	92	2400
23	197*92*3000*6	197	92	3000
24	197*92*4000*6	197	92	4000



II. Full open fork extension


FULL OPEN FORK EXTENSION				
1	SIZE	W mm	Tmm	L mm
2	117*62*1200*6	117	62	1200
3	117*62*1500*6	117	62	1500
4	117*62*1800*6	117	62	1800
5	117*62*2000*6	117	62	2000
6	117*62*2200*6	117	62	2200
7	117*62*2400*6	117	62	2400
8	142*62*1500*6	142	62	1500
9	142*62*1800*6	142	62	1800
10	142*62*2000*6	142	62	2000
11	142*62*2200*6	142	62	2200
12	142*62*2400*6	142	62	2400
13	167*67*1500*6	167	67	1500
14	167*67*1800*6	167	67	1800
15	167*67*2000*6	167	67	2000
16	167*67*2200*6	167	67	2200
17	167*67*2400*6	167	67	2400
18	167*67*3000*6	167	67	3000
19	197*92*1800*6	197	92	1800
20	197*92*2000*6	197	92	2000
21	197*92*2200*6	197	92	2200
22	197*92*2400*6	197	92	2400
23	197*92*3000*6	197	92	3000
24	197*92*4000*6	197	92	4000



III. Semi closed fork extension



SEMI-CLOSED FORK EXTENTION				
1	SIZE	W mm	Tmm	L mm
2	117*62*1200*6	117	62	1200
3	117*62*1500*6	117	62	1500
4	117*62*1800*6	117	62	1800
5	117*62*2000*6	117	62	2000
6	117*62*2200*6	117	62	2200
7	117*62*2400*6	117	62	2400
8	142*62*1500*6	142	62	1500
9	142*62*1800*6	142	62	1800
10	142*62*2000*6	142	62	2000
11	142*62*2200*6	142	62	2200
12	142*62*2400*6	142	62	2400
13	167*67*1500*6	167	67	1500
14	167*67*1800*6	167	67	1800
15	167*67*2000*6	167	67	2000
16	167*67*2200*6	167	67	2200
17	167*67*2400*6	167	67	2400
18	167*67*3000*6	167	67	3000
19	197*92*1800*6	197	92	1800
20	197*92*2000*6	197	92	2000
21	197*92*2200*6	197	92	2200
22	197*92*2400*6	197	92	2400
23	197*92*3000*6	197	92	3000
24	197*92*4000*6	197	92	4000



EG Konformitätserklärung / EC Declaration of conformity

EC Déclaration de conformité / EC Declaración de Conformidad / EC Dichiarazione di conformità

Hersteller:	Trading EU GmbH Gruckinger Str. 4 D – 85461 Bockhorn
Producer:	
Fabricant:	
Produttore:	
Fabricante:	

Hiermit erklärt der Hersteller, dass das Produkt

The producer hereby declares, that the following product

Le fabricant déclare par la présente que le produit

Il produttore dichiara che il prodotto

El fabricante declara que el producto

Bezeichnung und Modelltyp:	• Geschlossene Gabelverlängerung / Closed fork extensions • Geöffnete Gabelverlängerung / Open fork extensions • Halbgeschlossene Gabelverlängerung / Semi-closed fork extensions
Designation and type:	
Description et type:	
Designazione e tipo:	
Designación y tipo:	

folgenden einschlägigen Bestimmungen entspricht:

is in accordance with the following guidelines:

est conforme aux dispositions pertinentes suivantes:

è conforme alle seguenti disposizioni pertinenti:

cumple con las siguientes disposiciones pertinentes:

EG Maschinenrichtlinie 2006/42/EG, Amtsblatt L157/24
EC machinery directive 2006/42/EC
Directive de machine CE 2006/42/CE
Direttiva macchine CE 2006/42/CE
Directiva de máquinas CE 2006/42/CE

Angewandte harmonisierte Normen:	• EN ISO 13284:2003-02
Applied harmonized norms:	
Normes harmonisées appliquées:	
Norme armonizzate applicate:	
normas armonizadas aplicadas:	

Bockhorn, 11.05.2018

Ort, Datum

Bevollmächtigter Michael Seibold

Trading EU GmbH, Gruckinger Str. 4, D – 85461 Bockhorn
www.tradingeu.de