

Lever hoist LEVER-S





Why the LEVER-S?

The LEVER lever hoist is a versatile tool for lashing, lifting and tensioning work. It is suitable for both horizontal and vertical use and, with its flexible steel load chain, offers a wide range of applications.

- Perfectly suited for use in industrial and commercial areas, e.g. haulage, assembly, construction sites and trade.
- Load capacity up to 750kg

- Functionality: With right, left and freewheel function and integrated load brake
- Flexibility thanks to 360-degree rotating load and fastening hook with safety bar
- Closed design in accordance with IP54
 Dust and
- Rubberized handle for a secure and comfortable grip



Technical data


LEVER-S


OPTIONS Choose between

| Option | 0 0 |
|----------------|---------------|
| Lifting height | 1500 3000 mm |
| Chain length | 1500 3000 mm |
| Weight | 7.2 8.5 kg |

DIMENSIONS

| Load capacity | 750 kg |
|--------------------|---------|
| Test load | 1100 kg |
| Chain quality | G80 |
| Material thickness | 6mm |
| Preload | 30 kg |
| Leverage | 140 N |





GENERAL

| Color | Ultramarine blue |
|----------|------------------|
| Material | Steel |
| Design | hoist |

TECHNICAL DATA

| Protection class | IP 54 |
|---|--------|
| Thermal overload protection | Yes |
| Smallest distance (attachment to end of hook) | 350 mm |

We are continuously improving our products. For this reason, technical data may change without prior notice. Product images and sketches may vary depending on the version and year of manufacture.



Pictures

LEVER-S









Why Pallit?

- o Free delivery in 1-3 working days
- o 100-day return policy
- Five-year basic warranty on all pallet trucks
- o First aid for technical issues for life
- o On-site repair service available





© 0800 - 000 96 25