

Heavy-duty pallet truck STRONG



Why the STRONG?

The STRONG heavy-duty pallet truck with reinforced components compared to a standard pallet truck is used to pick up and transport pallets with a high weight. Of course, it is also suitable for use with standardised Euro pallets. The sturdy steel construction enables continuous use in production, in industry or in the steel trade.

- Reliable load capacity of up **to 10,000 kg**
- It should be noted that the load must **always be evenly** distributed on the forks
- **Tyres:** steel castors for maximum load capacity
- The **tandem tyres** underneath the tines ensure **stable running** during transport
- **Ergonomic handle**

- **Fork length of 1150 mm** designed for the transport of any type of pallet

Technical data



STRONG heavy-duty pallet truck

DIMENSIONS

Fork length	1150 mm	l
Length	1550 mm	l1
Width	550 mm	b1
Drawbar height	1200 mm	h14
Fork width outside	550 mm	b5
Fork height	60 mm	s
Ground clearance	30 mm	m2
Distance between forks	150 mm	
Height from floor	90 mm	h13
Fork width single	200 mm	e
Load centre of gravity	600 mm	c
Turning radius	1348 mm	Wa
Min. aisle width (EPAL1 Euro pallets)	2196 mm	Ast

GENERAL

Load capacity	10,000 kg
Material	Steel
Weight	220 kg



STROKE

Lifting height	200 mm	h3
Type of stroke	Manual	
Effective Stroke	110 mm	

TREATMENT

Tyre material	Steel
Castors	Tandem
Wide castors	75 mm
Diameter of rollers	80 mm
Wide swivel castors	50 mm
Castor diameter	200 mm

We are continuously improving our products. For this reason, technical data may change without prior notice. Product images and sketches may vary. Wear parts, rechargeable batteries and batteries are excluded from our manufacturer's "Plus Warranty" - details can be found in our warranty declaration. The pallet truck complies with EU safety regulations.

Pictures

STRONG heavy-duty pallet truck



Why Pallit?

- Free delivery in 1-3 working days
- 100-day right of return
- First aid for technical issues for life
- On-site repair service available



Questions? Talk to our product experts.

☎ 0800 - 000 96 25