


High lift truck FLEX



Why the FLEX?

The Pallit FLEX is ideal for temporary stacking and storage work up to a height of 1600 or 2500 mm. Its low maximum height makes it ideal for use in low spaces and for passing through most doors. In short: a perfect entry-level model for newcomers to the field of high lift trucks.

- **Easy picking up and moving** of Euro pallets by operating the foot pedal or by pumping movements of the drawbar
- **Free lift function** enables pallets to be lifted without changing the overall height of the pallet truck
- **Stepless lowering** via the handle
- **Permanently lubricated ball bearings** for low maintenance requirements

- **Tandem tyres on the castors** underneath the forks ensure stability and make it easy to drive over thresholds
- With **ergonomic handle** for comfortable operation

Technical data

FLEX high lift truck


OPTIONS Choose between

1 | 2

Lifting height	1600 2500 mm
Weight	250 322 kg

DIMENSIONS

Fork length	1150 mm	l
Width	955 mm	b1
Length	1680 mm	l1
Max. Total height	2090 2925 mm	h4
Min. total height	2090 1840 mm	h1
Ground clearance	25 mm	m2
Height from floor	90 mm	h13
Drawbar height	1200 mm	h14
Fork width single	142 mm	e
Load centre of gravity	500 mm	c
Turning radius	1235 mm	Wa
Min. aisle width (EPAL1 Euro pallet)	2141 mm	Ast



GENERAL

Drive type	Manual
Material	Steel

STROKE

Type of stroke	Manual
Lifting height	1600 2500 mm h3
Free lift function	Yes
Mast	Mono
Effective Stroke	1600 2500 mm
Lifting height per pump stroke	20 mm

TREATMENT

Tyre material	Polyurethane (PU)
Castors	Tandem
Infeed rollers	No

We are continuously improving our products. For this reason, technical data may change without prior notice. Details of our manufacturer's guarantee "Basic guarantee" can be found in our guarantee declaration. The pallet truck complies with EU safety regulations.

Pictures

FLEX high lift truck



Pictures

FLEX high lift truck



Why Pallit?

- Free delivery in 1-3 working days
- 100-day right of return
- Five-year basic warranty on all pallet trucks
- First aid for technical issues for life
- On-site repair service available



Questions? Talk to our product experts.

☎ 0800 - 000 96 25