

## Electric stacker MAXX



### Why the MAXX?

The MAXX electric pallet truck with long forks is the right choice for high lifting work. With its 1600 mm long forks, it can move Euro pallets and pallet cages as well as pallets with special dimensions. Its load capacity makes it particularly suitable for transporting photovoltaic panels.

- **Proportional lift** for precise lifting and lowering
- **Ergonomic tiller handle** for user-friendly control
- **Long forks** with a length of **1600mm**
- A maintenance-free **200 AH lithium-ion battery**
- **External charger:** Simply charge the battery with the external charger at any 230V socket
- Smooth-running **polyurethane tires:** abrasion-resistant and with good traction
- Suitable for all **common pallet types, special dimensions and PV panels**
- A lifting height of **2900mm** with **1410mm lift**
- Suitable for **continuous use**
- **Residual load capacity of 1200kg** at 2900mm lifting height

## Technical data


### MAXX electric pallet truck

#### DIMENSIONS

Fork length	1600 mm	l
Width	820 mm	b1
Length	2414 mm	l1
Minimum overall height	1958 mm	h1
Maximum total height	3380 mm	h4
Free lift	1410 mm	h2
Fork width outside	570 mm	b5
Ground clearance	28 mm	m2
Distance between forks	325 mm	
Fork width single	180 mm	e
Load center	600 mm	c
Turning radius	1510 mm	Wa
Min. aisle width (EPAL1 Euro pallets)	2584 mm	Ast

#### GENERAL

Load capacity at max. lifting height	1200 kg
Material	Steel
Weight	1340 kg



#### DRIVE

Drive type	Electric motor
Climbing ability, unloaded	12 %
Climbing ability, loaded	6 %
Engine power, drive	1.3 kW
Travel speed (unloaded)	5.7 km/h

#### BATTERY

Battery type	Lithium-ion
Operating time	6 hours

Loading time	4 hours
Weight of the battery	150 kg
Battery capacity	200 Ah
Battery voltage	24 V
level indicator	no
Number of batteries	1
Aquamatics	Yes
Charger	Exclusive, external

#### LIFT

Lifting height (h3)	2900 mm
Type of lift	Electric hydraulic
Lifting speed, unloaded	0.13 m/s
Engine power, Stroke	3.2 kW

#### TREATMENT

Tire material	Polyurethane (PU)
Castors	Tandem
Wide castors	70 mm
Diameter of rollers	84 mm
Wide swivel castors	70 mm
Castor diameter	230 mm

We are continuously improving our products. For this reason, technical data may change without prior notice. Details of our manufacturer's warranty "Basic Warranty" can be found in our warranty statement. The pallet truck complies with EU safety regulations.

## Pictures

MAXX electric pallet truck



## Pictures

MAXX electric pallet truck



## Why Pallit?

- **Free delivery in 1-3 working days**
- **100-day return policy**
- **Five-year basic warranty on all pallet trucks**
- **First aid by telephone in the event of a technical fault for life**
- **On-site repair service available**



Questions? Talk to our product experts.

📞 **0800 - 000 96 25**