

Electric pallet truck ZERO



Why the ZERO?

The ZERO is our most affordable lithium-ion pallet truck and makes everyday work easier. Thanks to its low weight and maneuverability, it can be easily transported on a truck. The high battery efficiency enables optimum in-house goods transportation.

- **Load capacity: up to 1500kg**
- Fast goods handling thanks to **the high travel speed** of 4.3 km/h
- **Multi-shift operation** is **possible** with an exchangeable battery (sold separately)
- **Turtle button** enables maneuvering with upright drawbar in confined spaces
- **Turtle button "clicks into place"** and does not have to be pressed continuously

- **Easily accessible battery** for quick replacement
- The 24 V / 20 Ah **lithium-ion battery** is completely maintenance-free
- **High maneuverability** perfect for confined spaces or use in trucks
- **5-year** basic warranty for our ZERO

Technical data


Electric pallet truck ZERO

DIMENSIONS

Fork length	1150 mm	l
Width	540 mm	b1
Length	1530 mm	l1
Fork width outside	540 mm	b5
Wheelbase	1189 mm	y
Ground clearance	30 mm	m2
Height from floor	80 mm	h13
Drawbar height	630 / 1230 mm	h14
Fork width single	160 mm	e
Load center	600 mm	c
Turning radius	1332 mm	Wa
Min. aisle width (EPAL1 Euro pallets)	2005 mm	Ast

GENERAL

Load capacity	1500 kg
Material	Steel
Weight	130 kg
Brake type	Electric
Sound pressure level according to EN 12053	70 db(A)



DRIVE

Drive type	Electric
Climbing ability, unloaded	20 %
Climbing ability, loaded	6 %
Motor power	0.75 kW
Travel speed, loaded	4.2 km/h
Travel speed, unloaded	4.3 km/h

BATTERY

Battery type	Lithium-ion
Operating time	3 hours
Loading time	3 hours

Weight of the battery	5.9 kg
Battery capacity	20 Ah
Battery voltage	24 V
Number of batteries	1
Charger	External, included

LIFT

Lifting height (h3)	115 mm
Type of lift	Electric hydraulic
Lifting speed, loaded	0.017 m/s
Lifting speed, unloaded	0.024 m/s
Motor power	0.5 kW

TREATMENT

Tire material	Polyurethane (PU)
Castors	Tandem
Wide castors	60 mm
Diameter of rollers	80 mm
Wide swivel castors	75 mm
Castor diameter	210 mm
Infeed rollers	Yes

We are constantly improving our products. For this reason, technical data may change without prior notice. Details of our manufacturer's warranty "Basic Warranty" can be found in our warranty statement. The pallet truck complies with EU safety regulations.

Pictures

Electric pallet truck ZERO



Why Pallit?

- Free delivery in 1-3 working days
- 100-day return policy
- Five-year basic warranty on all pallet trucks
- First aid for technical issues for life
- On-site repair service available



Questions? Talk to our product experts.

☎ 0800 - 000 96 25