

## Electric stacker SUPRA



### Why the SUPRA?

The SUPRA electric pallet truck from Pallit is a professional model designed for long-term industrial use. Loads of up to 2000 kg can be easily transported into high racks or truck trailers. The SUPRA impresses with its powerful technology and features such as full free lift and proportional lift.

- **Six options:** Lifting heights from 2.7 m to 4.6 m
- Proportional valves for **fast and finely adjustable lifting and**
- Powerful 350 Ah **lead batteries** for long operating times and easy removal from the side
- Wear-free braking thanks to the **electromagnetic braking system**

- With **multifunction display** for battery status and operating hours overview
- With **free-lift function** so that the overall height does not change - ideal for low rooms or containers
- **High maneuverability** due to small size and steering radius
- **External charger included:** Included and compatible with any normal 230V
- Strong and efficient - even in the long term: that's why we offer our **Plus Guarantee for 5 years**

## Technical data

### Electric stacker SUPRA

#### OPTIONS Choose between

1 | 2 | 3 | 4 | 5 | 6

Lifting height (h3)	2.7   2.9   3.2   3.6   4.3   4.6 m
Max. Total height (h4)	3300   3500   3800   4200   4900   5200 mm
Min. total height (h1)	1978   2078   2228   2428   2128   2228 mm
Free stroke (h2)	1310   1410   1560   1760   1420   1520 mm


#### DIMENSIONS

Fork length	1150 mm	l
Width	820 mm	b1
Length	2100 mm	l1
Fork width outside	570 mm	b5
Ground clearance	23 mm	m2
Height from floor	90 mm	h13
Drawbar height	1385 mm	h14
Fork width single	180 mm	e
Load center	600 mm	c
Turning radius	1640 mm	Wa
Min. aisle width (EPAL1 Euro pallet)	2523 mm	Ast

#### GENERAL

Load capacity	2000 kg
Drive type	Electric
Material	Steel

Travel speed, unloaded	6 km/h
Brake type	Electromagnetic
Sound pressure level according to EN 12053	70 db(A)



#### BATTERY

Battery type	Lead-acid
Weight of the battery	288 kg

Battery capacity	350 Ah
Number of batteries	1
Battery level indicator	Yes
Operating time	4 hours
Battery voltage	24 V
Charger	External, included

#### LIFT

Type of lift	Electric hydraulic
Lifting speed, unloaded	0.20 m/s
Proportional stroke	Yes
Engine power, Stroke	3.2 kW

#### TREATMENT

Tire material	Polyurethane (PU)
Castors	Tandem
Wide castors	84 mm
Diameter of the rollers	80 mm
Wide swivel castors	70 mm
Castor diameter	250 mm

We are constantly improving our products. For this reason, technical data may change without prior notice. Wear parts, rechargeable batteries and batteries are excluded from our manufacturer's "Plus Warranty" - details can be found in our warranty statement. The pallet truck complies with EU safety regulations.


## Pictures

Electric stacker SUPRA



## Pictures

Electric stacker SUPRA



## Why Pallit?

- **Free delivery in 1-3 working days**
- **100-day return policy**
- **First aid for technical issues for life**
- **On-site repair service available**



Questions? Talk to our product experts.

📞 0800 - 000 96 25