

Electric forklift truck EASY-S





Why the EASY-S?

The Pallit EASY-S three-wheel electric forklift truck redefines efficiency: maneuverable, light and powerful - even when it comes to price! The EASY series is one of the most affordable forklift trucks on the market and is therefore perfect as an entry-level forklift.

- Load capacity: Reliable lifting to 1200 kg
- Lifting height up to
- Maneuverability: Ideal for narrow aisles thanks to electronic power steering and small radius
- It can also be used in mezzanines or freight elevators due to its low weight
- o Powerful 280Ah lead-acid
- Equipped with lever control

- o **Full free stroke** up to 1125mm
- With an installation height of less than 2 m, also suitable for low ceiling heights
- Equipment: dual rear-view mirror, LED rear lights and electronic side shift
- Tires: Robust solid rubber tires for maximum stability



Technical data


Electric forklift truck EASY-S


DIMENSIONS

Lifting height	3000 mm	h3
Height of mast retracted	1965 mm	h1
Height of mast extended	3865 mm	h4
Free lift height (h2)	1125 mm	h2
Seat height	980 mm	h7
Clutch height	540 mm	h10
Fork tine dimensions	35x100x1150 mm	s/e/I
Length	2695 mm	I1
Width	880 mm	b1
Fork carriage width	825 mm	b3
Wheelbase	1073 mm	у
track width	765 mm	b10
Ground clearance with load under mast	80 mm	m1
Ground clearance center wheelbase	90 mm	m2
Load center	500 mm	С

GENERAL

Brake type	Hydraulic
Load capacity	1200 kg
Turning radius (Wa)	1350 mm
min. Shelf aisle width (800x1200) (Ast)	3009 mm
Battery charging temperature range	+ 5 - 40 °C





DRIVE

Drive type	Electric
Motor power	3 kW
Travel speed (loaded / unloaded)	7 / 9 km/h
Climbing ability (loaded / unloaded)	6 / 10 %

BATTERY

Battery type	Lead-acid
Battery capacity	280 Ah
Battery voltage	24 V
Charger	24V/35A charger

LIFT

Inclination of mast (α / β)	3 / 5°
Lifting speed with/without load	0.15 / 0.22 m/s
Engine power, Stroke	3 kW

TREATMENT

Tire material	Solid rubber tires
Front tire size	13x4 1/2x8
Rear tire size	343x140
Wheels, number front/rear (x=driven)	2/1x

We are continuously improving our products. For this reason, technical data may change without prior notice. Details of our manufacturer's warranty "Basic Warranty" can be found in our warranty statement. The pallet truck complies with EU safety regulations.



Pictures

Electric forklift truck EASY-S









Why Pallit?

- Free delivery in 1-3 working days
- o 100-day return policy
- Five-year basic warranty on all pallet trucks
- First aid for technical issues for life
- o On-site repair service available



© 0800 - 000 96 25