

Electric pallet truck with platform RUN



Why the RUN?

This electric pallet truck with standing platform is ideal for effortless and efficient maneuvering and moving of Euro pallets in warehouse logistics and industry. The standing platform allows the operator to ride on the truck while handling pallets, even over long distances.

- For transporting pallets up to **3000 kg** in **long-distance** and **intensive applications**
- **Folding driver's platform with side guard rails** guarantees the operator's safety while driving
- Functions such as driving and raising and lowering the forks are performed conveniently via the **multifunctional tiller head**

- **Powerful lithium-ion battery** with a capacity of 150 Ah is easily charged via the integrated charger at **a 230 V socket**
- Due to a maximum driving speed of 7 km/h (unloaded) and the standing platform, **a forklift license is required** for use
- Tires are made of durable **polyurethane (PU)** and provide the necessary stability

Technical data


Electric pallet truck RUN

DIMENSIONS

| | | |
|---------------------------------------|---------|-----|
| Fork length | 1150 mm | l |
| Width | 790 mm | b1 |
| Length | 1950 mm | l1 |
| Fork width outside | 560 mm | b5 |
| Wheelbase | 1432 mm | y |
| Ground clearance | 25 mm | m2 |
| Height from floor | 85 mm | h13 |
| Drawbar height | 1375 mm | h14 |
| Fork width single | 180 mm | e |
| Load center | 600 mm | c |
| Turning radius | 1710 mm | Wa |
| Min. aisle width (EPAL1 Euro pallets) | 2415 mm | Ast |

GENERAL

| | |
|--|-----------------|
| Load capacity | 3000 kg |
| Material | Steel |
| Weight | 730 kg |
| Brake type | Electromagnetic |
| Forklift license | Yes |
| Sound pressure level according to EN 12053 | 70 db(A) |



DRIVE

| | |
|----------------------------|----------------|
| Drive type | Electric motor |
| Climbing ability, unloaded | 15 % |
| Climbing ability, loaded | 8 % |
| Motor power | 2.5 kW |
| Travel speed, loaded | 6.0 km/h |
| Travel speed, unloaded | 7.0 km/h |

BATTERY

| | |
|---------------------|-----------------------|
| Battery type | Li-ion |
| Battery capacity | 150 Ah |
| Battery voltage | 24 V |
| level indicator | Yes |
| Number of batteries | 1 |
| Charger | Integrated, inclusive |

LIFT

| | |
|-------------------------|----------|
| Lifting height (h3) | 120 mm |
| Type of lift | Electric |
| Lifting speed, loaded | 0.03 m/s |
| Lifting speed, unloaded | 0.04 m/s |
| Motor power | 2.2 kW |

TREATMENT

| | |
|---------------------|-------------------|
| Tire material | Polyurethane (PU) |
| Castors | Single |
| Wide castors | 82 mm |
| Diameter of rollers | 82 mm |
| Wide swivel castors | 80 mm |
| Castor diameter | 250 mm |

We are continuously improving our products. For this reason, technical data may change without prior notice. Product images and sketches may vary. Wear parts, rechargeable batteries and batteries are excluded from our manufacturer's "Plus Warranty" - details can be found in our warranty declaration. The pallet truck complies with EU safety regulations.

Pictures

Electric pallet truck RUN



Why Pallit?

- Free delivery in 1-3 working days
- 100-day return policy
- Five-year basic warranty on all pallet trucks
- First aid for technical issues for life
- On-site repair service available



Questions? Talk to our product experts.

📞 0800 - 000 96 25