

## Electric stacker BUDGET-XS



### Why the BUDGET-XS?

The Pallit BUDGET-XS electric pallet truck is our cost-effective electric pallet truck. It is ideal for shorter transport and order picking jobs for goods weighing up to 1200 kg. The maximum lifting height is 1600 mm. Thanks to the single mast, the mast does not rise during the lifting process.

- Ideal entry-level model with **a strong price-performance ratio**
- **Waterproof control unit** protects against cold, dust and moisture: **for temporary use in cold rooms** and production halls
- **Ergonomic tiller handle** for user-friendly control

- Two integrated **maintenance-free 12V gel batteries**
- **Charging** takes place by plugging into a conventional **230 V socket**
- **Maneuverable model** for small storage and production areas
- **Smooth-running polyurethane tires:** abrasion-resistant and with good traction

## Technical data


### Electric stacker BUDGET-XS

#### DIMENSIONS

Fork length	1150 mm	l
Width	795 mm	b1
Length	1755 mm	l1
Minimum overall height	2014 mm	h1
Maximum total height	2014 mm	h4
Fork width outside	570 mm	b5
Ground clearance	24 mm	m2
Distance between forks	250 mm	
Height from floor	86 mm	
Drawbar height	1220 mm	
Fork width single	160 mm	e
Load center	600 mm	c
Turning radius	1366 mm	Wa
Min. aisle width (EPAL1 Euro pallets)	2034 mm	Branch

#### GENERAL

Load capacity	1200 kg
Material	Steel
Weight	425 kg
Brake type	Electromagnetic
Sound pressure level according to EN 12053	70 db(A)



#### DRIVE

Drive type	Electric motor
Climbing ability, unloaded	8 %
Climbing ability, loaded	6 %
Engine power, drive	0.75 kW
Travel speed, unloaded	4.2 km/h

#### BATTERY

Battery type	Gel
Operating time	4 hours

Loading time	6 hours
Weight of the battery	54 kg
Battery capacity	100 Ah
Battery voltage	12 V
Battery level indicator	Yes
Number of batteries	2
Charger	Inclusive, internal

#### LIFT

Lifting height (h3)	1600 mm
Lift	Electric hydraulic
Lifting speed, loaded	0.095 m/s
Lifting speed, unloaded	0.13 m/s
Engine power, stroke	2.2 kW

#### TIRES

Tire material	Polyurethane (PU)
Castors	Tandem
Wide castors	70 mm
Diameter of rollers	80 mm
Wide swivel castors	70 mm
Castor diameter	210 mm

We are continuously improving our products. For this reason, technical data may change without prior notice. Details of our manufacturer's warranty "Basic Warranty" can be found in our warranty statement. The pallet truck complies with EU safety regulations.

## Pictures

Electric stacker BUDGET-XS



## Pictures

Electric stacker BUDGET-XS



## Why Pallit?

- Free delivery in 1-3 working days
- 100-day return policy
- Five-year basic warranty on all pallet trucks
- First aid by telephone in the event of a technical fault for life
- On-site repair service available



Questions? Talk to our product experts.

 **0800 - 000 96 25**