

Electric stacker SMART-XXL



Why the SMART-XXL?

The Pallit SMART-XXL is the ideal choice for working on high racks and in narrow warehouse aisles. Thanks to its low overall height and free lift, it is also suitable for rooms with low ceilings. With its maintenance-free Li-ion battery and integrated charging cable, the SMART-XXL stands for maximum efficiency

- **Two options** to choose from: Lifting height 2.6 m and 3.6 m
- **Maintenance-free** Li-ion battery
- **Worm gear** for confined spaces
- **Integrated charger** for flexible charging at any conventional socket
- Small **turning radius**
- **Fully electric driving and lifting** with simple operation via the levers on the handle
- **Fork length of 1150 mm** ideal for picking up and transporting Euro pallets up to 1300 kg
- **Free lift** enables lifting up to 1300mm / 1800mm without changing the overall height
- **Highest safety standards** thanks to safety and emergency stop switches and rounded transport forks

Technical data


Electric stacker SMART-XXL

OPTIONS Choose between

Option	1 2
Lifting height	2.6 3.6 m
Max. Total height (h4)	2990 3990 mm
Min. total height (h1)	1780 2280 mm
Free stroke (h2)	1300 1800 mm
Weight	670 kg

DIMENSIONS

Fork length	1150 mm	l
Load capacity	1300 kg	
Width	800 mm	b1
Length	1710 mm	l1
Ground clearance	24 mm	m2
Min. aisle width (EPAL1)	2145 mm	Ast
Fork width outside	570 mm	b5
Fork height	60 mm	s
Height from floor	90 mm	h13
Fork width single	180 mm	e
Load center	600 mm	c



GENERAL

Brake type	Electromagnetic
Sound pressure level according to EN 12053	70 db (A)

DRIVE

Drive type	Electric
Snail trail	Yes
Climbing ability, unloaded	10 %
Climbing ability, loaded	4 %

BATTERY

Battery type	Li-ion
--------------	--------

Weight of the battery	26 kg
Battery capacity	100 Ah
Battery voltage	24 V
Operating time	4 hours
Loading time	2,5 hours
level indicator	Yes
Number of batteries	1
Charger	Internal, inclusive

STROKE

Mast	Duplex
Type of stroke	Electric hydraulic
Free lift function	Yes



TREATMENT

Tire material	Polyurethane
Wide castors	93 mm
Diameter of rollers	84 mm
Wide swivel castors	75 mm
Castor diameter	210 mm

We are constantly improving our products. For this reason, technical data may change without prior notice. Details of our manufacturer's "Plus Warranty" can be found in our warranty statement. The pallet truck complies with EU safety regulations.

Pictures

Electric stacker SMART-XXL



Why Pallit?

- Free delivery in 1-3 working days
- 100-day return policy
- Five-year basic warranty on all pallet trucks
- First aid for technical issues for life
- On-site repair service available



Questions? Talk to our product experts.

📞 0800 - 000 96 25