

Partially stainless steel lift table trolley INOXX-L



Why the INOXX-L?

The partially stainless steel lift table trolley, made of stainless steel and galvanised steel, is perfect for lifting and transporting loads in environments with strict hygiene regulations. Its stainless steel material makes it ideal for the food, pharmaceutical and chemical industries.

- The **large platform** ensures a practical storage area
- **Lifting height of 1220 or 1295 mm** thanks to a stable double scissor brace
- **Platform, chassis and push handle made of stainless steel**, secondary parts galvanised
- Maximum load capacity of up to **100 or 350kg depending on the variant**
- Easy **lifting via foot pedal**
- Stepless lowering **by hand lever**

- Safe parking of the lift table trolley **thanks to the parking brake**
- Enables comfortable, **ergonomic working** thanks to the flexibly adjustable table height

Technical data

Partially stainless steel lift table trolley INOXX-L

DIMENSIONS


| Option | ① ② | |
|----------------------|---------------------|------|
| Platform size | 700x450 910x500mm | lxb5 |
| Width | 450 500mm | b1 |
| Length | 719 980mm | l1 |
| Drawbar height | 945 980mm | h14 |
| Min. platform height | 250 355mm | h13 |

GENERAL

| | |
|---------------|---------------------------|
| Load capacity | 100 350kg |
| Material | Partially stainless steel |
| Weight | 55 98kg |
| Drive type | manually |

STROKE

| | | |
|------------------|------------------|-----|
| Type of stroke | Manual hydraulic | |
| Lifting height | 1220 1295mm | h3 |
| Effective Stroke | 970 940mm | h12 |



TREATMENT

| | |
|---------------------|-------------------|
| Tyre material | Polyurethane (PU) |
| Diameter of rollers | 100 125mm |
| Wide castors | 30 35mm |
| Castor diameter | 100 125mm |
| Wide swivel castors | 30 35mm |

We are continuously improving our products. For this reason, technical data may change without prior notice. Details of our manufacturer's guarantee "Basic guarantee" can be found in our guarantee declaration. The lift table trolley complies with EU safety regulations.

Pictures

Partially stainless steel lift table trolley INOXX-L



Pictures

Partially stainless steel lift table trolley INOXX-L



Why Pallit?

- Free delivery in 1-3 working days
- 100-day right of return
- Five-year basic warranty on all pallet trucks
- First aid for technical issues for life
- On-site repair service available



Questions? Talk to our product experts.

☎ 0800 - 000 96 25