

FUJIFILM

FUJINON

2026 PRODUCT GUIDE



Photo © Pamela Bloom



Photo © 2025 David Geffin



Photo © 2025 Kees and Liam Mahoney



Photo © Gina Poole

CONTENTS

GFX CINE ZOOM

GFX ETERNA 55	4-5
GF32-90mm	4-5

DUVO™

HZK14-100mm	7
HZK24-300mm	7
HZK25-1000mm	7

BROADCAST

BOX

4K Box Lenses	10-13
Duvo Box lens	14
HD Box Lenses	14-15

PORTABLE

4K Portable Lenses	16-21
HD Portable Lenses	22-27

CINEMA

PREMISTA

Premista 19-45mmT2.9	30
Premista 28-100mmT2.9	30
Premista 80-250mmT2.9	31

CABRIO

XK20-120mm	32
ZK14-35mm	32
ZK19-90mm	33
ZK25-300mm	33
ZK85-300mm	34

MK CINEMA

MK18-55mm	34
MK50-135mm	35

CONTROL KITS

BOX LENSES

MS-21DC, SS-21DG	36
SS-21DC	37
SS-21DC-AF, SS-21DCG-AF	38-39

PORTABLE LENSES

MS-15D, SS-15D	38-39
MS-01, SS-01, MS-X1	40-41


PREFIX

UA	2/3in Format 4K UHD HDR
HA/XA/ZA	2/3in Format (High Definition)
HS/XS/ZS	1/2in Format (High Definition)
XT	1/3in Format (High Definition)
ZK/XK	PL Mount Cine Lenses
MK	E Mount/MFT Mount Cine Lenses
PREMISTA	Large Format PL Mount Cine Lenses
HZK	PL Mount Cine/Broadcast

SUFFIX

AF	Advanced Focus
B	Bayonet Mount
E	Extender
MD	Motor Drive
RD	Full Servo
RM	Manual Focus Servo Zoom
SM	Manual/Servo Module Interchangeable
ZD	Full Servo with Quick Frame
ZM	Manual Focus Servo Zoom with Quick Frame

EXAMPLE



GFX CINE ZOOM

Purpose-made for motion production, our first GFX cine zoom pairs perfectly with FUJIFILM GFX ETERNA 55, combining a versatile zoom range with outstanding optical quality.



GFX ETERNA 55

LEARN
MORE

Your vision, with a new perspective. GFX ETERNA 55 offers the tallest digital filmmaking sensor currently available on the open market, highly controllable color, and a production-ready design.

FOCAL LENGTH	22	32
GF32-90mmT3.5 PZ OIS WR		



LEARN
MORE

GF32-90mmT3.5 PZ OIS WR



GFX CINE ZOOM

DUVO

BROADCAST

BOX

PORTABLE

CINEMA

PREMISTA

CABRIO

MK

CONTROL KITS

Image Sensor	GFX 102MP CMOS II HS with primary color filter
Image Sensor Size	43.8mm x 32.9mm
Dynamic Range	14+ stops (F-Log2/F-Log2 C)
Maximum Sensor Recording Area	43.6mm x 32.7mm
Sensor Frame Rates	22, 23.976, 24, 25, 29.97, 47.952, 48, 50, 59.94, 100, 119.88
ND Filter	Electronic variable ND filter, 0.6-2.1 ND (0.015 ND increments)



32-90mm

Focal Length	32-90mm
Maximum T-stop	T3.5

Weight	4.74lb	Image Circle	54.78mm
Dimensions	L: 8.74in D: 4.86in	Filter Sizes	111mm
Close Focus	0.8m/2.66ft	Control Kits	N/A

Duvo™

Offering superior optical performance that produces natural cinematic footage, with broadcast lens operability featuring high zoom magnification and compatibility with existing accessories.



Photo © David Geffin



LEARN
MORE

HZK14-100mm

Focal Length	[1x] 14-100mm	[1.5x] 21-150mm
Maximum T-stop	[T2.9] 14-75mm	[T3.9] 100mm

Weight	5.59lb	Image Circle	28.55mm
Dimensions	L: 10.5in D: 4.48in	Filter Sizes	111mm lens barrel 127mm lens hood
MOD	0.28m/0.9ft	Control Kits	SS-15D pg39



LEARN
MORE

HZK24-300mm

Focal Length	[1x] 24-300mm	[1.5x] 36-450
Maximum T-stop	[T2.9] 24-207mm	[T4.2] 300mm

Weight	6.5lb	Image Circle	28.55mm
Dimensions	L: 10.6in D: 4.48in	Filter Sizes	111mm lens barrel 127mm lens hood
MOD	0.88m/2.9ft	Control Kits	SS-15D pg39



LEARN
MORE

HZK25-1000mm

Focal Length	[1x] 25-1000mm	[1.5x] 37.5-1500
Maximum F-stop	[F2.8] 25-465mm	[F5.0] 1000mm

Weight	61.7lb	Image Circle	28.55mm 41.3mm with 1.5x Expander
Dimensions	L: 26.4in H: 10.76in W: 10.39in	Filter Sizes	EPF-241
MOD	3.5m/11.5ft	Control Kits	MS-21DC, SS-21DC, SS-21DG pg36-37

GFX CINE ZOOM

DUVO

BROADCAST

BOX

PORTABLE

CINEMA

PREMISTA

CABRIO

MK

CONTROL KITS

BROADCAST

The highest-quality glass serving all broadcast market needs.





Photo © Thomas Fletcher

CONTROL KITS

MK

CABRIO

PREMISTA

CINEMA

PORTABLE

BOX

BROADCAST

DUVO

GFX CINE ZOOM

4K BOX LENSES


Fujinon's 4K studio/field lenses deliver premium image quality across a versatile range of scenes.



FOCAL LENGTH	6.5	8	8.4	8.7	9	10.8
UA125x8 +						
UA94x8.7						
UA107x8.4						
UA107x8.4AF						
UA70x8.7						
UA27x6.5						



Photo © Thomas Fletcher



GFX CINE ZOOM

DUVO

BROADCAST

BOX

PORTABLE

CINEMA

PREMISTA

CABRIO

MK

CONTROL KITS

4K BOX LENSES

4K



LEARN
MORE

UA125x8BESM +

Focal Length	[1x] 8-1000mm		[2x] 16-2000mm	
Maximum F-stop	[F1.7] 8-340mm		[F5.0] 1000mm	
Weight	58.6lb		Image Circle	2/3in
Dimensions	L: 25in H: 10.16in W: 10.39in		Filter Sizes	EPF-241
MOD	3.0m/9.84ft		Control Kits	MS-21DC, SS-21DC, SS-21DG, pg36-37

4K



LEARN
MORE

UA107x8.4BESM-AF

Focal Length	[1x] 8.4-900mm		[2x] 16.8-1800mm	
Maximum F-stop	[F1.7] 8.4-340mm		[F4.5] 900mm	
Weight	57.3lb		Image Circle	2/3in
Dimensions	L: 26.38in H: 10.16in W: 10.39in		Filter Sizes	EPF-226C
MOD	3.05m/10ft		Control Kits	SS-21DCG-AF, SS-21DC-AF, pg36-38

4K



LEARN
MORE

UA107x8.4BESM

Focal Length	[1x] 8.4-900mm		[2x] 16.8-1800mm	
Maximum F-stop	[F1.7] 8.4-340mm		[F4.5] 900mm	
Weight	52.7lb		Image Circle	2/3in
Dimensions	L: 24.02in H: 10.16in W: 10.39in		Filter Sizes	EPF-226C
MOD	3.05m/10ft		Control Kits	MS-21DC, SS-21DC, SS-21DG, pg36-37

4K



COMING SOON

UA94x8.7BESM

Focal Length	[1x] 8.7-818mm	[2x] 17.4-1636mm
Maximum F-stop	[F2.2] 8.7-440mm	[F4.1] 818mm

Weight	53.5lb	Image Circle	2/3in
Dimensions	L: 24in H: 10.2in W: 10.39in	Filter Sizes	TBD
MOD	3.05m/10ft	Control Kits	MS-21DC, SS-21DC, SS-21DG pg36-37

4K

LEARN
MORE

UA70x8.7BESM

Focal Length	[1x] 8.7-610mm	[2x] 17.4-1220mm
Maximum F-stop	[F1.7] 8.7-340mm	[F3.05] 610mm

Weight	52.47lb	Image Circle	2/3in
Dimensions	L: 24in H: 10.16in W: 10.39in	Filter Sizes	EPF-226C
MOD	3.05m/10ft	Control Kits	MS-21DC, SS-21DC, SS-21DG pg36-37

4K

LEARN
MORE

UA27x6.5BESM

Focal Length	[1x] 6.5-180mm	[2x] 13-360mm
Maximum F-stop	[F1.5] 6.5-123mm	[F2.2] 180mm

Weight	50.27lb	Image Circle	2/3in
Dimensions	L: 21.1in H: 10.16in W: 10.39in	Filter Sizes	EFP-196A
MOD	0.6m/1.97ft	Control Kits	MS-21DC, SS-21DC, SS-21DG pg36-37



LEARN
MORE

HZK25-1000mm

Focal Length	[1x] 25-1000mm		[1.5x] 37.5-1500	
Maximum F-stop	[F2.8] 25-465mm		[F5.0] 1000mm	
Weight	61.7lb		Image Circle	28.55mm 41.3mm with 1.5x Expander
Dimensions	L: 26.4in H: 10.76in W: 10.39in		Filter Sizes	EPF-241
MOD	3.5m/11.5ft		Control Kits	MS-21DC, SS-21DC, SS-21DG pg36-37

HD BOX LENSES

FOCAL LENGTH	9	10.8	180
XA55x9.5			
XA77x9.5			



LEARN
MORE

XA55x9.5BESM

Focal Length	[1x] 9.5-525mm		[2x] 19-1050mm	
Maximum F-stop	[F1.7] 9.5-308mm		[F2.9] 525mm	
Weight	54.67lb		Image Circle	2/3in
Dimensions	L: 34.49in H: 9.96in W: 9.96in		Filter Sizes	EPF-226A
MOD	3.0m/9.84ft		Control Kits	MS-21DC, SS-21DC, SS-21DG pg36-37



Photo © Brianna Resuta

GFX CINE ZOOM

DUVO

BROADCAST

BOX

PORTABLE

CINEMA

PREMISTA

CABRIO

MK

CONTROL KITS

610

720

864

900

1000

1400



LEARN
MORE

XA77x9.5BESM

Focal Length	[1x] 9.5-732mm		[2x] 19-1464mm	
Maximum F-stop	[F1.7] 9.5-335mm		[F3.8] 792mm	
Weight	49.38lb		Image Circle	2/3in
Dimensions	L: 25.84in H: 9.96in W: 9.96in		Filter Sizes	EPF-226A
MOD	2.7m/8.86ft		Control Kits	MS-21DC, SS-21DC, SS-21DG pg36-37

4K PORTABLE LENSES


Wide, long, fast zooms designed to cover the range of focal lengths needed for all portable production scenarios.



FOCAL LENGTH (mm) 2/3in	4.5	5.5	7.6	7.8	8	9.5	13.5
UA46x9.5 +							
UA46x13.5 +							
UA24x7.8 +							
UA22x8 +							
UA13x4.5 +							
UA14x4.5							
UA22x4.8							
UA18x7.6							
UA23x7.6							
LA16x8							
LA30x7.8							



Photo © The Experimental Aircraft Association



4K PORTABLE LENSES

4K



LEARN
MORE

UA46x9.5BERD +

Focal Length	[1x] 9.5-437mm	[2x] 19-874mm
Maximum F-stop	[F2] 9.5-204mm	[F3.9] 437mm
Weight	12.57lb	Image Circle 2/3in
Dimensions	L: 13.61in D: 146mm	Filter Sizes M127x0.75
MOD	2.8m/9.18ft	Control Kits MS-15D, SS-15D pg39

4K



LEARN
MORE

UA46x13.5BERD +

Focal Length	[1x] 13.5-621mm	[2x] 27-1242mm
Maximum F-stop	[F2.8] 13.5-316mm	[F5.5] 621mm
Weight	12.79lb	Image Circle 2/3in
Dimensions	L: 14.34in D: 5.74in	Filter Sizes M127x0.75
MOD	2.8m/9.18ft	Control Kits MS-15D, SS-15D pg39

4K



LEARN
MORE

UA24x7.8BERD +

Focal Length	[1x] 7.8-187mm	[2x] 15.6-374mm
Maximum F-stop	[F1.8] 7.8-118mm	[F2.85] 187mm
Weight	4.37lb	Image Circle 2/3in
Dimensions	L: 8.68in D: 3.93in	Filter Sizes M95x1 or M107x1 (In hood)
MOD	0.8m/2.62ft	Control Kits MS-15D, SS-15D pg39

4K**LEARN
MORE****UA22x8BERD +**

Focal Length	[1x] 8-176mm	[2x] 16-352mm
Maximum F-stop	[F1.8] 8-124mm	[F2.55] 176mm
Weight	5.61lb	Image Circle 2/3in
Dimensions	L: 13.61in D: 4.33in	Filter Sizes M127x0.75 (In hood)
MOD	0.85m/2.79ft	Control Kits SS-15D pg39

4K**LEARN
MORE****UA13x4.5BERD +**

Focal Length	[1x] 4.5-59mm	[2x] 9-118mm
Maximum F-stop	[F1.8] 4.5-59mm	[F2.6] 59mm
Weight	5.03lb	Image Circle 2/3in
Dimensions	L: 9.96in D: 3.74in	Filter Sizes M127x0.75 (In hood)
MOD	0.3m/0.98ft	Control Kits MS-15D, SS-15D pg39

4K**LEARN
MORE****UA14x4.5BERD**

Focal Length	[1x] 4.5-63mm	[2x] 9-126mm
Maximum F-stop	[F1.8] 4.5-41mm	[F2.8] 63mm
Weight	5.25lb	Image Circle 2/3in
Dimensions	L: 9.39in D: 3.74in	Filter Sizes M127x0.75 (In hood)
MOD	0.3m/0.98ft	Control Kits MS-15D, SS-15D pg39

GFX CINE ZOOM

DUVO

BROADCAST

BOX

PORTABLE

CINEMA

PREMISTA

CABRIO

MK

CONTROL KITS

4K PORTABLE LENSES

4K



LEARN
MORE

UA22x4.8BERD

Focal Length	[1x] 4.8-106mm	[2x] 9.6-212mm
Maximum F-stop	[F1.8] 4.8-61mm	[F3.15] 106mm
Weight	4.78lb	Image Circle 2/3in
Dimensions	L: 9.88in D: 3.74in	Filter Sizes M127x0.75 (In hood)
MOD	0.4m/1.31ft	Control Kits MS-15D, SS-15D pg39

4K



LEARN
MORE

UA18x7.6BERD

Focal Length	[1x] 7.6-137mm	[2x] 15.2-274mm
Maximum F-stop	[F1.8] 7.6-102mm	[F2.4] 137mm
Weight	3.84lb	Image Circle 2/3in
Dimensions	L: 8.03in D: 3.34in	Filter Sizes M82x0.75
MOD	0.6m/1.97ft	Control Kits MS-15D, SS-15D pg39

4K



LEARN
MORE

UA23x7.6BERD

Focal Length	[1x] 7.6-175mm	[2x] 15.2-350mm
Maximum F-stop	[F1.8] 7.6-119mm	[F2.65] 175mm
Weight	4.3lb	Image Circle 2/3in
Dimensions	L: 8.72in D: 3.93in	Filter Sizes M95x1 or M107x1 (In hood)
MOD	0.8m/2.62ft	Control Kits MS-15D, SS-15D pg39

4K

LEARN
MORE

LA16x8BRM

Focal Length	[1x] 8.0-128mm		
Maximum F-stop	[F1.9] 8mm	[F2.8] 128mm	
Weight	3.52lb	Image Circle	2/3in
Dimensions	L: 6.44in D: 3.34in	Filter Sizes	M82x0.75 (In hood)
MOD	0.8m/2.62ft	Control Kits	MS-X1 pg40

4K

LEARN
MORE

LA30x7.8BRM

Focal Length	[1x] 7.8-234mm		
Maximum F-stop	[F1.9] 7.8mm	[F3.9] 234mm	
Weight	3.96lb	Image Circle	2/3in
Dimensions	L: 7.48in D: 3.93in	Filter Sizes	M95 (On barrel)
MOD	0.8m/2.6ft	Control Kits	MS-X1 pg40

GFX CINE ZOOM

DUVO

BROADCAST

BOX

PORTABLE

CINEMA

PREMISTA

CABRIO

MK

CONTROL KITS

HD PORTABLE LENSES

Designed to complement and enhance the quality of HDTV systems, these lenses incorporate the highest optical and mechanical specifications while ensuring unmatched performance, even in the most rugged and demanding production environments.



Photo © Rich Chapman

FOCAL LENGTH	4.5	5.5	7.6	7.8	8	9.5	13.5
XT17sx4.5 1/3IN FORMAT							
XT20sx4.7 1/3IN FORMAT							
XA20sx8.5							
HA25x11.5							
HA25x16.5							
HA42x13.5							
HA42x9.7							
ZA12x4.5							
ZA17x7.6							
ZA22x7.6							



GFX CINE ZOOM

DUVO

BROADCAST

BOX

PORTABLE


CINEMA

PREMISTA

CABRIO

MK

CONTROL KITS



HD PORTABLE LENSES



LEARN
MORE

XT17sx4.5BRM

Focal Length	[1x] 4.5-77mm		
Maximum F-stop	[F1.6] 4.5-77mm		
Weight	3.26lb	Image Circle	1/3in
Dimensions	L: 7.47in D: 3.34in	Filter Sizes	M82x0.75
MOD	0.95m/3.12ft	Control Kits	MS-01, SS-01 pg40-41



LEARN
MORE

XT20sx4.7BRM

Focal Length	[1x] 4.7-94mm		
Maximum F-stop	[F1.4] 4.7-88mm	[F1.5] 94mm	
Weight	3.26lb	Image Circle	1/3in
Dimensions	L: 7.47in D: 3.34in	Filter Sizes	M82x0.75
MOD	0.9m/2.95ft	Control Kits	MS-01, SS-01 pg40-41



LEARN
MORE

ZA12x4.5BERD

Focal Length	[1x] 4.5-54mm	[2x] 9-108mm	
Maximum F-stop	[F1.8] 4.5-54mm	[F2.4] 54mm	
Weight	4.19lb	Image Circle	2/3in
Dimensions	L: 9.35in D: 3.74in	Filter Sizes	M127x0.75 (In hood)
MOD	0.3m/0.98ft	Control Kits	MS-15D, SS-15D pg39


[LEARN MORE](#)

ZA17x7.6BERD

Focal Length	[1x] 7.6-130mm		[2x] 15.2-260mm	
Maximum F-stop	[F1.8] 7.6-102mm		[F2.3] 130mm	
Weight	3.53lb		Image Circle	2/3in
Dimensions	L: 8.03in D: 3.34in		Filter Sizes	M82x0.75
MOD	0.6m/1.97ft		Control Kits	MS-15D, SS-15D pg39


[LEARN MORE](#)

ZA22x7.6BERD

Focal Length	[1x] 7.6-167mm		[2x] 15.2-334mm	
Maximum F-stop	[F1.8] 7.6-120mm		[F2.5] 167mm	
Weight	3.53lb		Image Circle	2/3in
Dimensions	L: 8.68in D: 3.93in		Filter Sizes	M95x1 or M107x1 (In hood)
MOD	0.8m/2.62ft		Control Kits	MS-15D, SS-15D pg39


[LEARN MORE](#)

XA20sx8.5BRM/BERM

Focal Length	[1x] 8.5-170mm			
Maximum F-stop	[F1.8] 8.5-113mm		[2.7] 170mm	
Weight	3.3lb		Image Circle	2/3in
Dimensions	L: 7.12in D: 3.34in		Filter Sizes	M82x0.75
MOD	0.9m/2.95ft		Control Kits	MS-01, SS-01 pg40-41

HD PORTABLE LENSES



LEARN
MORE

HA25x11.5BERD

Focal Length	[1x] 11.5-288mm		[2x] 23-576mm	
Maximum F-stop	[F2] 11.5-206mm		[F2.85] 288mm	
Weight	6.19lb		Image Circle	2/3in
Dimensions	L: 10.43in D: 4.33in		Filter Sizes	M107x1 or M127x0.75 (In hood)
MOD	2.2m/7.22ft		Control Kits	MS-15D, SS-15D pg38-39



LEARN
MORE

HA25x16.5BERD

Focal Length	[1x] 16.5-413mm		[2x] 33-826mm	
Maximum F-stop	[F2.8] 16.5-289mm		[F4.0] 413mm	
Weight	6.39lb		Image Circle	2/3in
Dimensions	L: 10.94in D: 4.33in		Filter Sizes	M107x1 or M127x0.75 (In hood)
MOD	2.2m/7.22ft		Control Kits	MS-15D, SS-15D pg38-39



LEARN
MORE

HA42x13.5BERD

Focal Length	[1x] 13.5-570mm		[2x] 27.2-11400mm	
Maximum F-stop	[F2.8] 13.5-307mm		[F5.2] 507mm	
Weight	11.9lb		Image Circle	2/3in
Dimensions	L: 14.07in D: 5.11in		Filter Sizes	M127x0.75 (In hood)
MOD	2.8m/9.18ft		Control Kits	MS-15D, SS-15D pg38-39



LEARN
MORE

HA42x9.7BERD

Focal Length	[1x] 9.7-410mm	[2x] 19.4-820mm
Maximum F-stop	[F2] 9.7-225mm	[F3.7] 410mm

Weight	11.68lb	Image Circle	2/3in
Dimensions	L: 13.33in D: 5.11in	Filter Sizes	M127x0.75 (In hood)
MOD	2.8m/9.18ft	Control Kits	MS-15D, SS-15D pg38-39

GFX CINE ZOOM

DUVO

BROADCAST

BOX

PORTABLE

CINEMA

PREMISTA

CABRIO

MK

CONTROL KITS

CINEMA

Cinema zooms covering a vast focal range, featuring Premista, Cabrio, and MK.



Photo © 2025 John Blackwood



CONTROL KITS

MK

CABRIO

PREMISTA

CINEMA

PORTABLE

BOX

BROADCAST

DUVO

GFX CINE ZOOM

Premista

Premista Series supports large format sensors and delivers outstanding optical performance.

FOCAL LENGTH	19	28
Premista 19-45mm		
Premista 28-100mm		
Premista 80-250mm		



LEARN
MORE

Premista 19-45mm

Focal Length	[1x] 19-45mm		
Maximum T-stop	T2.9		
Weight	7.28lb	Image Circle	46.3mm
Dimensions	L: 8.98in D: 4.48in	Filter Sizes	111mm
Close Focus	0.6m/1.97ft	Control Kits	N/A



LEARN
MORE

Premista 28-100mm

Focal Length	[1x] 28-100mm		
Maximum T-stop	T2.9		
Weight	8.38lb	Image Circle	46.3mm
Dimensions	L: 10.04in D: 4.48in	Filter Sizes	111mm
Close Focus	0.6m/1.97ft	Control Kits	N/A



LEARN
MORE

Premista 80-250mm

Focal Length	[1x] 80-250mm
Maximum T-stop	T2.9

Weight	8.38lb
Dimensions	L: 10.04in D: 4.48in
Close Focus	1.5m/4.92ft

Image Circle	46.3mm
Filter Sizes	111mm
Control Kits	N/A



Photo © Gary Adcock

CABRIO

This lightweight zoom series features an exclusive and unique detachable servo drive unit.

FOCAL LENGTH	19	28
XK20-120mm		
ZK14-35mm		
ZK19-90mm		
ZK25-300mm		
ZK85-300mm		



LEARN
MORE

XK20-120mm

Focal Length	[1x] 20-120mm
Maximum T-stop	T3.5
Weight	5.3lb
Dimensions	L: 9.41in D: 4.48in
Close Focus	1.1m/3.61ft
Image Circle	28.5mm
Filter Sizes	127mm (In hood)
Control Kits	SS-15D pg39


AVAILABLE WITH AND WITHOUT SERVO DRIVE



LEARN
MORE

ZK14-35mm

Focal Length	[1x] 14-35mm
Maximum T-stop	T2.9
Weight	6.39lb
Dimensions	L: 9.09in D: 4.48in
Close Focus	0.6m/1.97ft
Image Circle	31.5mm
Filter Sizes	111mm
Control Kits	SS-15D pg39


[LEARN MORE](#)

ZK19-90mm

Focal Length	[1x] 19-90mm
Maximum T-stop	T2.9

Weight	6.17lb	Image Circle	31.5mm
Dimensions	L: 8.9in D: 4.48in	Filter Sizes	111mm
Close Focus	0.85m/2.79ft	Control Kits	SS-15D pg39


[LEARN MORE](#)

ZK25-300mm

Focal Length	[1x] 25-300mm
Maximum T-stop	[T3.5] 25-273mm [T3.85] 300mm

Weight	18.52lb	Image Circle	31.5mm
Dimensions	L: 15.79in D: 5.35in	Filter Sizes	111mm
Close Focus	1.2m/3.94ft	Control Kits	SS-15D pg39 (with optional ESM-15A-SA drive)

OPTIONAL ESM-15A-SA INSTALLED IN IMAGE

CABRIO



LEARN
MORE

ZK85-300mm

Focal Length	[1x] 85-300mm		
Maximum T-stop	[T2.9] 85-218mm		[T4.0] 300mm
Weight	6.83lb	Image Circle	31.5mm
Dimensions	L: 9.8in D: 4.48in	Filter Sizes	111mm
Close Focus	1.2m/3.94ft	Control Kits	SS-15D pg39

MK LENSES

High optical performance and low distortion with T2.9 speed across the entire zoom range.

FOCAL LENGTH	19	28
MK18-55mm		
MK50-135mm		




LEARN
MORE

MK18-55mm

Focal Length	[1x] 18-55mm		
Maximum T-stop	T2.9		
Weight	2.16lb	Image Circle	28.5mm
Dimensions	L: 8.11in D: 3.34in	Filter Sizes	85mm
Close Focus	0.85m/2.79ft	Control Kits	N/A



Photo © Bjoern Kowalewsky



**LEARN
MORE**

MK50-135mm

Focal Length	[1x] 50-135mm		
Maximum T-stop	T2.9		
Weight	2.16lb	Image Circle	28.5mm
Dimensions	L: 8.11in D: 3.34in	Filter Sizes	85mm
Close Focus	1.2m/3.94ft	Control Kits	N/A

GFX CINE ZOOM

DUVO

BROADCAST

BOX

PORTABLE

CINEMA

PREMISTA

CABRIO


MK

CONTROL KITS

BOX LENS CONTROL KITS


MS-21DC

SEMI SERVO




SS-21DG

FULL SERVO



SS-21DC


FULL SERVO



BOX LENS CONTROL KITS

SS-21DC-AF


FULL SERVO



PORTABLE LENS CONTROL KITS


MS-15D

DIGI SEMI SERVO




SS-21DCG-AF

FULL SERVO




SS-15D

DIGI FULL SERVO




PORTABLE LENS CONTROL KITS

MS-01 SEMI SERVO




MS-X1 SEMI SERVO



SS-01

FULL SERVO



GFX CINE ZOOM

DUVO

BROADCAST

BOX

PORTABLE

CINEMA

PREMISTA

CABRIO

MK

CONTROL KITS



LENS SERVICES & SALES

Need help with a lens
purchase, rental, loaner,
repair, question or
other issue?

**Our team has you covered,
wherever you are.**

**LEARN
MORE**

fujinon.com

FUJIFILM and FUJINON are trademarks of FUJIFILM Corporation and its affiliates.
© 2026 FUJIFILM North America Corporation and its affiliates. All rights reserved.