



INSTRUMENTARIUM

OP30
Digital panoramic imaging system




Design & quality

ORTHOPANTOMOGRAPH® OP30



Leading the way through the decades

- 1946 Professor Y.V. Paatero publishes his first paper on Panoramic Tomography.
- 1951 "Pantomography" equipment is presented.
- 1961 The first dental panoramic X-ray, ORTHOPANTOMOGRAPH® OP1, is developed.
- 1964 Commercialization of the ORTHOPANTOMOGRAPH® units begins with models OP2 and OP3.
- 1978 ORTHOPANTOMOGRAPH® becomes the leading name within dental panoramic imaging with models OP5/OC5, OP6 and OP10/OC10.
- 1992 New innovations, such as the lifting cassette head and linear tomography, are introduced along with the OP100 product family.
- 1999 Direct digital ORTHOPANTOMOGRAPH® OP100 product family is introduced.
- 2006 New ORTHOPANTOMOGRAPH® product family OP200 is launched.
- 2007 Volumetric Tomography (VT) is developed to maximize the performance of an ORTHOPANTOMOGRAPH® unit.
- 2009 A new member to the ORTHOPANTOMOGRAPH® product family – OP30 – is launched.
- 2011 ORTHOPANTOMOGRAPH® OP300, the most comprehensive 3-in-1 platform is launched to celebrate 50 years of ORTHOPANTOMOGRAPH® success.



Choose your own ORTHOPANTOMOGRAPH®

	OP30	OP200	OP300
Standard panoramic	•		
Advanced panoramic		•	•
TMJ imaging	•	•	•
Volumetric Tomography		•	
CB3D			•
Cephalometric		•	•



Design and quality

ORTHOPANTOMOGRAPH® OP30 is a digital panoramic X-ray unit designed for every dental office demanding a top quality digital panoramic system at a competitive price. OP30 truly continues the legacy of the well-known ORTHOPANTOMOGRAPH® product family.

A standard panoramic system does not mean standard design.

ORTHOPANTOMOGRAPH® OP30 combines distinctive design and reliable quality with professional tools for standard panoramic imaging needs.

It could not be easier

Just 2 selections need to be made from the control panel:

- Choose the imaging program
- Select patient size

Straightforward operation makes panoramic imaging fast and easy. An integrated 5.7 inch touch screen with remarkably user-friendly navigation is extremely simple to use.


Patient positioning

The 5-point, easy patient positioning system holds the patient still during the imaging procedure to reduce movement artifacts. Three laser positioning lights make positioning accurate. The sharp layer is easily adjustable for every patient.

One-of-a-kind image quality

The quality of images is a result of many elements, such as carefully designed features, sufficient technical characteristics and correct patient positioning. ORTHOPANTOMOGRAPH® OP30 combines all these for your benefit and provides you with perfect images.

Benefits of V-shaped collimation



A V-shaped beam supports better imaging of the human anatomy than a standard beam and ensures a homogeneous image.



In manual mode user can adjust kV/mA values separately to reach maximum performance.

All the essentials included


- ✓ Stable 5-point patient positioning
- ✓ Optimal imaging geometry
- ✓ Adjustable anterior layer position with 3 positioning lights
- ✓ Powerful high frequency tube head design
- ✓ High resolution CCD imaging sensor
- ✓ V-shaped collimation optimizes image quality
- ✓ Versatile software tools to enhance diagnostic capabilities



Easy wheelchair accessibility.

Imaging programs


Standard panoramic



P1

The standard panoramic imaging program provides clear definition of the dental anatomy including TMJ's – only in 10 seconds.


Pediatric panoramic



P2

The pediatric panoramic imaging program provides a reduced imaging area for pediatric and small patients.

TMJ



P3

Lateral view from temporomandibular joint area with mouth closed or open.


BW



BW

The bitewing view is a quick and easy alternative for intraoral bitewing imaging.

Dimensions & technical specifications



Standard column

2340 mm (92.1")

Short column

2250 mm (88.6")

Technical specifications

generator	High frequency DC, operating frequency 100–130kHz
X-ray tube	D-054 SB or equivalent
focal spot	0.5mm IEC 60336/1993
filtration	total filtration min 2.6 mm Al
tube voltage	63–81 kV
tube current	6–12 mA with 220-240 VAC (tube current limited with 100-120VAC)
nominal voltage	100–120 VAC or 220–240 VAC
weight	120 kg
sensor pixel size	48 μm
image pixel size	96 μm
image field height	147 mm
PC minimum requirements for image capturing	Pentium 1 Ghz or equivalent, 512 Mb, 40 Gb
TWAIN connectivity	optional
DICOM® compatibility	optional
PC connection	LAN/Ethernet

DICOM® is the registered trademark of the National Electrical Manufacturers Association for its standards publications relating to digital communications of medical information.

Headquarters

Instrumentarium Dental
Nahkelantie 160
P.O. Box 20
FI-04301 Tuusula
Finland
Tel. +358 10 270 2000
Fax +358 10 270 2230

USA

Instrumentarium Dental Inc.
1245 W. Canal Street
Milwaukee, Wisconsin 53233
U.S.A
Tel. +1 800 558 6120
Fax +1 414 481 8665



Instrumentarium Dental develops, manufactures and markets high-tech systems and solutions for dental and maxillo-facial imaging. We work in close co-operation with dental professionals, universities and other research centers in our quest to develop solutions that will meet and exceed the expectations of our customers. As the establisher of panoramic X-ray imaging, we are committed to providing high clinical performance while still maintaining simplicity, ease of use and workflow efficiency.

The Instrumentarium Dental product portfolio consists of a full range of premium quality imaging solutions for intraoral, extraoral and 3D imaging. For more detailed information about our products, please visit www.instrumentariumdental.com.

Instrumentarium Dental reserves the right to make changes to specifications and features shown herein, or to discontinue the product described at any time without notice or obligation. Contact your Instrumentarium Dental representative for the most current information. CE marked according to Medical Device Directive (NB 0537). Electrical safety according to IEC 60601-1. Operations comply with ISO 13485:2003, ISO 9001:2008, and ISO 14001:2004.

ORTHOPANTOMOGRAPH® is a registered trademark of Instrumentarium Dental, PaloDEX Group Oy.

www.instrumentariumdental.com