

LIGHTING

Stock Guide




Inside

- Commercial/Industrial Lighting
- Indoor Recessed Lighting
- Indoor Lighting
- Lighting Controls
- Exits and Emergencies
- Outdoor Products
- LED Lamps
- Ballasts
- Lighting Services



LIGHTING

Stock Guide



Trust Werner Electric Supply for all your lighting needs.

Werner Electric Supply offers our lighting expertise for your commercial, industrial, or residential applications. Whether your project is for an indoor or outdoor setting, our lighting design team will help you create custom designs, guide you in taking advantage of our internal staging services, and suggest leading-edge, energy efficient lighting technology. Our goal is to save you time and money, and our experience with energy efficient lighting technology will save you even more!

Werner Electric continues to partner with industry leaders to supply our vast lighting inventory. We are committed to providing you with the most comprehensive lighting solutions in the industry.

Our dedication to you ensures we continue to offer innovative lighting solutions now and into the future. Contact our lighting experts to help you determine the right solution for your next project.

**Call us today:
866-4-WERNER**

Contents



COMMERCIAL/INDUSTRIAL LIGHTING

- Strips 4
- LED Strips..... 4
- Strip and Industrial Retro Fits..... 5
- Wrap Fixtures 5
- LED Wrap Fixtures 5
- Wet Location Fixtures..... 6
- LED Wet Location Fixtures 6
- LED Lay-In Fixtures 6
- LED Flat Panel Fixtures 6
- LED High Bays..... 7
- High Bay Accessories 7

INDOOR RECESSED LIGHTING

- Halo Recessed Lighting..... 8
- Trims for Halo Recessed Lighting 9
- Juno Recessed Lighting..... 9
- Trims for Juno Recessed Lighting..... 10
- LED Recessed Cans 10
- LED Retro Trims/Modules..... 11
- LED Surface Mount Downlights..... 12

INDOOR LIGHTING

- LED Tape Lights 13
- Puck Lights..... 14
- Step Lights 14
- Undercabinet Lights 15

LIGHTING CONTROLS

- Dimming Wall Switch Sensors 16
- Wall Switch Sensors 16
- Low Voltage Ceiling Sensors..... 17
- Line Voltage Ceiling Sensors..... 17
- Fixture Mount Occupancy Sensors..... 17
- Daylight Sensors..... 18
- Power Packs..... 18
- UL924 Devices..... 18
- Wireless Occupancy Sensors..... 19
- NLight® Sensors..... 19
- NLight® Switches 19
- NLight® Power Packs 19

EXITS AND EMERGENCIES

- Dual Head EBU 20
- Exits 20
- Combo Units..... 20
- Remote Units 21
- EM Ballast..... 21

OUTDOOR PRODUCTS

- LED Wall Packs 22
- Wall Pack Accessories..... 22

- LED Flood Fixtures..... 23
- LED Residential Style Security Lighting..... 23
- Incandescent Residential Style Security Lighting..... 23
- LED Security Lighting..... 23
- LED Canopy..... 24
- Incandescent Jelly Jars 24
- Incandescent Dock Lights..... 24
- Temporary Work Lights..... 24
- Perma Posts..... 25
- Anchor Bolts..... 25
- Cords and Plugs..... 25

LED LAMPS

- MR16..... 26
- PAR16..... 26
- PAR20..... 26
- PAR30..... 26
- PAR38..... 26
- R20 27
- BR30 27
- BR40 27
- “B11” Shape 27
- “B12” Shape 27
- “A” Shape 28
- Corn Cobs..... 29
- T8 Direct Replacement 30
- T8 Direct Wire (Ballast Bypass) 31
- T8 Direct Wire Socket Kits 31
- T5HO Direct Replacement 31
- CFL Direct Replacement 32
- LED Sign Lamps..... 32
- LED Drivers 32

FLUORESCENT BALLASTS

- Biax Lamps..... 33
- T5 Lamps 33
- T8 Lamps 33
- T12 Lamps 34
- Pin Based CFL Lamps..... 34
- Sign Lamps 34

HID BALLASTS

- Metal Halide..... 35
- Pulse Start Metal Halide 35
- High Pressure Sodium..... 35

LIGHTING SERVICES

- Design Services 36
- Project Coordination 37
- Internal Staging 37

PRODUCT LINES.....37

Commercial/Industrial Lighting




STRIPS

Description	Mfg.	Part No.
1 LAMP T8 - 2' STRIP UNIVERSAL VOLTAGE	METALUX	SNF-117-UNV-EB81-U
2 LAMP T8 - 2' STRIP UNIVERSAL VOLTAGE	METALUX	SSF-217-UNV-EB81-U
4 LAMP T8 - 8' TANDEM STRIP UNIVERSAL VOLTAGE	METALUX	8TSSF-232-UNV-EB81-U



LED STRIPS

Description	Mfg.	Part No.
2,000 LUMEN - 2' LED STRIP, 4000K, 120V	METALUX	2SLSTP2040DD-120V
4,000 LUMEN - 4' LED STRIP, 4000K, 120-277V	METALUX	4SLSTP4040DD-UNV
4,800 LUMEN - 4' LED STRIP, 4000K, 120-277V	METALUX	4SNLED-LD5-48SL-UNV-L840-CD1-U
4,200 LUMEN - 4' LED STRIP, 4000K, 120-277V	LITHONIA	CDS L48 MVOLT DM 40K 80CRI WH
4,200 LUMEN - 4' LED STRIP, 5000K, 120-277V	LITHONIA	CDS L48 MVOLT DM 50K 80CRI WH
9,000 LUMEN - 8' LED STRIP, 4000K, 120-277V	LITHONIA	CDS L96 MVOLT DM 40K 80CRI WH
9,000 LUMEN - 8' LED STRIP, 5000K, 120-277V	LITHONIA	CDS L96 MVOLT DM 50K 80CRI WH
LED T8 TUBE READY DIRECT WIRE 4' LED STRIP FOR LINE VOLTAGE 4' TUBES	KEYSTONE	KT-DDSLEDT8-4-2L
LED T8 TUBE READY DIRECT WIRE 8' LED STRIP FOR LINE VOLTAGE 4' TUBES	KEYSTONE	KT-DDSLEDT8-8-4L



STRIP AND INDUSTRIAL RETRO FITS

Description	Mfg.	Part No.
(4) PRE-WIRED TALL, NON-SHUNTED SOCKETS WITH POWER QUICK DISCONNECT	KEYSTONE	KT-SOCKET-T8-U-T-4-W
8' STRIP RETRO KIT FOR BYPASS 4' TUBES (INCLUDES BALLAST COVERS, WIRING HARNESS, SOCKETS, AND HARDWARE)	KEYSTONE	KT-RKIT-SP-W-82-C4-4LED
8,500 LUMEN 8' LED STRIP RETRO KIT, 4000K, 120-277V, FITS 4.25-5.25" WIDE CHANNELS	TCP	TCPGPR8UZDA840K

WRAP FIXTURES

Description	Mfg.	Part No.
2 LAMP T8 - 4' WRAP UNIVERSAL BALLAST	METALUX	WN-232A-UNV-EB81-U
4 LAMP T8 - 4' WRAP UNIVERSAL - ONE BALLAST	METALUX	WN-432A-UNV-EB81-U

LED WRAP FIXTURES

Description	Mfg.	Part No.
4,000 LUMEN - 4' LED WRAP, 4000K COLOR TEMP, 120-277V	METALUX	4SLWP4040ND-UNV
4,500 LUMEN - 4' LED WRAP, 4000K COLOR TEMP, 120-277V	LITHONIA	SBL4 LP840

Commercial/Industrial Lighting

(continued)



WET LOCATION FIXTURES

Description	Mfg.	Part No.
2 LAMP T8 - 2' VAPORTIGHT, UNIVERSAL 1-BALLAST, POLYCARBONATE HOUSING & LENS	LOVERS INTL.	ADV2-2T8-20
2 LAMP T8 - 4' VAPORTIGHT, UNIVERSAL 1-BALLAST, POLYCARBONATE HOUSING & LENS	LOVERS INTL.	ADV4-2T8-20
4 LAMP T8 - 8' TANDEM VAPORTIGHT, UNIVERSAL 1-BALLAST, POLYCARBONATE HOUSING & LENS	LOVERS INTL.	ADV8-4T8-20

LED WET LOCATION FIXTURES

Description	Mfg.	Part No.
5,700 LUMEN 4' LED VAPORTIGHT, 5000K, 120-277V	KEYSTONE	KT-VTLED44-4A-850-VDIM-P
11,700 LUMEN 8' LED VAPORTIGHT, 5000K, 120-277V	KEYSTONE	KT-VTLED90-8A-850-VDIM-P
6,600 LUMEN 4' LED VAPORTITE, 5000K, 120-277V	ILP	WTZ-48WLED-UNIV-50-RAFL-SS
19,000 LUMEN 3.5' LED ALUMINUM BODY VAPORTITE, 5000K, 120-277V	ORION	WTLED2C10AUNVNDXXSTLCA85006W-GT



LED LAY-IN FIXTURES

Description	Mfg.	Part No.
3,900 LUMEN LED 2X2 LAY-IN, BASKET STYLE, 4000K, 120-277V, 0-10V DIMMING	JUNO	S2X2BL-3940U-WH5
5,500 LUMEN LED 2X4 LAY-IN, BASKET STYLE, 4000K, 120-277V, 0-10V DIMMING	JUNO	S2X4BL-5540U-WH5

LED FLAT PANEL FIXTURES

Description	Mfg.	Part No.
3,200 LUMEN LED 2X2 FLAT PANEL, 4000K, 120-277V, 0-10V DIMMING	LITHONIA	CPX 2X2 3200LM 40K M4
4,000 LUMEN LED 2X4 FLAT PANEL, 4000K, 120-277V, 0-10V DIMMING	LITHONIA	CXBA16N CPX 2X4 4000LM 40K M2
4,000 LUMEN LED 2X4 FLAT PANEL, 5000K, 120-277V, 0-10V DIMMING	LITHONIA	CPX 2X4 4000LM 50K M2
2x4 SURFACE MOUNT KIT FOR CPX FLAT PANEL	LITHONIA	2X4SMKSH
SURFACE MOUNT KIT - 2X2 FLAT PANEL	METALUX	FPSURF22



LED HIGH BAYS

Description	Mfg.	Part No.
26,890 LUMEN ROUND ECONOMY HIGH BAY FIXTURE, 5000K 80CRI WHITE FINISH	LITHONIA	JEBL 24L 50K 80CRI WH
15,000 LUMEN HIGH EFFICIENT LED HIGH BAY FIXTURE, 5000K, 120-277V, MODULAR PLUG	METALUX	HBLED-LD5-15HE-W-UNV-L850-ED1-MP-U
15,000 LUMEN LED HIGH BAY FIXTURE, 5000K, 120-277V, DIFFUSING LENS	LITHONIA	IBG 15L MVOLT 5K
18,000 LUMEN LED HIGH BAY FIXTURE, 5000K, 120-277V, DIFFUSING LENS	LITHONIA	IBG 18L MVOLT 5K
15,000 LUMEN LED ECONOMY HIGH BAY FIXTURE, 5000K, 120-277V, DIFFUSING LENS	LITHONIA	IBE 15LM MVOLT 50K
15,000 LUMEN LED ECONOMY HIGH BAY FIXTURE, 5000K, 120-277V, DIFFUSING LENS	LITHONIA	CPHB 15LM MVOLT 50K
18,000 LUMEN LED ECONOMY HIGH BAY FIXTURE, 5000K, 120-277V, DIFFUSING LENS	LITHONIA	CPHB 18LM MVOLT 50K
24,000 LUMEN LED ECONOMY HIGH BAY FIXTURE, 5000K, 120-277V, DIFFUSING LENS	LITHONIA	CPHB 24LM MVOLT 50K
14,500 LUMEN LED HIGH BAY FIXTURE, NO LENS, 5000K, 120-277V, WIDE DISTRIBUTION	ORION	HBHS1B10AUNVNDXX-850NOLHW-SP

HIGH BAY ACCESSORIES

Description	Mfg.	Part No.
6' 120V TWISTLOCK CORD AND PLUG - MODULAR POWER CORD FOR USE WITH MET HBLED MODULAR FIXTURE	METALUX	MPC6-120
6' 277V TWISTLOCK CORD AND PLUG - MODULAR POWER CORD FOR USE WITH MET HBLED MODULAR FIXTURE	METALUX	MPC6277
(2) V-HOOK HANGERS, 36" CHAIN SETS W/S-HOOKS - NEED 1 SET PER FIXTURE	METALUX	HBAYCCHAINSETU
ADJUSTABLE AIRCRAFT CABLE HANGERS - NEED 2 PER FIXTURE	B-LINE	BKYT18-063-120K

Indoor Recessed Lighting



HALO RECESSED LIGHTING

4"		
Description	Mfg.	Part No.
4" RECESSED AIR-TITE IC HOUSING REMODEL CAN	HALO	H99RTAT
4" RECESSED AIR-TITE NON-IC HOUSING CAN	HALO	H99TAT
4" RECESSED AIR - TITE IC HOUSING	HALO	H99ICAT
5"		
5" RECESSED AIR - TITE IC HOUSING CAN	HALO	H5ICAT
5" RECESSED AIR-TITE IC HOUSING REMODEL CAN	HALO	H5RICAT
6"		
6" RECESSED AIR - TITE IC LED HOUSING CAN	HALO	H750ICAT
6" RECESSED AIR - TITE IC HOUSING CAN	HALO	H7ICAT
6" RECESSED AIR-TITE IC HOUSING REMODEL CAN	HALO	H7RICAT
6" RECESSED IC HOUSING FOR 2 X 6 JOISTS, REMODEL CAN	HALO	H27RICAT
6" RECESSED IC HOUSING FOR 2 X 6 JOISTS	HALO	H27ICAT
6" RECESSED AIR - TITE IC HOUSING CAN, ECONOMY GRADE	HALO	E7ICAT
6" RECESSED AIR-TITE IC HOUSING REMODEL CAN, ECONOMY GRADE	HALO	E7RICAT
SLOPE		
6" RECESSED AIR - TITE IC SLOPED 2/12 TO 6/12 CAN	HALO	H47ICAT
6" RECESSED IC SLOPED 2/12 TO 12/12 CAN	HALO	H645IC



TRIMS FOR HALO RECESSED LIGHTING

6"		
6" AIR-TITE SUPER TRIM WHITE BAFFLE - H7 SERIES	HALO	30WAT
6" EYEBALL TRIM - WHITE - H7 & H27 SERIES	HALO	78P
6" ALBALITE GLASS LENS SHOWER TRIM - H7 SERIES	HALO	70PS

SLOPE

WHITE COILEX BAFFLE - H745 SLOPED SERIES	HALO	456W
WHITE COILEX BAFFLE - H47 SLOPED SERIES	HALO	498W

ECONOMY

ECONOMY 6" WHITE FULL CONE REFLECTOR	HALO	6120WH
ECONOMY 6" WHITE EYEBALL TRIM	HALO	6130WH
ECONOMY 6" WHITE BAFFLE TRIM	HALO	6100WB

JUNO RECESSED LIGHTING

4"		
Description	Mfg.	Part No.
4" RECESSED IC HOUSING CAN WITH PUSH IN CONNECTORS	JUNO	IC1W
4" RECESSED IC HOUSING CAN	JUNO	IC1
4" RECESSED NON - IC HOUSING CAN	JUNO	TC1
4" RECESSED NON-IC REMODEL HOUSING	JUNO	TC1R
5"		
5" UNIVERSAL IC HOUSING WITH PUSH IN CONNECTORS	JUNO	IC20W
5" IC RATED REMODEL HOUSING	JUNO	IC20R
6"		
6" IC RATED SHALLOW HOUSING REMODEL CAN	JUNO	IC21R
6" ECONOMY RECESSED IC HOUSING CAN	JUNO	IC22
6" ECONOMY RECESSED IC HOUSING REMODEL CAN	JUNO	IC22R
6" ECONOMY UNIVERSAL IC HOUSING, WITH PUSH IN CONNECTORS	JUNO	IC22W
6" ECONOMY UNIVERSAL IC HOUSING, WITH PUSH IN CONNECTORS, FLOATING SOCKET	JUNO	IC23W
SLOPE		
STANDARD SLOPE RECESSED IC HOUSING SLOPED 2/12 TO 6/12 CAN	JUNO	IC926
STANDARD SLOPE RECESSED IC HOUSING SLOPED 2/12 TO 6/12 CAN WITH PUSH IN CONNECTORS	JUNO	IC926W
SUPER SLOPE RECESSED NON - IC HOUSING SLOPED 7/12 TO 12/12 CAN	JUNO	IC928
SUPER SLOPE RECESSED NON - IC HOUSING SLOPED 7/12 TO 12/12 CAN WITH PUSH IN CONNECTOR	JUNO	IC928W

Indoor Recessed Lighting

(continued)



TRIMS FOR JUNO RECESSED LIGHTING

4"			
Description	Mfg.	Part No.	
4" ULTRA TRIM BAFFLE - FULLY ENCLOSED - WHITE (WET LOCATION W/OUTDOOR LAMPS) - IC1 SERIES	JUNO	14W-WH	
5"			
5" WHITE GIMABL RING TRIM - IC20 SERIES	JUNO	209N-WH	
5" ENCLOSED WHITE BAFFLE TRIM - IC20 SERIES	JUNO	215W-WH	
6"			
6" ULTRA TRIM BAFFLE - FULLY ENCLOSED - WHITE (WET LOCATION W/OUTDOOR LAMPS) - IC2 & IC22 SERIES	JUNO	28W-WH	
6" REGRESSED EYEBALL - WHITE - IC2 & IC22 SERIES	JUNO	229-WH	
6" OPEN FRAME TRIM - WHITE - IC2 & IC22 SERIES	JUNO	250-WH	
SLOPE			
STANDARD SLOPE TRIM WITH WHITE BAFFLE-DOWNLIGHT - IC926 SERIES	JUNO	614W-WH	
SUPER SLOPE BLACK BAFFLE, BRONZE TRIM RING - IC928 SERIES	JUNO	604 BBRZ	
ECONOMY			
ECONOMY 6" WHITE CONICAL BAFFLE TRIM	JUNO	V3024W-WH	
ACCESSORIES			
13-1/2" to 25" REAL NAIL BAR HANGERS	JUNO	HB-1	



LED RECESSED CANS

Description	Mfg.	Part No.
6" LED RECESSED CAN, 2700K, 850 LUMENS, INTEGRAL BAFFLE TRIM, MATTE WHITE	LITHONIA	6JBK RD 27K 90CRI MW M6



LED RETRO TRIMS/MODULES

Description	Mfg.	Part No.
6" SURFACE LED DOWNLIGHT CAN/BOX MOUNT, COLOR SELECTABLE 2700K/3000K/3500K/4000K/5000K, 600 LUMENS	HALO	SLDSL6069S1EMWR
4" RECESSED CAN ECONOMY GRADE LED RETRO FIT, 3000K, 650 LUMENS, MEDIUM BASE	HALO	LT460WH6930
4" RECESSED CAN ECONOMY GRADE LED RETRO FIT, 5000K, 650 LUMENS, MEDIUM BASE	HALO	LT460WH6950
5" AND 6" RECESSED CAN ECONOMY GRADE LED RETRO FIT, COLOR SELECTABLE 2700K/3000K/3500K, 600 LUMENS, MEDIUM BASE	HALO	LT56069FS231EWHR
5" AND 6" RECESSED CAN ECONOMY GRADE LED RETRO FIT, COLOR SELECTABLE 3000K/4000K/5000K, 600 LUMENS, MEDIUM BASE	HALO	LT56069FS351EWHR
5" AND 6" RECESSED CAN ECONOMY GRADE LED RETRO FIT, 5000K, 680 LUMENS, MEDIUM BASE	HALO	LT560WH6950R
4" RECESSED CAN LED RETRO FIT, 3000K, 620 LUMENS, MEDIUM BASE	HALO	RL460WH930PK
5" AND 6" RECESSED CAN LED RETRO FIT, 2700K, 670 LUMENS, MEDIUM BASE	HALO	RL56099S1EWHR
5" AND 6" RECESSED CAN LED RETRO FIT, 3000K, 670 LUMENS, MEDIUM BASE	HALO	RL560WH6930R
5" AND 6" RECESSED CAN LED RETRO FIT, 4000K, 670 LUMENS, MEDIUM BASE	HALO	RL560WH6940
5" AND 6" RECESSED CAN LED RETRO FIT, 27K/30K/35K/40K/50K COLOR SELECTABLE, 600 LUMENS, MEDIUM BASE	HALO	RL56069S1EWHR
4" RECESSED CAN ADJUSTABLE GIMBAL LED RETRO FIT, 27K/30K/35K/40K/50K COLOR SELECTABLE, 610 LUMENS, MEDIUM BASE	HALO	RA4069S1EWHR
5" AND 6" RECESSED CAN ADJUSTABLE GIMBAL LED RETRO FIT, 3000K, 670 LUMENS, MEDIUM BASE	HALO	RA5606930WHR
4" RECESSED CAN LED RETRO FIT, 2700K, 600 LUMENS MEDIUM BASE, 90+ CRI, WHITE BAFFLE	JUNO	4RLD G3 06LM 27K 90CRI 120 FRPC WWH
4" RECESSED CAN LED RETRO FIT, 3000K, 600 LUMENS MEDIUM BASE, 90+ CRI, WHITE BAFFLE	JUNO	4RLD G3 06LM 30K 90CRI 120 FRPC WWH
5" RECESSED CAN LED RETRO FIT, 3000K, 700 LUMENS MEDIUM BASE, 90+ CRI, WHITE BAFFLE	JUNO	5RLD G3 07LM 30K 90CRI 120 FRPC WWH
6" RECESSED CAN LED RETRO FIT, 2700K, 700 LUMENS MEDIUM BASE, 90+ CRI, WHITE BAFFLE	JUNO	6RLD G4 07LM 27K 90CRI 120 FRPC WWH M6
6" RECESSED CAN LED RETRO FIT, 3000K, 700 LUMENS MEDIUM BASE, 90+ CRI, WHITE BAFFLE	JUNO	6RLD G3 07LM 30K 90CRI 120 FRPC WWH
6" RECESSED CAN LED RETRO FIT, 3000K, 700 LUMENS MEDIUM BASE, 90+ CRI, WHITE BAFFLE	JUNO	6RLD G4 07LM 30K 90CRI 120 FRPC WWH M6
6" RECESSED J-BOX MOUNT LED FIXTURE, 2700K, 900 LUMENS, MEDIUM BASE	GM LIGHTING	S6-2790-WH
6" RECESSED J-BOX MOUNT LED FIXTURE, 3000K, 900 LUMENS, MEDIUM BASE	GM LIGHTING	S6-3090-WH
6" RECESSED J-BOX MOUNT LED FIXTURE, 4000K, 900 LUMENS, MEDIUM BASE	GM LIGHTING	S6-4090-WH
5" AND 6" RECESSED CAN LED RETRO FIT, 3000K, 1300 LUMENS, MEDIUM BASE	TCP	LED14DR5630K

Indoor Recessed Lighting


(continued)



LED SURFACE MOUNT DOWNLIGHTS

Description	Mfg.	Part No.
6" ROUND SURFACE FLAT LED FIXTURE, 3500K, 740 LUMENS, 120V	HALO	SMD6R6935WH
3" ROUND SURFACE FLAT LED FIXTURE, 3000K, 550 LUMENS, 120V	LITHONIA	WF3 LED 30K MW
4" ROUND SURFACE FLAT LED FIXTURE, SELECTABLE 3000, 4000, AND 5000K, 700 LUMENS, 120V	LITHONIA	WF4 LED 30K40K50K 90CRI MW M6
4" ROUND SURFACE ADJUSTABLE LED FIXTURE, SELECTABLE 3000, 4000, AND 5000K, 700 LUMENS, 120V	LITHONIA	WF4 ADJ LED 30K40K50K 90CRI
6" ROUND SURFACE FLAT LED FIXTURE, 3000K, 1000 LUMENS, 120V	LITHONIA	WF6 LED 30K MW M6
6" ROUND SURFACE FLAT LED FIXTURE, SELECTABLE 3000, 4000, AND 5000K, 1000 LUMENS, 120V	LITHONIA	WF6 LED 30K40K50K 90CRI MW M6
6" ROUND SURFACE FLAT LED FIXTURE, SELECTABLE 2700K/3000K/3500K/4000K/5000K, 1000 LUMENS, 120V	JUNO	WF6 SWW5 90CRI MW M6
UNIVERSAL NEW CONSTRUCTION PAN	LITHONIA	WF8643

Indoor Lighting



LED TAPE LIGHTS

Description	Mfg.	Part No.
16'-4" REEL LED TAPE LIGHT, 12VDC LED - 1.52W/FT - 134 LUMENS/FT - 3500K	GM LIGHTING	LTR-P-12V-1.5W-35K-16
16'-4" REEL LED TAPE LIGHT, 12VDC LED - 1.52W/FT - 111 LUMENS/FT - 2700K	GM LIGHTING	LTR-P-12V-1.5W-27K-16
16'-4" REEL LED TAPE LIGHT, 12VDC LED - 1.52W/FT - 111 LUMENS/FT - 3000K	GM LIGHTING	LTR-P-12V-1.5W-30K-16
6" LED RIBBON TO POWER SUPPLY "SURE TIGHT" CONNECTOR	GM LIGHTING	ESTLK-60
TAPE TO TAPE CONNECTOR	GM LIGHTING	ESTC-1
12VDC POWER SUPPLY, 25W MAX. 2A, CLASS II, 120V CORD AND PLUG (CORD LENGTH: 126IN)	GM LIGHTING	LTP-2
12VDC ELECTRONIC LED POWER SUPPLY, 30W, CLASS II, (6 KNOCKOUTS)	GM LIGHTING	LD-ED-UNV40-12
12VDC ELECTRONIC LED POWER SUPPLY, 60W, CLASS II, (6 KNOCKOUTS)	GM LIGHTING	LD-ED-UNV60-12
12VDC MAGNETIC DIMMABLE POWER SUPPLY, 30W MAX. 2.5A, CLASS II (DIMMABLE WITH MAGNETIC LV DIMMER)	GM LIGHTING	LD-MD-UNV30 (12v or 24v)
4' ALUMINUM CHANNEL WITH FROSTED LENS FOR GM LED TAPE (INCLUDES MOUNTING CLIPS)	GM LIGHTING	LED-CHL
4' 45° ALUMINUM CHANNEL WITH FROSTED LENS FOR GM LED TAPE (INCLUDES MOUNTING CLIPS)	GM LIGHTING	LED-CHL-45
4' ALUMINUM CHANNEL DOUBLE WIDE WITH FROSTED LENS FOR GM LED TAPE (INCLUDES MOUNTING CLIPS)	GM LIGHTING	LED-CHL-W

Indoor Lighting



PUCK LIGHTS

Description	Mfg.	Part No.
12V LED PUCK LIGHT, 3000K, 48" LEADS, WHITE	GM LIGHTING	SP-2-30-W
12V LED PUCK LIGHT, 3000K, 48" LEADS, BLACK	GM LIGHTING	SP-2-30-B
12V LED PUCK LIGHT, 3000K, 48" LEADS, BRONZE	GM LIGHTING	SP-2-30-BZ
15W, 12VDC LED DRIVER FOR PUCKS, 120V INPUT	GM LIGHTING	PSD15-12
24W, 12VDC LED DRIVER FOR PUCKS, 120V INPUT	GM LIGHTING	PSD24-12
12VDC MINI LED DIMMABLE RECESSED DOWNLIGHT	GM LIGHTING	GMR4-WW-B



STEP LIGHTS

Description	Mfg.	Part No.
145 LUMEN, 2W IP67 RECTANGULAR STEPLIGHT, HORIZONTAL LOUVER, WHITE TRIM, 120V	GM LIGHTING	GSL-LH-WH
FROSTED LENS LED STEPLIGHT, 120V DRIVER, WHITE FINISH	KICHLER	12604WH
25W (IC-RATED) AND 40W (NON-IC) STEPLIGHT WITHOUT TRIM	JUNO	ICTC113
LENSED STEPLIGHT TRIM, WHITE FINISH	JUNO	104-WH
145 LUMEN, 2W IP67 RECTANGULAR STEPLIGHT, HORIZONTAL LOUVER, WHITE TRIM, 120V	GM LIGHTING	GSL-LH-WH
FROSTED LENS LED STEPLIGHT, 120V DRIVER, WHITE FINISH	KICHLER	12604WH
HORIZONTAL LOUVER LED STEPLIGHT, 120V DRIVER, WHITE FINISH	KICHLER	12600WH



UNDERCABINET LIGHTS

LED

Description	Mfg.	Part No.
9" PRO LED UNDERCABINET, DIMMABLE, 3000K, BRONZE FINISH	JUNO	UPLED09 30K 80CRI BZ
9" PRO LED UNDERCABINET, DIMMABLE, 3000K, WHITE FINISH	JUNO	UPLED09 30K 80CRI WH
9" PRO LED UNDERCABINET, DIMMABLE, 3000K, WHITE FINISH 90 CRI	JUNO	UPSLED09 30K 90CRI WH
14" PRO LED UNDERCABINET, DIMMABLE, 3000K, WHITE FINISH	JUNO	UPLED14 30K 80CRI WH
30" PRO LED UNDERCABINET, DIMMABLE, 3000K, WHITE FINISH 90 CRI	JUNO	UPLED30 30K 90CRI WH
DIRECT WIRE MODULE FOR UNDERCABINET FIXTURES	JUNO	UDWM
8" JUMPER CABLE FOR UNDERCABINET FIXTURES, WHITE FINISH	JUNO	JC3 8IN
17" JUMPER CABLE FOR UNDERCABINET FIXTURES, WHITE FINISH	JUNO	JC3 17IN
12" LED UNDERCABINET LIGHT BAR, 2700K, WHITE FINISH	MAXLITE	MLSDB3327LED

XENON

Description	Mfg.	Part No.
16" - 2 LAMP UNDERCABINET - WHITE - XENON LAMP	GM LIGHTING	X16-120-WH
24" - 3 LAMP UNDERCABINET - BRONZE - XENON LAMP	GM LIGHTING	X24-120-BZ



Lighting Controls



DIMMING WALL SWITCH SENSORS

Description	Mfg.	Part No.
0-10V MAESTRO OCCUPANCY SENSOR IVORY	LUTRON	MS-Z101-IV
0-10V MAESTRO OCCUPANCY SENSOR WHITE	LUTRON	MS-Z101-WH

WALL SWITCH SENSORS

Description	Mfg.	Part No.
1-POLE OCCUPANCY/VACANCY SENSOR SWITCH, 120 VAC, PASSIVE INFRARED SENSOR, 900 SQ FT COVERAGE, 180°	LUTRON	MS-Z101-IV
1-POLE OCCUPANCY/VACANCY SENSOR SWITCH, 120 VAC, PASSIVE INFRARED SENSOR, 900 SQ FT COVERAGE, 180°	LUTRON	MS-OPS2H-WH
OCCUPANCY SENSOR, 120V VAC, PIR SENSOR, 30 X 30 FT COVERAGE, 180°	LUTRON	MS-OPS5M-WH
OCCUPANCY SENSOR, 120/277 VAC, PIR SENSOR, 30 X 30 FT COVERAGE, 180°	LUTRON	MS-OPS6M2-DV-WH
DUAL TECH WALL SWITCH OCCUPANCY SENSOR, 120/277V, WHITE	WATTSTOPPER	DW-100-W
PIR WALL SWITCH OCCUPANCY SENSOR, 120/277V, WHITE	WATTSTOPPER	PW-301-W
PIR WALL SWITCH OCCUPANCY SENSOR, 120/277V, WHITE	WATTSTOPPER	WS-301-W
PIR WALL SWITCH OCCUPANCY SENSOR, 120-277V, GRAY	LUTRON	ODS10-IDG
PIR WALL SWITCH OCCUPANCY SENSOR, 120-277V, IVORY	LUTRON	ODS10-IDI
PIR WALL SWITCH OCCUPANCY SENSOR, 120-277V, LIGHT ALMOND	LUTRON	ODS10-IDT
PIR WALL SWITCH OCCUPANCY SENSOR, 120-277V, WHITE	LUTRON	ODS10-IDW
PIR WALL SWITCH OCCUPANCY SENSOR, SELF-ADAPTIVE, 120-277V, IVORY	LUTRON	ODS15-IDI
DUAL TECH WALL SWITCH SENSOR, 120-277V, IVORY	LUTRON	OSSMT-GDI
PIR WALL SWITCH OCCUPANCY SENSOR, 120/277V, WHITE	SENSOR SWITCH	WSX WH

LOW VOLTAGE CEILING SENSORS

Description	Mfg.	Part No.
PIR CEILING OCCUPANCY SENSOR 1,200 SQ FT 24 VDC, ISOLATED RELAY	WATTSTOPPER	CI-200
PIR CEILING OCCUPANCY SENSOR 500 SQ FT 24 VDC	WATTSTOPPER	CI-205-1
DUAL TECH OCCUPANCY SENSOR 24VDC, CORNER MOUNT, ISOLATED RELAY	WATTSTOPPER	DT-200
DUAL TECH OCCUPANCY SENSOR 24VDC, CENTER MOUNT 360°, ISOLATED RELAY	WATTSTOPPER	DT-300
DUAL TECH OCCUPANCY SENSOR 24VDC, CENTER MOUNT 360°, 40 KHZ	WATTSTOPPER	DT-305
ULTRASONIC CEILING OCCUPANCY SENSOR 24 VDC, 1000 SQ FT	WATTSTOPPER	W-1000A
ULTRASONIC CEILING OCCUPANCY SENSOR 24 VDC, 500 SQ FT	WATTSTOPPER	W-500A
CEILING MOUNT SENSOR, DUAL TECHNOLOGY, EXTENDED RANGE 360° LENS, LOW VOLTAGE	SENSOR SWITCH	CM PDT 10
CEILING MOUNT OCCUPANCY SENSOR, DUAL TECH, 500 SQ FT	LEVITON	OSC05-MOW
CEILING MOUNT OCCUPANCY SENSOR, DUAL TECH, 1000 SQ FT	LEVITON	OSC10-MOW
CEILING MOUNT OCCUPANCY SENSOR, PIR, 1500 SQ FT	LEVITON	OSC15-IOW
CEILING MOUNT OCCUPANCY SENSOR, DUAL TECH, 2000 SQ FT	LEVITON	OSC20-MOW

LINE VOLTAGE CEILING SENSORS

Description	Mfg.	Part No.
PIR CEILING OCCUPANCY SENSOR 500 SQ FT 2 CEILING MOUNT SENSOR, DUAL TECHNOLOGY, STANDARD RANGE 360° LENS, LINE VOLTAGE 4 VDC	SENSOR SWITCH	CMR PDT 9
OCCUPANCY CEILING SENSOR, PIR, 360°, 530 SQ FT, WHITE, 120V	LEVITON	ODC0S-I1W

FIXTURE MOUNT OCCUPANCY SENSORS

Description	Mfg.	Part No.
HIGH-BAY FIXTURE MOUNT OCCUPANCY SENSOR, PIR, LOW/HIGH/AISLE LENSES, 120-277V/347V	LEVITON	OSFHU-ITW

Lighting Controls

(continued)

DAYLIGHT SENSORS

Description	Mfg.	Part No.
ON/OFF CLOSED LOOP PHOTOSENSOR WITH AUTOMATIC COMMISSION	WATTSTOPPER	LS-102

POWER PACKS

Description	Mfg.	Part No.
POWER PACK, 120-277V, 50/60HZ, 24VDC, 225MA, WITH AUTO-ON/MAN-ON	WATTSTOPPER	BZ-150
POWER PACK, 120-277V, 50/60HZ, 24VDC, 225MA	WATTSTOPPER	BZ-50
POWER PACK, 120, 277, 347 VAC, 20 A AUXILIARY PACK	WATTSTOPPER	S120/277/347E-P
POWER PACK	SENSOR SWITCH	PP20
20A STANDARD POWER PACK FOR OCCUPANCY SENSORS	LEVITON	OPP20-D1
LEV OSP20-RDH 20A POWER PACK FOR OCCUPANCY SENSORS W/ XFMR RELAY FUNCTION	LEVITON	OSP20-RDH

UL924 DEVICES

Description	Mfg.	Part No.
EMERGENCY LIGHTING CONTROL UNIT FOR KO MOUNTING	WATTSTOPPER	ELCU-200
0-10V LOAD EMERGENCY POWER CONTROL	GREENGATE	CEPC-2-D



WIRELESS OCCUPANCY SENSORS

Description	Mfg.	Part No.
SWITCHING POWPAK, 16A, 120/277V	LUTRON	RMJS-16R-DV-B
0-10V DIMMING POWPAK, 8A, 120/277V	LUTRON	RMJS-8T-DV-B
120V WIRELESS SWITCH, 6A LIGHTING OR 3A FAN LOAD, 120V, WHITE	LUTRON	MRF2S-6ANS-WH
WIRELESS CEILING MOUNT PIR OCCUPANCY SENSOR, 360°	LUTRON	LRF2-OCR2B-P-WH
2-BUTTON PICO WIRELESS REMOTE, LIGHT ALMOND FINISH	LUTRON	PJ2-2B-GLA-L01
2-BUTTON PICO WIRELESS REMOTE, WHITE FINISH	LUTRON	PJ2-2B-GWH-L01
3-BUTTON W/RAISE/LOWER PICO WIRELESS REMOTE, WHITE FINISH	LUTRON	PJ2-3BRL-GWH-L01
WALLPLATE BRACKET, FOR USE WITH CLARO DESIGNER STYLE WALL PLATE, PICO DIMMER SWITCH, PLASTIC	LUTRON	PICO-WBX-ADAPT

NLIGHT® SENSORS

Description	Mfg.	Part No.
LOW VOLTAGE CEILING MOUNT SENSOR, DUAL TECHNOLOGY, EXTENDED RANGE, 360° LENS, REAR RJ-45 PORTS	SENSOR SWITCH	NCM PDT 10 RJB
LOW VOLTAGE CEILING MOUNT SENSOR, LARGE MOTION / EXTENDED RANGE 360° LENS, REAR RJ-45 PORTS	SENSOR SWITCH	NCM 10 RJB

NLIGHT® SWITCHES

Description	Mfg.	Part No.
SINGLE CHANNEL SWITCH, ON/OFF + RAISE/LOWER CONTROL, WHITE	SENSOR SWITCH	NPODM DX WH
FOUR SCENE SWITCH, ON/OFF + RAISE/LOWER CONTROL, WHITE	SENSOR SWITCH	NPODM 4S DX WH

NLIGHT® POWER PACKS

Description	Mfg.	Part No.
POWER/RELAY PACK, ON/OFF, 16A, EXTERNAL FAULT PROTECTION	SENSOR SWITCH	NPP16 EFP
POWER/RELAY PACK, 0-10V DIMMING, 16A, EXTERNAL FAULT PROTECTION	SENSOR SWITCH	NPP16 D EFP
POWER/RELAY PACK, 0-10V DIMMING, 16A, EMERGENCY LOADS, EXTERNAL FAULT PROTECTION	SENSOR SWITCH	NPP16 D ER EFP
POWER SUPPLY 80 MA	SENSOR SWITCH	NPS 80

Exits and Emergencies



DUAL HEAD EBU

Description	Mfg.	Part No.
2-HEADED EMERGENCY	SURE-LITES	SEL17
2-HEADED EMERGENCY	LITHONIA	EU2L M12
2-HEADED EMERGENCY, HIGH PERFORMANCE (LISTED AS 50' COVERAGE)	SURE-LITES	SEL50
2-HEADED EMERGENCY, HIGH PERFORMANCE	LITHONIA	ELM4L
2-HEADED EMERGENCY	LITHONIA	ELM2L M12
2-HEADED EMERGENCY	DUAL-LITE	EV2



EXITS

Description	Mfg.	Part No.
LED EXIT SIGN - AC ONLY, RED AND GREEN INSERTS	SURE-LITES	LPX6
LED EXIT SIGN - WITH BATTERY	SURE-LITES	LPX7
LED EXIT SIGN - WITH BATTERY	LITHONIA	LQM S W 3 R 120/277 EL N M6
LED EXIT SIGN - WITH BATTERY - ECONOMY GRADE	SURE-LITES	APX7R
LED EXIT SIGN - WITH BATTERY - ECONOMY GRADE	SURE-LITES	EXRG LED EL M6



COMBO UNITS

Description	Mfg.	Part No.
COMBO UNIT EXIT AND 2-HEADED EMERGENCY (LISTED AS 25' COVERAGE)	SURE-LITES	LPXC25
COMBO UNIT EXIT AND 2-HEADED EMERGENCY - ECONOMY GRADE	SURE-LITES	APC7R
COMBO UNIT EXIT AND 2-HEADED EMERGENCY - ECONOMY GRADE	LITHONIA	ECC R M6
COMBO UNIT EXIT AND 2-HEADED EMERGENCY	LITHONIA	LHQM LED R M6
COMBO UNIT EXIT AND 2-HEADED EMERGENCY - CAPABLE OF 2 REMOTES - ONLY SRP SERIES REMOTES	SURE-LITES	LPXC25R3
COMBO UNIT EXIT AND 2-HEADED EMERGENCY - CAPABLE OF 2 REMOTES - ECONOMY GRADE (ONLY APR SERIES REMOTES)	SURE-LITES	APCH7R
COMBO UNIT EXIT AND 2-HEADED EMERGENCY - CAPABLE OF 2 REMOTES	LITHONIA	LHQM LED R HO M6
COMBO UNIT EXIT AND 2-HEADED EMERGENCY - CAPABLE OF 1 ERE GY T WP SQ REMOTE UNITS BELOW	LITHONIA	ECC R REM M6
COMBO UNIT EXIT AND 2-HEADED EMERGENCY - CAPABLE OF 1 ERE GY T WP SQ REMOTE UNITS BELOW	LITHONIA	ECRG HO RD M6



REMOTE UNITS

Description	Mfg.	Part No.
2-HEADED LED REMOTE, WET LOCATION LISTED, ONLY FOR USE WITH LPXC25R3	SURE-LITES	SRP25DWH
2-HEADED LED REMOTE, FOR USE WITH LHQM SERIES	LITHONIA	ERE GY T WP SQ M12



EM BALLAST

Description	Mfg.	Part No.
2 LAMP F32T8 EM BALLAST, 1460 LUMEN OUTPUT WITH (2) F32T8 LAMPS	BODINE	B50

Outdoor Products



LED WALL PACKS

Description	Mfg.	Part No.
1,400 LUMEN LED WALL PACK, 5000K, 120-277V, BRONZE FINISH	LUMARK	XTOR1B
1,400 LUMEN LED WALL PACK, 5000K, 120-277V, BRONZE FINISH, 120V PHOTOCELL	LUMARK	XTOR1B-PC1
2,100 LUMEN LED WALL PACK, 5000K, 120-277V, BRONZE FINISH	LUMARK	XTOR2B
2,100 LUMEN LED WALL PACK, 5000K, 120-277V, BRONZE FINISH, 120V PHOTOCELL	LUMARK	XTOR2B-PC1
2,800 LUMEN LED WALL PACK, 5000K, 120-277V, BRONZE FINISH	LUMARK	XTOR3B
2,800 LUMEN LED WALL PACK, 5000K, 120-277V, BRONZE FINISH, 120V PHOTOCELL	LUMARK	XTOR3B-PC1
4,200 LUMEN LED WALL PACK, 5000K, 120-277V DRIVER, BRONZE FINISH	LUMARK	XTOR4B
4,200 LUMEN LED WALL PACK, 5000K, 120-277V DRIVER, BRONZE FINISH, 120V PHOTOCELL	LUMARK	XTOR4B-PC1
6,200 LUMEN LED WALL PACK, 5000K, 120-277V DRIVER, BRONZE FINISH, REFRACTIVE LENS	LUMARK	XTOR6BRL
6,200 LUMEN LED WALL PACK, 5000K, 120-277V DRIVER, BRONZE FINISH, REFRACTIVE LENS, 120V PHOTOCELL	LUMARK	XTOR6BRL-PC1
8,500 LUMEN LED WALL PACK, 5000K, 120-277V DRIVER, BRONZE FINISH	LUMARK	XTOR8B
8,500 LUMEN LED WALL PACK, 4000K, 120-277V DRIVER, BRONZE FINISH	LUMARK	XTOR8B-W
8,500 LUMEN LED WALL PACK, 5000K, 120-277V DRIVER, BRONZE FINISH, REFRACTIVE LENS	LUMARK	XTOR8BRL
2,076-9,214 SELECTABLE LUMENS LED WALL PACK, 5000K, 120-277V DRIVER, BRONZE FINISH	LITHONIA	TWH LED ALO 50K

WALL PACK ACCESSORIES

Description	Mfg.	Part No.
KNUCKLE FLOOD KIT FOR "XTOR1-3" SERIES LED WALL PACKS	LUMARK	XTORFLD-KNC
TRUNNION FLOOD KIT FOR "XTOR1-3" SERIES LED WALL PACKS	LUMARK	XTORFLD-TRN



LED FLOOD FIXTURES

Description	Mfg.	Part No.
5,800 LUMEN LED FLOOD LIGHT, 4000K COLOR TEMP, 120-277V, KNUCKLE MOUNT	LUMARK	NFFLDSC15KNCUNV
2,680 LUMEN LED FLOOD LIGHT, 4000K COLOR TEMP, 120-277V, KNUCKLE MOUNT	LUMARK	NFFLDSC70KNCUNV
9,400 LUMEN LED FLOOD LIGHT, 4000K COLOR TEMP, 120-277V, SLIPFITTER MOUNT	LUMARK	NFFLDC25S
14,600 LUMEN LED FLOOD LIGHT, 4000K COLOR TEMP, 120-277V, TRUNION MOUNT	LUMARK	NFFLDC40T
14,600 LUMEN LED FLOOD LIGHT, 4000K COLOR TEMP, 120-277V, SLIPFITTER MOUNT	LUMARK	NFFLDC40S

LED RESIDENTIAL STYLE SECURITY LIGHTING

Description	Mfg.	Part No.
SINGLE 1000 LUMEN "BELL" FLOOD FIXTURE, 3000K, WHITE (W/O COVER PLATE)	RACO	LL1200W
SINGLE 1000 LUMEN "BELL" FLOOD FIXTURE, 3000K, BRONZE (W/O COVER PLATE)	RACO	LL1200Z

INCANDESCENT RESIDENTIAL STYLE SECURITY LIGHTING

Description	Mfg.	Part No.
TWIN DIE CAST 150PAR38 (MAX) LAMP HOLDERS WITH SENSOR, WHITE	RAB	STL110RW

LED SECURITY LIGHTING

Description	Mfg.	Part No.
5,200 LUMENS, WALL MOUNT 50W LED DUSK TO DAWN WITH ARM, 120V, GRAY FINISH (NO REFRACTOR)	LUMARK	CTKRV1B
7,000 LUMENS, WALL MOUNT 50W LED DUSK TO DAWN WITH ARM, 120V, GRAY FINISH (NO REFRACTOR)	LUMARK	CTKRV2B
9,700 LUMENS, WALL MOUNT 71W LED DUSK TO DAWN WITH ARM, 120V, GRAY FINISH (NO REFRACTOR)	LUMARK	CTKRV3B
SMALL ACRYLIC REFRACTOR FOR LUMARK CTKRV1A	LUMARK	SRCARETAKER

Outdoor Products (continued)



LED CANOPY

Description	Mfg.	Part No.
4,500 LUMEN CANOPY FIXTURE, 4000K, 120V-277V DRIVER, BRONZE	LITHONIA	CNY LED P1 40K MVOLT DDB M4



INCANDESCENT JELLY JARS

Description	Mfg.	Part No.
100W INC. CEILING MOUNT JELLY JAR, NO GUARD	RAB	VC100
100W INC. CEILING MOUNT JELLY JAR, DIE-CAST GUARD	RAB	VC100DG
150W INC. SURFACE MOUNT JELLY JAR, NO GUARD, WITH J-BOX	RAB	VX100
150W INC. SURFACE MOUNT JELLY JAR, DIE-CAST GUARD, WITH J-BOX	RAB	VX100DG



INCANDESCENT DOCK LIGHTS

Description	Mfg.	Part No.
INCANDESCENT HEAD (NO ARM)	TPI	DKL-INC



TEMPORARY WORK LIGHTS

Description	Mfg.	Part No.
STRING LIGHT - 100' 14/2 SJTW 300V CORD	SOUTHWIRE	7145SW
LOW BAY 10-16' CEILING DECK, 80W 7,600 LUMEN LED LONGNECK	PROBUILT	111080ECO
MEDIUM BAY 14-22' CEILING DECK, 100W 13,000 LUMEN LED HANG-A-LIGHT™	SOUTHWIRE	T60100
HIGH BAY 18-30' CEILING DECK, 150W 19,500 LUMEN HANG-A-LIGHT™	SOUTHWIRE	T60150
MAXIS 7165SW 100' LED	SOUTHWIRE	7165SW
SOUTHWIRE T50078 78W TEMPORARY LED LOW BAY	SOUTHWIRE	T50078



PERMA POSTS

Description	Mfg.	Part No.
19.5" BLACK PERMAPOST	ARLINGTON	GP19B

ANCHOR BOLTS

Description	Mfg.	Part No.
ADJUSTABLE JIG FOR SETTING ANCHOR BOLTS, ACCEPTS 3/4" - 1-1/2" BOLT SIZES, ADJUSTS TO 8-13" BOLT CIRCLES	RND	AJ SPEEDSET
3/4" X 18" ANCHOR BOLT, HOT DIPPED GALVANIZED (SET OF 4)	MISC	ANCOR BOLT 3/4 X 18
3/4" X 25" ANCHOR BOLT, HOT DIPPED GALVANIZED (SET OF 4)	MISC	ANCOR BOLT 3/4 X 25
3/4" X 30" ANCHOR BOLT, HOT DIPPED GALVANIZED (SET OF 4)	MISC	ANCOR BOLT 3/4 X 30
1" X 36" ANCHOR BOLT, HOT DIPPED GALVANIZED (SET OF 4)	MISC	ANCOR BOLT 1 X 36



CORDS AND PLUGS

Description	Mfg.	Part No.
120 VOLT - 16/3 SJT 96' CORD AND TWIST LOCK PLUG	CABLEMASTER	CMHBC-15125TL-96B
277 VOLT - 16/3 SJT 83' CORD AND 15A TWIST LOCK PLUG	CABLEMASTER	CMHBC-15277TL-132-BLK

LED Lamps



MR16

Description	Mfg.	Part No.
7.3 W, 12VOLT MR16 BI-PIN LED FLOOD LIGHT, DIMMABLE 3000K NATURAL WHITE 1FB	PHILIPS	461566



PAR16

Description	Mfg.	Part No.
400 LUMEN, 5.5W PAR16 LED LAMP, 40° BEAM, 3000K	PHILIPS	470047



PAR20

Description	Mfg.	Part No.
500 LUMEN, 7W PAR20 LED LAMP, 25° BEAM, 3000K COLOR TEMP	PHILIPS	471110
50W EQUIV 5W 500 LUMEN PAR 20 FLOOD E26 >80 CRI DIMMABLE 3000K	KEYLITE	KT-LED5PAR20-F-830



PAR30

Description	Mfg.	Part No.
880 LUMEN, 12W PAR30 LONG NECK LED LAMP 75W PAR30 HALOGEN REPLACEMENT, 3000K, DIMMABLE, 40° BEAM	PHILIPS	471052
880 LUMEN, 12W PAR30 SHORT NECK LED LAMP 75W PAR30 HALOGEN REPLACEMENT, 3000K, DIMMABLE, 25° BEAM	PHILIPS	471078
120V PAR30S 12W 35D 2700K 900 LUMENS DIMMABLE AF SO	PHILIPS	435321



PAR38

Description	Mfg.	Part No.
1,200 LUMEN, 14W PAR38 LED LAMP, 25° BEAM, 5000K COLOR TEMP	PHILIPS	529545
1,150 LUMEN, 17W PAR38 LED LAMP, 40° BEAM, 2700K COLOR TEMP	PHILIPS	470849
1,200 LUMEN, 17W PAR38 LED LAMP, 40° BEAM, 3000K COLOR TEMP	PHILIPS	471011
90W EQUIV 11.5W 1000 LUMEN PAR 38 NARROW FLOOD E26 GREATER THAN OR EQUAL TO 90 CRI DIMMABLE 3K	KEYLITE	KT-LED11.5PAR38-NF-930



R20

Description	Mfg.	Part No.
50W EQUIV 7.5W 525 LUMEN R20 E26 >80 CRI DIMMABLE 27K	KEYLITE	KT-LED7.5R20-827



BR30

Description	Mfg.	Part No.
650 LUMEN, 9W BR30 LED LAMP, 65W BR30 REPLACEMENT, 2700-2200K, DIMMABLE	PHILIPS	457044
650 LUMEN, 7.2W BR30 LED LAMP, 2700K COLOR TEMP, DIMMABLE	PHILIPS	553891
850 LUMEN, 12W BR30 LED LAMP, 3000K COLOR TEMP, DIMMABLE	TCP	LED12BR30D30K
900 LUMEN, 12W BR30 LED LAMP, 4100K COLOR TEMP, DIMMABLE	TCP	LED12BR30D41K
65W EQUIV 8W 650 LUMEN BR 30 E26 GREATER THAN OR EQUAL TO 80 CRI DIMMABLE 30K	KEYLITE	KT-LED8BR30-830/G2
65W EQUIV 8W 650 LUMEN BR 30 E26 GREATER THAN OR EQUAL TO 80 CRI DIMMABLE 40K	KEYLITE	KT-LED8BR30-840/G2
65W EQUIV 9W 650 LUMEN BR 30 E26 GREATER THAN OR EQUAL TO 80 CRI DIMMABLE 27K	KEYLITE	KT-LED9BR30-827



BR40

Description	Mfg.	Part No.
1250 LUMEN, 17W BR40 LED LAMP, 90W BR40 REPLACEMENT, 3000K, DIMMABLE	TCP	LED17BR40D30K
75W 65W EQUIV 11.5W 940 LUMEN BR 40 E26 GREATER THAN OR EQUAL TO 80 CRI DIMMABLE 27K	KEYLITE	KT-LED11.5BR40-827
90W 85W EQUIV 15W 1300 LUMEN BR 40 E26 GREATER THAN OR EQUAL TO 80 CRI DIMMABLE 3K	KEYLITE	KT-LED15BR40-830

"B11" SHAPE

Description	Mfg.	Part No.
4.5 B11, LED DECORATIVE BULB 827 E26 DIMMABLE 120V	PHILIPS	461939

"B12" SHAPE

Description	Mfg.	Part No.
480 LUMEN, 4.5W CLEAR B12 LED LAMP, 40W B12 CANDLE REPLACEMENT, 2700-2200K, DIMMABLE	PHILIPS	457127

LED Lamps (continued)



“A” SHAPE

Description	Mfg.	Part No.
480 LUMEN, 6.5W CLEAR A19 LED LAMP, 40W A19 REPLACEMENT, 2700-2200K, DIMMABLE	PHILIPS	462515
800 LUMEN, 8.8W A19 LED LAMP, 2700K, NON-DIMMABLE	PHILIPS	554428
800 LUMEN, 9W A19 LED LAMP, 60W A19 REPLACEMENT, 5000K, NON-DIMMABLE	PHILIPS	548230
800 LUMEN, 8.8W A19 LED LAMP, 5000K, DIMMABLE	PHILIPS	550459
800 LUMEN, 9.5W A19 LED LAMP, 60W A19 REPLACEMENT, 2200-2700K, DIMMABLE	PHILIPS	479444
800 LUMEN, 9.5W A19 LED LAMP, 60W A19 REPLACEMENT, 3000K, DIMMABLE	PHILIPS	479865
1000 LUMEN, 10W A19 LED LAMP, 75W A19 REPLACEMENT, 5000K, NON-DIMMABLE	PHILIPS	463000
60W EQUIV 95W 800 LUMEN A19 E26 GREATER THAN OR EQUAL TO 80 CRI DIMMABLE 3K	KEYLITE	KT-LED9.5A19-0-830
60W EQUIV 9W E26 GREATER THAN OR EQUAL TO 80 CRI NON-DIMMABLE 3K CONTRACTOR SERIES	KEYLITE	KT-LED9A19-0-830-ND-CS
60W EQUIV 9W 800 LUMEN A19 E26 GREATER THAN OR EQUAL TO 90 CRI DIMMABLE 27K	KEYLITE	KT-LED9A19-0-927
800 LUMEN, 10W A19 LED LAMP, GU24 BASE, DIMMABLE	TCP	LED10A19GUDOD27K
1,000 LUMEN, 12W A21 LED LAMP, 75W A19 REPLACEMENT, 2200-2700K, DIMMING	PHILIPS	479469
75W EQUIV 11W 1100 LUMEN A19 E26 GREATER THAN OR EQUAL TO 80 CRI DIMMABLE 4K	KEYLITE	KT-LED11A19-0-840
100W EQUIV 14W E26 GREATER THAN OR EQUAL TO 80 CRI NON-DIMMABLE 27K CONTRACTOR SERIES	KEYLITE	KT-LED14A19-0-827-ND-CS
100W EQUIV 14W E26 GREATER THAN OR EQUAL TO 80 CRI NON-DIMMABLE 3K CONTRACTOR SERIES	KEYLITE	KT-LED14A19-0-830-ND-CS
100W EQUIV 14W E26 GREATER THAN OR EQUAL TO 80 CRI NON-DIMMABLE 5K CONTRACTOR SERIES	KEYLITE	KT-LED14A19-0-850-ND-CS
1,500 LUMEN, 13.5W A19 LED LAMP, 100W A19 REPLACEMENT, 2700K, NON-DIMMABLE	PHILIPS	559500
1,600 LUMEN, 16W A21 LED LAMP, 100W A19 REPLACEMENT, 2700-2200K, DIMMABLE	PHILIPS	479485
100W EQUIV, 16W, 1600 LUMEN, A21, E26, 80 CRI, DIMMABLE 27K	KEYLITE	KT-LED16A21-0-827
100W EQUIV, 16W, 1600 LUMEN, A21, E26, 80 CRI, DIMMABLE 5K	KEYLITE	KT-LED16A21-0-850
100W EQUIV 20W 2700 LUMEN A21 COMMERCIAL E26 GREATER THAN OR EQUAL TO 80 CRI, NON-DIMMABLE 27K	KEYLITE	KT-LED20A21-0-E26-827
1650 LUMENS, 15.5W FROSTED A19 LED LAMP, 100W A19 REPLACEMENT, 3000K, NON-DIMMABLE	TCP	L16A19N1530K
3600 LUMEN, 25W, A23 COMMERCIAL, E26, 80 CRI, NON-DIMMABLE	KEYLITE	KT-LED25A23-0-E26-850



CORN COBS

Description	Mfg.	Part No.
27W 3915 LUMEN 100W MH EQUIV IP64 MEDIUM BASE	KEYLITE	KT-LED27HID-E26-850-D/G2
27W 3915 LUMEN 100W MH EQUIV IP64 MOGUL BASE	KEYLITE	KT-LED27HID-EX39-850-D/G2
150W HID REPLACEMENT CORN COB LAMP, 5000K, DIRECT 120-277V, MEDIUM BASE	KEYSTONE	KT-LED36HID-E26-850-D/G3
36W 5040 LUMEN 150W MH EQUIV MOGUL BASE SMART PORT TECH	KEYLITE	KT-LED36HID-EX39-850-D/G3
45W 6300 LUMEN 175W MH EQUIV MEDIUM BASE SMART PORT TECH	KEYLITE	KT-LED45HID-E26-850-D/G3
175W HID REPLACEMENT CORN COB LAMP, 5000K, DIRECT 120-277V, MOGUL BASE, SMART PORT TECH	KEYSTONE	KT-LED45HID-EX39-850-D/G3
250W HID REPLACEMENT CORN COB LAMP, 5000K, DIRECT 120-277V, MOGUL BASE	KEYSTONE	KT-LED54HID-EX39-850-D/G3
400W HID REPLACEMENT CORN COB LAMP, 5000K, DIRECT 120-277V, MOGUL BASE	KEYSTONE	KT-LED100HID-EX39-850-D/G2
80W, 9,600 LUMEN, 250W MH EQUIV, IP40, MOGUL BASE, UPLIGHT & DOWNLIGHT FEATURE, SMART PORT TECH	KEYSTONE	KT-LED80HID-V-EX39-850-D/G2
400W ROUND HID HIGH BAY REPLACEMENT LAMP, 5000K, DIRECT 120-277V, MOGUL BASE	KEYSTONE	KT-LED115HID-V-EX39-850-D/G2
400W HORIZONTAL BASE LAMP, 5000K, DIRECT 120-277V, ROT MOGUL BASE	KEYSTONE	KT-LED110HID-H-EX39-850-D
100W HID REPLACEMENT CORN COB LAMP, 5000K, DIRECT 120-277V, MEDIUM BASE	PHILIPS	559682
150W HID REPLACEMENT CORN COB LAMP, 5000K, DIRECT 120-277V, MOGUL BASE	PHILIPS	559740

LED Lamps (continued)



T8 DIRECT REPLACEMENT

Description	Mfg.	Part No.
1,200 LUMEN, 2' 7W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 4000K COLOR TEMP	PHILIPS	469296
1,200 LUMEN, 2' 7W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 5000K COLOR TEMP	PHILIPS	541847
1,100 LUMEN, 2' 8.5W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 5000K COLOR TEMP	PHILIPS	452045
1,400 LUMEN, 3' 8.5W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 5000K COLOR TEMP	PHILIPS	539882
2,100 LUMEN, 6' U-BEND 13W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 4000K COLOR TEMP	PHILIPS	541870
2,100 LUMEN, 6' U-BEND 16.5W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 5000K COLOR TEMP	PHILIPS	452698
1,800 LUMEN, 4' 10W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 3500K COLOR TEMP	PHILIPS	473982
1,800 LUMEN, 4' 10W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 4000K COLOR TEMP	PHILIPS	473990
1,800 LUMEN, 4' 10W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 5000K COLOR TEMP	PHILIPS	474007
2,100 LUMEN, VALUE 4' 14W T8 "INSTANTFIT" GLASS LED REPLACEMENT TUBE, 4000K COLOR TEMP	PHILIPS	470112
2,100 LUMEN, VALUE 4' 14W T8 "INSTANTFIT" GLASS LED REPLACEMENT TUBE, 5000K COLOR TEMP	PHILIPS	470120
2,100 LUMEN, 4' HIGH OUTPUT 13W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 3500K COLOR TEMP	PHILIPS	473934
2,100 LUMEN, 4' HIGH OUTPUT 14W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 4000K COLOR TEMP	PHILIPS	473942
2,100 LUMEN, 4' HIGH OUTPUT 13W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 5000K COLOR TEMP	PHILIPS	473958
2,500 LUMEN, 4' ULTRA HIGH OUTPUT 15.5W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 4000K	PHILIPS	545194
2,500 LUMEN, 4' ULTRA HIGH OUTPUT 15.5W T8 "INSTANTFIT" LED REPLACEMENT TUBE, 5000K	PHILIPS	545200
11.5W 1800 LUMEN 4' 220' BEAM ANGLE BALLAST COMPATIBLE DLC 40 COATED	KEYLITE	KT-LED11.5T8-48GC-835-S
11.5W 1800 LUMEN 4' 220' BEAM ANGLE BALLAST COMPATIBLE DLC 40 COATED	KEYLITE	KT-LED11.5T8-48GC-840-S
11.5W 1800 LUMEN 4' 220' BEAM ANGLE BALLAST COMPATIBLE DLC 40 COATED	KEYLITE	KT-LED11.5T8-48GC-850-S
15W 2200 LUMEN 4' 220' BEAM ANGLE BALLAST COMPATIBLE DLC 40 COATED	KEYLITE	KT-LED15T8-48GC-840-S
15W 2200 LUMEN 4' 220' BEAM ANGLE BALLAST COMPATIBLE DLC 40 COATED	KEYLITE	KT-LED15T8-48GC-850-S

T8 DIRECT WIRE (BALLAST BYPASS)

Description	Mfg.	Part No.
7W, 950 LUMEN, 2', 240' BEAM ANGLE, BALLAST BYPASS-DLC 4.0, COATED, SINGLE AND DOUBLE END WIRING	KEYSTONE	KT-LED7T8-24GC-850-DX2
2,000 LUMEN, 4' 15W T8 LED REPLACEMENT TUBE, 4000K COLOR TEMP, SINGLE AND DOUBLE END WIRING	KEYSTONE	KT-LED15T8-48GC-840-DX2
2,000 LUMEN, 4' 15W T8 LED REPLACEMENT TUBE, 5000K COLOR TEMP, SINGLE AND DOUBLE END WIRING	KEYSTONE	KT-LED15T8-48GC-850-DX2
2,600 LUMEN, 4' 18.5W T8 LED REPLACEMENT TUBE, 5000K COLOR TEMP, SINGLE AND DOUBLE END WIRING	KEYSTONE	KT-LED18.5T8-48GC-850-DX2/G2
2,100 LUMEN, 4' 16.5W T8 LED REPLACEMENT TUBE, 4000K COLOR TEMP	PHILIPS	471763
2,100 LUMEN, 4' 16.5W T8 LED REPLACEMENT TUBE, 5000K COLOR TEMP	PHILIPS	471771

T8 DIRECT WIRE SOCKET KITS

Description	Mfg.	Part No.
(4) PRE-WIRED TALL, NON-SHUNTED SOCKETS WITH POWER QUICK DISCONNECT, (HOT AND NEUTRAL ON ONE END OF LAMP)	KEYSTONE	KT-SOCKET-T8-U-T-4-W
MATCHING LEVITON SOCKET FOR OPPOSITE END OF LAMP FOR THE ABOVE OPTION	LEVITON	13660-SWP

T5HO DIRECT REPLACEMENT

Description	Mfg.	Part No.
3,500 LUMEN, 4' 24W T5HO LED REPLACEMENT TUBE, 5000K COLOR TEMP, BALLAST DRIVEN	PHILIPS	467159

LED Lamps (continued)



CFL DIRECT REPLACEMENT

Description	Mfg.	Part No.
1,200 LUMEN, VERTICAL 4-PIN 26W "INSTANTFIT" CFL REPLACEMENT, 3500K, G24Q/GX24 BASE	PHILIPS	458422
1,300 LUMEN, VERTICAL 4-PIN 26W "INSTANTFIT" CFL REPLACEMENT, 4000K, G24Q/GX24 BASE	PHILIPS	458430
900 LUMEN, HORIZONTAL 4-PIN 26W "INSTANTFIT" CFL REPLACEMENT, 3500K, G24Q/GX24 BASE	PHILIPS	458380
950 LUMEN, HORIZONTAL 4-PIN 26W "INSTANTFIT" CFL REPLACEMENT, 4000K, G24Q/GX24 BASE	PHILIPS	458398

LED SIGN LAMPS

Description	Mfg.	Part No.
48IN, 21W, 2600 LUMENS, 360° BEAM SPREAD, DOUBLE SIDED LAMP, BALLAST BYPASS	KEYSTONE	KT-LED21T8-48P2S-865-D

LED DRIVERS

Description	Mfg.	Part No.
20W LINEAR TROFFER PROGRAMMABLE LED DRIVER - 120-277V	ADVANCE	XI020C056V054BST2
54W LINEAR TROFFER PROGRAMMABLE LED DRIVER - 120-277V	ADVANCE	XI054C150V054BST1M
75W LINEAR TROFFER PROGRAMMABLE LED DRIVER - 120-277V	ADVANCE	XI075C200V054BST1M
55W OUTDOOR INDUSTRIAL PROGRAMMABLE LED DRIVER - 120-277V	ADVANCE	XI055C180V054BSJ1M
180W OUTDOOR INDUSTRIAL PROGRAMMABLE LED DRIVER - 120-277V	ADVANCE	XI180C125V200BSF1M
4 LAMP PHILIPS LED "INSTANTFIT" DRIVER, 120-277V (NOT FOR USE ON THE "INSTANTFIT" GLASS LAMP)	ADVANCE	ICN-4P16-TLED-N



Fluorescent Ballasts



BIAX LAMPS

Description	Mfg.	Part No.
2 LAMP FT40DL UNIVERSAL VOLTAGE BALLAST	ADVANCE	ICN-2TTP40-SC

T5 LAMPS

Description	Mfg.	Part No.
2 LAMP F24T5HO UNIVERSAL VOLTAGE BALLAST	ADVANCE	ICN-2S24
2 LAMP F28T5 UNIVERSAL VOLTAGE BALLAST	ADVANCE	ICN-2S28
2 LAMP F54T5HO UNIVERSAL VOLTAGE BALLAST	KEYLITE	KTEB-254HO-UV-PS-SL
2 LAMP F54T5HO HIGH AMBIENT TEMP. UNIVERSAL VOLTAGE BALLAST	ADVANCE	ICN-2S54-90C
4 LAMP F54T5HO HIGH AMBIENT TEMP UNIVERSAL VOLTAGE BALLAST	KEYLITE	KTEB-454HO-UV-PS

T8 LAMPS

Description	Mfg.	Part No.
2 LAMP F32T8 UNIVERSAL VOLTAGE BALLAST, .77 B.F.	ADVANCE	IOPA-2P32-LW-N
4 LAMP F32T8 UNIVERSAL VOLTAGE BALLAST, .77 B.F.	ADVANCE	IOPA-4P32-LW-N
1 LAMP F32T8 UNIVERSAL VOLTAGE BALLAST	ADVANCE	IOPA-1P32-N
2 LAMP F32T8 UNIVERSAL VOLTAGE BALLAST	ADVANCE	IOPA-2P32-N
3 LAMP F32T8 UNIVERSAL VOLTAGE BALLAST	ADVANCE	IOPA-3P32-N
4 LAMP F32T8 UNIVERSAL VOLTAGE BALLAST	ADVANCE	IOPA-4P32-N
2 LAMP F32T8 UNIVERSAL VOLTAGE BALLAST, 1.18 B.F.	ADVANCE	IOPA-2P32-HL-N
3 LAMP F32T8 UNIVERSAL VOLTAGE BALLAST, 1.18 B.F.	ADVANCE	IOPA-3P32-HL-N
4 LAMP F32T8 UNIVERSAL VOLTAGE BALLAST, 1.18 B.F.	ADVANCE	IOP-4P32-HL-SC
2 LAMP F32T8 PROGRAMMED START UNIVERSAL VOLTAGE BALLAST	ADVANCE	IOP-2PSP32-N
3 LAMP F32T8 PROGRAMMED START UNIVERSAL VOLTAGE BALLAST	ADVANCE	IOP-3PSP32-SC
4 LAMP F32T8 PROGRAMMED START UNIVERSAL VOLTAGE BALLAST	ADVANCE	IOP-4PSP32-SC
2 LAMP F96T8 UNIVERSAL VOLTAGE BALLAST	ADVANCE	IOP-2P59-N
2 LAMP F96T8HO UNIVERSAL VOLTAGE BALLAST	ADVANCE	ICN-2S86

Fluorescent Ballasts (continued)



T12 LAMPS

Description	Mfg.	Part No.
2 LAMP F40T12 UNIVERSAL VOLTAGE ELECTRONIC BALLAST	KEYLITE	KTEB-240-UV-TP-PIC
2 LAMP F40T12 120V ELECTRONIC BALLAST	ADVANCE	RELB-2S40-N
2 LAMP F96T12 OR F72T12 UNIVERSAL VOLTAGE ELECTRONIC BALLAST	KEYLITE	KTEB-275-UV-TP-PIC
2 LAMP F96T12HO UNIVERSAL VOLTAGE ELECTRONIC BALLAST	ADVANCE	ICN-2S110-SC

PIN BASED CFL LAMPS

Description	Mfg.	Part No.
1 OR 2 LAMP 13W 4 PIN C.F. (QUAD OR TRIPLE TUBE) UNIVERSAL VOLTAGE BALLAST	ADVANCE	ICF-2S13-H1-LD-K
1 OR 2 LAMP 18W 4 PIN C.F. (QUAD OR TRIPLE TUBE) UNIVERSAL VOLTAGE BALLAST	ADVANCE	ICF-2S18-H1-LD-K
1 OR 2 LAMP 26W 4 PIN C.F. (QUAD OR TRIPLE TUBE) AND 1 LAMP 32W OR 42W 4 PIN C.F. (TRIPLE TUBE) UNIVERSAL VOLTAGE BALLAST	ADVANCE	ICF-2S26-H1-LD-K
2 LAMP 26, 32, OR 42W 4 PIN C.F. (TRIPLE TUBE) UNIVERSAL VOLTAGE BALLAST	KEYLITE	KTEB-242-UV-RS-DW-KIT

SIGN LAMPS

Description	Mfg.	Part No.
SIGN BALLAST (1-4) T12HO 4-32FT 120-277V	ADVANCE	ISB043214EI
SIGN BALLAST (1-4) T12HO 10-40FT 120-277V	ADVANCE	ISB104014EI
SIGN BALLAST (4-6) T12HO 8-48FT 120-277V	ADVANCE	ISB084846EI

HID Ballasts



METAL HALIDE

Description	Mfg.	Part No.
MULTI-TAP BALLAST FOR 70W MH LAMP (M98/143)	ADVANCE	71A5292001D
MULTI-TAP BALLAST FOR 100W MH LAMP (M90/140)	ADVANCE	71A5390001D
MULTI-TAP BALLAST FOR 150W MH LAMP (M102/142)	ADVANCE	71A5492001D
MULTI-TAP BALLAST FOR 150/175W MH LAMP (M57/107)	KEYLITE	MH-175A-Q-KIT
5-TAP BALLAST FOR 250W MH LAMP (M58)	ADVANCE	MH-250A-P-KIT
MULTI-TAP BALLAST FOR 400W MH LAMP (M59)	KEYLITE	MH-400A-Q-KIT
5-TAP BALLAST FOR 1000W MH LAMP (M47)	ADVANCE	71A6552001

PULSE START METAL HALIDE

Description	Mfg.	Part No.
MULTI-TAP BALLAST FOR 320W PSMH LAMP (M132/154/170)	ADVANCE	71A5892001D

HIGH PRESSURE SODIUM

Description	Mfg.	Part No.
MULTI-TAP BALLAST FOR 70W HPS LAMP (S62)	ADVANCE	71A7971001D
MULTI-TAP BALLAST FOR 100W HPS LAMP (S54)	ADVANCE	71A8071001D
MULTI-TAP BALLAST FOR 150W HPS LAMP (S55)	KEYLITE	HPS-150X-Q-KIT
MULTI-TAP BALLAST FOR 250W HPS LAMP (S50)	ADVANCE	71A8271001D
5-TAP BALLAST FOR 250W HPS LAMP (S50)	ADVANCE	71A8251001D
5-TAP BALLAST FOR 400W HPS LAMP (S51)	ADVANCE	71A8453001D

Lighting Services



Design Services

Werner Electric Supply offers design services for all of your commercial, industrial, and residential lighting projects. Our highly trained lighting staff can assist every step of the way. We will develop a plan that implements cost-effective lighting techniques and energy efficient products. This approach will save your customers money on energy consumption.

The Process

Werner Electric's lighting specialist will visit your site to learn more about your lighting needs. Recommendations will be provided based on the information gathered from this visit. When updating a current system, our specialist will measure the existing light output and use this data as a baseline to determine the optimal light levels. For new projects, establishing the proper light levels for the specific application is an essential part of the design process. If available, AutoCAD drawings of the building and/or exterior space will be used as the basis for the new lighting layout. The new lighting drawing can then simply be added to the building's existing set of drawings.

Once light level requirements are established and drawings are provided, Werner Electric's Lighting Design team will create a lighting layout using energy efficient products that will reduce energy consumption and save your customers money! We will then present you with a project quotation based on this lighting layout.

Our staff is in constant communication with you throughout the lighting project to make sure you are satisfied with the final solution. It is part of our commitment to quality service!

Lead Time

In general, standard lead time for a design-build lighting project is 3-5 business days. This timeframe is flexible, and subject to change based upon specific project parameters and urgency. Once your project is initiated, you will be assigned a project manager who will handle your project every step of the way.

AutoCAD Capabilities: Streamlining the Process

Werner Electric's Lighting Design team can seamlessly and cost-effectively combine new lighting layouts with existing architectural drawings using AutoCAD. We can import electronic files of your building's layout into AutoCAD and use these plans as the template to create your new lighting layout. As a result you don't have to keep track of several different sets of plans and you don't have to waste time and money making extra copies. Similarly, we can place your lighting layout over the top of your new construction drawings without extra effort or expense on your part.

Project Coordination

Werner Electric Supply offers complete coordination of your lighting projects. A coordinator is assigned to your lighting project to handle the details, including:

- Confirming P.O., Bill of Materials, and Terms and Conditions
- Entering the orders with the manufacturers
- Tracking and expediting the orders
- Sending you at least weekly status/expedite reports of the products you have on order
- Preparation of shop drawings and submittals
- Preparation of O & M's if necessary
- Price and implement all change orders and reconcile billings
- Coordinating replacements for damaged and defective fixtures and lamps

We have an entire team of project coordinators. If your assigned coordinator is unavailable one of the others can step in and assist. Project documentation is accessible to our entire team, so they are *all* able to provide the information you need. We carefully track the progress of your project, and we work diligently to keep you informed of any problems or delays. When your work force is on hand, but your materials are not, you may be wasting money. So, we work to make sure you don't find yourself in that situation.

Internal Staging of Lighting Projects

To make your lighting project easier to manage, we can now store project materials in our warehouses for release to job sites on an as-needed basis.

Werner Electric takes care of:

- Replacement of damaged fixtures before they are needed on the job site
- Freight claims on damaged product
- Expediting to ensure that the product is available when needed
- Packing and grouping to meet your needs as you release product
- Delivery to your job site when you actually need the product
- Professionally receiving materials so that your electricians don't need to become material handlers.

Project staging is a value-added service for our customers, not a profit generator. So our staging costs are minimal - based on the number of shipments, size of the order and complexity of the job.

Product Lines

Ballasts

Advance Transformer
Keystone

Commercial Fixtures

Cooper Lighting/Eaton
Day-Brite
Hubbell Lighting
Acuity Brands (Juno/Lithonia)
RAB

Dimmers, Photo Control, Occupancy Sensors

Hubbell Wiring Devices
Tork
Leviton
Lutron
Sensor Switch
Wattstopper

Dock Lights

TPI
Phoenix

Emergency

Dual-Lite
Sure-Lites
Lithonia

Explosion Proof

Crouse-Hinds/Eaton
Dialight
Appleton
General Electric
Hubbell Lighting
Killark/Hubbell

Industrial Fixtures

Cooper Lighting/Eaton
Day-Brite
General Electric
Holophane
Hubbell Lighting
Acuity Brands (Juno/Lithonia)
RAB

Lamps

Phillips
Shat-R-Shield
Keystone

Mini Lamps

EIKO

Sign Lamps

Keystone

Louvers, Lenses

CA Lighting & Lenses
Louvers International

Control Systems

Douglas Lighting Controls
Cooper - Greengate
Hubbell Wiring
Intelligent Lighting Controls
Leviton
Lutron
NexLight
Wattstopper

Temporary Lighting

Southwire

Locations



Northwest, Northeast, and Southwest WI Region Branches

Appleton

4800 W. Prospect Ave.
Appleton, WI 54914
Phone: 920-815-4050
Fax: 920-815-4060

Green Bay

3055 Holmgren Way
Green Bay, WI 54304
Phone: 920-337-6700
Fax: 920-337-6710

Janesville

1000 N. Parker Dr.
Janesville, WI 53545
Phone: 608-752-9496
Fax: 608-752-5810

Stevens Point

2728 Church St.
Stevens Point, WI 54481
Phone: 715-344-6385
Fax: 715-344-0199

Fond Du Lac

1301 Capital Dr.
Fond du Lac, WI 54937
Phone: 920-924-4500
Fax: 920-924-4510

Iron Mountain

1400 Breitung Ave.
Kingsford, MI 49802
Phone: 906-779-5040
Fax: 906-779-5033

Madison

4428 Pflaum Rd.
Madison, WI 53716
Phone: 608-221-0090
Fax: 608-221-4559

Wausau

7900 Highland Dr.
Wausau, WI 54401
Phone: 715-845-8808
Fax: 715-845-6545

Southeast WI Region Branches

Kenosha

4611 68th Ave.
Kenosha, WI 53144
Phone: 262-997-6225
Fax: 262-997-6226

Pewaukee

W238 N1777 Rockwood Dr.
Pewaukee, WI 53188
Phone: 262-436-5676
Fax: 262-436-0667

Sheboygan Falls

47 Englewood Ct.
Sheboygan Falls, WI 53085
Phone: 920-694-3300
Fax: 920-694-3301



866-4-WERNER • WernerElectric.com