




ILSCO PERMAGROUND® GROUNDING PRODUCTS









Rebar


Ground Rod



• Connects 90° intersecting

grid wires or rebar







• U-Bolt ground clamp for pipes, rods, rebar, and fence posts





- For current carrying and grounding/bonding applications
- 1000 kcmil 10 AWG wires
- Up to 750/777 flex/DLO wires
- Up to #2 solid wires
- Rated for direct burial











Protecting People, Equipment and Property

ILSCO's PermaGround® system serves to protect by offering a safe and reliable connection. Our versatile mechanical and compression connectors meet all grounding and bonding requirements of national and local electrical codes. Design versatility enables the installer freedom to customize grids for unique site requirements. PermaGround delivers safe installation and labor savings compared to exothermic.

PermaGround... Any Condition, Any Time.



Cost comparison of Compression vs. Exothermic Grounding

(4/0 to #2 application)

*Cost comparison in U.S. funds.

	PermaGround®	Exothermic
Material Cost	\$30.38	\$17.31
Installation Cost	\$3.25	\$32.70
Total (Material + Labor)	\$33.63	\$50.01





More than a connector company, ILSCO is a connections company. CONNECTIONS MATTER.

ILSCO of Canada

615 B Orwell Street Mississauga, Ontario, L5A 2W4 tf 800.665.2607, t 905.274.2341 f 905.274.8763 orders@ilsco.com www.ilsco.ca

ILSCO

4730 Madison Road Cincinnati, Ohio 45227 800.776.9775 Tech Support 888.776.5047 sales@ilsco.com www.ilsco.com











