






# Appleton™ LED Luminaires Retrofit Selection Guide


## Mercmaster™ LED Generation 3 & Mercmaster LED Low Profile Luminaires | Industrial and Hazardous, Standard and Emergency Versions ①

Both Appleton luminaires mount to the following competitor and Appleton legacy hoods with the corresponding mounting adapter.

| Manufacturer ②         | Installed Mounting     |                                   | Appleton Retrofit Solution |   |
|------------------------|------------------------|-----------------------------------|----------------------------|---|
|                        | Mounting               | Part Number                       | Part Number                | Product Image   |
| Killark™               | Pendant                | VMA2B, VMA3B                      | MMADKVA                    |  |
|                        | Ceiling                | VMX2B, VMX3B, VMX6B, VMX7B, VMX9B |                            |   |
|                        | Wall                   | VMB2B, VMB3B                      |                            |   |
|                        | Stanchion              | VMD4B, VMD5B, VMS4B, VMS5B        |                            |   |
|                        | Pendant Cone           | VMC2B, VMC3B                      |                            |   |
| Crouse-Hinds™ Champ®   | Pendant                | APM2/3                            | MMADCHVS                   |  |
|                        | Ceiling                | CM2/3                             |                            |   |
|                        | Flexible Pendant       | HPM2                              |                            |   |
|                        | Wall                   | TWM2/3                            | MMADCHVA                   |  |
|                        | 25° Angle Stanchion    | JM5                               |                            |   |
|                        | 90° Straight Stanchion | PM5                               |                            |   |
| Appleton Mercmaster II | Pendant                | LPA75/100                         | MMADIIS                    |  |
|                        | Ceiling                | LPC75/100                         |                            |   |
|                        | Wall                   | LPWB75, LPWB100                   | MMADIIA                    |  |
|                        | 25° Angle Stanchion    | LPS125, LPS150                    |                            |   |

## Contender™ LED Luminaires | Industrial and Hazardous Versions ①

Mounts directly to the following Crouse-Hinds™ Champ® VMV and PVM mounting hoods. No adapter needed.

| Manufacturer ②       | Installed Mounting     |             | Appleton Retrofit Solution |   |
|----------------------|------------------------|-------------|----------------------------|---|
|                      | Mounting               | Part Number | Series Prefix              | Product Image   |
| Crouse-Hinds™ Champ® | Pendant                | APM2, APM3  | IVMV, VMV                  |  |
|                      | Ceiling                | HPM2        |                            |   |
|                      | Flexible Pendant       | CM2, CM3    |                            |   |
|                      | Wall                   | TWM2, TWM3  |                            |   |
|                      | Quad                   | QM25        |                            |   |
|                      | 25° Angle Stanchion    | JM5         |                            |   |
|                      | 90° Straight Stanchion | PM5         |                            |   |

① For complete Series ordering information, please refer to specific product catalog pages.

② Killark is a registered trademark of Killark Manufacturing Company; Crouse-Hinds and Champ are registered trademarks of Cooper Industries, Inc.

**APPLETON™**

United States: 1.800.621.1506 | Asia/Pacific: + 65.6556.1100 | Australia: + 61.3.9721.0387  
 Canada: + 1.888.765.2226 | China: + 86.21.3338.7000 | Europe: + 33.3.22.54.13.90  
 Mexico/Latin America: + 52.55.5809.5049 | Middle East/Africa/India: + 971.4.811.8100  
[www.masteringled.com](http://www.masteringled.com)


  
**EMERSON™**

Appleton Grp LLC d/b/a Appleton Group. The Appleton and Emerson logos are registered in the U.S. Patent and Trademark Office.  
 All other product or service names are the property of their registered owners. © March 2025, Appleton Grp LLC. All rights reserved.

# Appleton™ LED Luminaires Retrofit Selection Guide






## IHC LED High Lumen Output High Bay Luminaires | Industrial Versions ①

Appleton bracket mounting holes align with competitor and Appleton bracket mounting holes for the following series.

| Manufacturer ②       | Installed Mounting                         |   |                   | Appleton Retrofit Solution |   |
|----------------------|--|---|-------------------|----------------------------|---|
|                      | Series                                     | Mounting/Bolt Pattern   | Part Number       | Part Number                | Product Image   |
| Holophane™           | PhuzionL™ Large LED High Bay               | Quick disconnect  | PHZL - QD         | IHCBRKTL                   |  |
| Dialight™            | Vigilant® LED Dual Floodlight              | Stainless steel trunnion mounting bracket                           | FDU - 304         |                            |   |
|                      | Vigilant® LED High Bay                     | Stainless steel bracket - and stainless steel forward throw bracket | HBXW3 - SSL - xxx |                            |   |
| Crouse-Hinds™ Champ® | Champ® Pro PFMA High Lumen LED Floodlights | Yoke bracket - up to 25L size fixture                               | PFMA - Y          |                            |   |
| Appleton             | Areamaster™ Generation 2 LED Luminaire     | Yoke bracket - two outer holes                                      | AMLYMAB, AMLYMSS  |                            |   |

## Rigmaster™ LED Linear Luminaires | Industrial and Hazardous, Standard and Emergency Versions ①

Appleton bracket mounting holes align with competitor bracket mounting holes for the following series.

| Manufacturer ②          | Installed Mounting   |                                    |             | Appleton Retrofit Solution  |   |   |
|-------------------------|--|------------------------------------|-------------|---|---|---|
|                         | Series   | Mounting/Bolt Pattern              | Part Number | Small Swivel  | Large Swivel  | Low Profile   |
|                         |  |                                    |             |    |    |  |
| Dialight™               | DuroSite® LED Linear,<br>Vigilant® LED Linear,<br>SafeSite® LED Linear - Top Conduit | Optional swivel bracket            | LTXW4       | —   | RMLSB   | RMLPB   |
|                         |  | Optional low profile bracket       | LTXW4LP     | RMSSB   | RMLSB   | —   |
| Crouse-Hinds™<br>Champ® | DuroSite® LED Linear - Battery Backup, SafeSite® LED Linear - Battery Backup         | Aluminum mounting bracket          | LSXW4       | —   | RMLSB   | RMLPB   |
|                         | Champ® MLL Series Linear LED Luminaire   | Flush ceiling                      | DP1057MTK   | —   | —   | —   |
| Rig-A-Lite™             | MHL LED, MHLS  | Mounting bracket - ceiling or wall | 53050       | RMSSB   | RMLSB   | —   |
| Manufacturer ②          | Installed Mounting   |                                    |             | Appleton Retrofit Solution  |   |   |
|                         | Series   | Mounting/Bolt Pattern              | Part Number | Standard Swivel   | Low Profile   |   |
|                         |  |                                    |             |  |  |   |
| Dialight™               | DuroSite® LED Linear,<br>Vigilant® LED Linear,<br>SafeSite® LED Linear - Top Conduit | Optional swivel bracket            | LTXW4       | RMHLSB  | RMHLPB  |   |
|                         |  | Optional low profile bracket       | LTXW4LP     | RMHLSB  | RMHLPB  |   |
| Crouse-Hinds™<br>Champ® | DuroSite® LED Linear - Battery Backup, SafeSite® LED Linear - Battery Backup         | Aluminum mounting bracket          | LSXW4       | RMHLSB  | RMHLPB  |   |
|                         | Champ® MLL Series Linear LED Luminaire   | Flush ceiling                      | DP1057MTK   | RMHLSB  | RMHLPB  |   |
| Rig-A-Lite™             | MHL LED, MHLS  | Mounting bracket - ceiling or wall | 53050       | RMHLSB  | RMHLPB  |   |

① For complete Series ordering information, please refer to specific product catalog pages.

② Crouse-Hinds and Champ are registered trademarks of Cooper Industries, Inc.; Dialight, Vigilant, DuroSite, and SafeSite are registered trademarks of Dialight Corporation; Holophane and Phuzion are registered trademarks of Holophane Company, Inc.; Rig-A-Lite is a registered trademark of AZZ, Inc.

**APPLETON™**

United States: 1.800.621.1506 | Asia/Pacific: + 65.6556.1100 | Australia: + 61.3.9721.0387  
 Canada: + 1.888.765.2226 | China: + 86.21.3338.7000 | Europe: + 33.3.22.54.13.90  
 Mexico/Latin America: + 52.55.5809.5049 | Middle East/Africa/India: + 971.4.811.8100  
 www.masteringled.com

Appleton Grp LLC d/b/a Appleton Group. The Appleton and Emerson logos are registered in the U.S. Patent and Trademark Office. All other product or service names are the property of their registered owners. © March 2025, Appleton Grp LLC. All rights reserved.

  
**EMERSON™**

# Appleton™ LED Luminaires Retrofit Selection Guide

## Retromaster™ LED Series Luminaires ①

The Retromaster LED fixture certified to mount to the following Appleton legacy hoods.

| Manufacturer | Installed Mounting                   |               |                          | Appleton Retrofit Solution                    |   |   |
|--------------|--------------------------------------|---------------|--------------------------|---|---|---|
|              | Series                               | Mounting      | Part Number              | Part Number                                   | Product Image   |   |
| Appleton     | V-51™ Incandescent (NEC Only)        | Pendant       | VA50, VA75, VA100, VA125 | VAD1M + RETROLEDV1BU,<br>VAD2M + RETROLEDV5BU |    |    |
|              |                                      | Ceiling       | V50, V75                 |   |   |   |
|              |                                      |               | VC50, VC75               |   |   |   |
|              |                                      |               | VT50, VT75               |   |   |   |
|              |                                      |               | VX50, VX75               |   |   |   |
|              |                                      |               | VXHA50, VXHA75, VXHA100  |   |   |   |
|              |                                      |               | GS2                      |   |   |   |
|              |                                      |               | JB1                      |   |   |   |
|              |                                      |               | OBV1                     |   |   |   |
|              |                                      | Wall          | VGA50, VGA75             |   |   |   |
|              |                                      |               | VD50, VD75               |   |   |   |
|              |                                      |               | VGAT50, VGAT75           |   |   |   |
|              |                                      |               | GSW2                     |   |   |   |
|              |                                      |               | JBW1                     |   |   |   |
|              |                                      |               | OBVW1                    |   |   |   |
|              | Stylmaster™ Incandescent (NEC/CEC)   | Pendant       | VPA50, VPA75             | RETROLEDV1BU,<br>RETROLEDV5BU                 |    |    |
|              |                                      | Ceiling       | VPX50, VPX75             |   |   |   |
|              |                                      | 45° Stanchion | VPAN125                  |   |   |   |
|              |                                      | Wall          | VPWB50, VPWB75           |   |   |   |
|              | V/VH - Low Lumen (NEC/CEC)           | Pendant       | VA140, VA240             | RETROLEDV1BU,<br>RETROLEDV5BU                 |  |  |
|              |                                      | Ceiling       | VGPX140, VGPX240         |   |   |   |
|              |                                      | Wall          | VGSX140, VGSX240         |   |   |   |
|              | Stylmaster-C Incandescent (CEC Only) | Pendant       | VCA75                    | RETROLEDV1BU,<br>RETROLEDV5BU                 |  |  |
|              |                                      | Ceiling       | VCX75                    |   |   |   |
|              |                                      |               | VCOB1                    |   |   |   |
|              |                                      | 45° Stanchion | VCAN125                  |   |   |   |
|              |                                      | Wall          | VCWB75                   |   |   |   |
|              |                                      |               | VCOBW1                   |   |   |   |
|              |                                      |               | VCW75                    |   |   |   |
|              | Mercmaster™ Jr. (HPS) (NEC Only)     | Pendant       | VMA75, VMA100            | VAD1M + RETROLEDV1BU,<br>VAD2M + RETROLEDV5BU |  |  |

① For complete Series ordering information, please refer to specific product catalog pages.

**APPLETON™**

United States: 1.800.621.1506 | Asia/Pacific: + 65.6556.1100 | Australia: + 61.3.9721.0387  
 Canada: + 1.888.765.2226 | China: + 86.21.3338.7000 | Europe: + 33.3.22.54.13.90  
 Mexico/Latin America: + 52.55.5809.5049 | Middle East/Africa/India: + 971.4.811.8100  
 www.masteringled.com


Appleton Grp LLC d/b/a Appleton Group. The Appleton and Emerson logos are registered in the U.S. Patent and Trademark Office.  
 All other product or service names are the property of their registered owners. © March 2025, Appleton Grp LLC. All rights reserved.

  
**EMERSON™**

# Appleton™ LED Luminaires Retrofit Selection Guide

## Retromaster™ LED Series Luminaires ①

The Retromaster LED fixture certified to mount to the following competitor hoods.

| Manufacturer ② | Installed Mounting          |              |                       | Appleton Retrofit Solution |   |   |
|----------------|-----------------------------|--------------|-----------------------|----------------------------|---|---|
|                | Series                      | Mounting     | Part Number           | Part Number                | Product Image   |   |
| Killark™       | V Incandescent<br>(NEC/CEC) | Fixture Body | VFC-100, VXF-C100 N34 | RETROLEDV1BU               |  | — |
|                |                             | Pendant      | VGA-1, VGA-2          |                            |   |   |
|                |                             | Ceiling      | VGH-1, VGH-2          |                            |   |   |
|                |                             |              | VGC-1, VGC-2          |                            |   |   |
|                |                             |              | VGX-1, VGX-2          |                            |   |   |
|                |                             |              | VXA-1, VXA-2          |                            |   |   |
|                |                             |              | VBC-1, VBC-2          |                            |   |   |
|                |                             | Wall         | VB-1, VB-2            |                            |   |   |
|                |                             | Stanchion    | VD-4                  |                            |   |   |

① For complete Series ordering information, please refer to specific product catalog pages.

② Killark is a registered trademark of Killark Manufacturing Company.

