

Eaton LS-S11-ZB

Catalog Number: LS-S11-ZB

Safety Interlock Switch, LS-Titan, Cabinet door interlock, Screw Terminals, 6A at 230 Vac, 3A at 24 Vdc, Miniature DIN, 1NO-1NC with positive opening contact



General specifications

Product Name	Catalog Number
Eaton LS-Titan miniature DIN limit switch LS-S11-ZB	
UPC	Product Length/Depth
786685393858	3.78 in
Product Height	Product Width
1.18 in	1.18 in
Product Weight	Certifications
0.1 lb	UL Listed

Product specifications

Contact configuration

1 NO-1 NC with positive opening contact

Switch type

Cabinet door interlock

Operating temperature - min

-13 °F

Maximum AC current

6 A at 230 Vac

Maximum DC current

3 A at 24 Vdc

Connection

Screw terminal

Mounting method

Miniature DIN rail

Enclosure material

Plastic

Series

LS-Titan

Type

LS-Titan

Contact Rating

6A at 230 Vac, 3A at 24 Vdc

Operating temperature - max

158 °F

Environmental rating

IP65

Resources

Brochures

[LS-Titan Safety Limit Switches](#)

Catalogs

[Eaton's Volume 8—Sensing Solutions](#)

Specifications and datasheets

[Eaton Specification Sheet - LS-S11-ZB](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)