

QLine I, Type 4X



INDUSTRY STANDARDS

UL 508A Listed; Type 4, 4X, 12, 13; File No. E61997
cUL Listed per CSA C22.2 No 94; Type 4, 4X, 12, 13;
File No. E61997

Enclosure flammability evaluated per UL 508A

NEMA/EEMAC Type 4, 4X, 12, 13
CSA File No. 42186: Type 4, 4X, 12, 13
IEC 60529, IP66

ABS Enclosure

IEC 60529, IP66

APPLICATION

The largest-sized QLine enclosure, QLine I provides easy access and protects larger controls from corrosive environments. Choose from screw cover, hinge, internal mounting, variable depth and quick-release latch options to meet your design and security requirements.

The ABI series shares the same features and similar physical properties as the polycarbonate but is a more economical, non-UL rated alternative.

SPECIFICATIONS

- Body is impact-resistant polycarbonate for PCI series and ABS for ABI series
- Opaque and clear covers are impact-resistant polycarbonate for PCI; opaque covers are ABS for ABI series
- Polycarbonate and ABS material is easily punched, drilled, filed or sawed
- Mounting holes molded directly under cover screws
- Molded internal pads for mounting optional panels, rails and other components
- Molded internal rails for mounting adjustable-depth panel kit
- Screws provided for mounting optional panel
- Optional extension rings are molded polycarbonate
- Cover includes a molded-in hole for wire lead
- Seamless foam-in-place gasket assures water-tight and dust-tight seal
- Material is halogen-free

Screw Cover Enclosures have easy-to-remove covers attached to body with strong, durable polyamide cross-point cover screws.

Enclosures with Quick-Release Latches have polycarbonate hinges and polyester latches with a padlock provision.

FINISH

Polycarbonate and ABS enclosure material is RAL 7035 light-gray inside and out. Optional panels are plated steel.

ACCESSORIES

- Brass Insert Kit
- Cover Screw Kit
- Extension Rings
- Hardware Kit
- Hinge Kit
- HOL-SEALERS Non-Metallic Hole Seals
- Mounting Bracket Kit
- Panel Depth Fitting

MODIFICATION AND CUSTOMIZATION

nVent HOFFMAN excels at modifying and customizing products to your specifications. Contact your local nVent HOFFMAN sales office or distributor for complete information.

BULLETIN: Q41


Catalog Number	A × B × C mm/in	Cover Style	Cover Type	External Dim's L × W mm/in	Panel	Panel Size D × E mm/in.	Extension Ring	Mounting G × H mm/in	F mm/in	P mm/in	Q mm/in	R mm/in	S mm/in	T mm/in	U mm/in	Y mm/in	Z mm/in
Q202013PCI	188 × 188 × 123 7.40 × 7.40 × 4.84	Opaque	Screw Cover	200 × 200 7.87 × 7.87	Q2020PI	160 × 160 6.30 × 6.30	Q2020EXTI	180 × 180 7.09 × 7.09	115 4.53	150 5.91	150 5.91	140 5.51	140 5.51	120 4.72	110 4.33	100 3.94	100 3.94
Q202013PCICC	188 × 188 × 123 7.40 × 7.40 × 4.84	Clear	Screw Cover	200 × 200 7.87 × 7.87	Q2020PI	160 × 160 6.30 × 6.30	Q2020EXTI	180 × 180 7.09 × 7.09	115 4.53	150 5.91	150 5.91	140 5.51	140 5.51	120 4.72	110 4.33	100 3.94	100 3.94
Q202013PCIQRCCR	200 × 200 × 130 7.87 × 7.87 × 5.12	Clear	QR Latch	200 × 200 7.87 × 7.87	Q2020PI	160 × 160 6.30 × 6.30	—	180 × 180 7.09 × 7.09	115 4.53	150 5.91	150 5.91	140 5.51	140 5.51	120 4.72	110 4.33	100 3.94	100 3.94
Q202013PCIQRR	200 × 200 × 130 7.87 × 7.87 × 5.12	Opaque	QR Latch	200 × 200 7.87 × 7.87	Q2020PI	160 × 160 6.30 × 6.30	—	180 × 180 7.09 × 7.09	115 4.53	150 5.91	150 5.91	140 5.51	140 5.51	120 4.72	110 4.33	100 3.94	100 3.94
Q202018PCI	188 × 188 × 173 7.40 × 7.40 × 6.81	Opaque	Screw Cover	200 × 200 7.87 × 7.87	Q2020PI	160 × 160 6.30 × 6.30	Q2020EXTI	180 × 180 7.09 × 7.09	165 6.50	150 5.91	150 5.91	140 5.51	140 5.51	120 4.72	110 4.33	100 3.94	100 3.94
Q202018PCICC	188 × 188 × 173 7.40 × 7.40 × 6.81	Clear	Screw Cover	200 × 200 7.87 × 7.87	Q2020PI	160 × 160 6.30 × 6.30	Q2020EXTI	180 × 180 7.09 × 7.09	165 6.50	150 5.91	150 5.91	140 5.51	140 5.51	120 4.72	110 4.33	100 3.94	100 3.94
Q202018PCIQRCCR	200 × 200 × 180 7.87 × 7.87 × 7.09	Clear	QR Latch	200 × 200 7.87 × 7.87	Q2020PI	160 × 160 6.30 × 6.30	—	180 × 180 7.09 × 7.09	165 6.50	150 5.91	150 5.91	140 5.51	140 5.51	120 4.72	110 4.33	100 3.94	100 3.94
Q202018PCIQRR	200 × 200 × 180 7.87 × 7.87 × 7.09	Opaque	QR Latch	200 × 200 7.87 × 7.87	Q2020PI	160 × 160 6.30 × 6.30	—	180 × 180 7.09 × 7.09	115 6.50	150 5.91	150 5.91	140 5.51	140 5.51	120 4.72	110 4.33	100 3.94	100 3.94
Q302013PCI	288 × 188 × 123 11.34 × 7.40 × 4.84	Opaque	Screw Cover	300 × 200 11.81 × 7.87	Q3020PI	260 × 160 10.24 × 6.30	Q3020EXTI	280 × 180 11.02 × 7.09	115 4.53	150 5.91	250 9.84	140 5.51	240 9.45	120 4.72	110 4.33	100 3.94	200 7.87
Q302013PCICC	288 × 188 × 123 11.34 × 7.40 × 4.84	Clear	Screw Cover	300 × 200 11.81 × 7.87	Q3020PI	260 × 160 10.24 × 6.30	Q3020EXTI	280 × 180 11.02 × 7.09	115 4.53	150 5.91	250 9.84	140 5.51	240 9.45	120 4.72	110 4.33	100 3.94	200 7.87
Q302013PCIQRCCR	300 × 200 × 130 11.81 × 7.87 × 5.12	Clear	QR Latch	300 × 200 11.81 × 7.87	Q3020PI	260 × 160 10.24 × 6.30	—	280 × 180 11.02 × 7.09	115 4.53	150 5.91	250 9.84	140 5.51	240 9.45	120 4.72	110 4.33	100 3.94	200 7.87
Q302013PCIQRR	300 × 200 × 130 11.81 × 7.87 × 5.12	Opaque	QR Latch	300 × 200 11.81 × 7.87	Q3020PI	260 × 160 10.24 × 6.30	—	280 × 180 11.02 × 7.09	115 4.53	150 5.91	250 9.84	140 5.51	240 9.45	120 4.72	110 4.33	100 3.94	200 7.87
Q302018PCI	288 × 188 × 173 11.34 × 7.40 × 6.81	Opaque	Screw Cover	300 × 200 11.81 × 7.87	Q3020PI	260 × 160 10.24 × 6.30	Q3020EXTI	280 × 180 11.02 × 7.09	165 6.50	150 5.91	250 9.84	140 5.51	240 9.45	120 4.72	110 4.33	100 3.94	200 7.87
Q302018PCICC	288 × 188 × 173 11.34 × 7.40 × 6.81	Clear	Screw Cover	300 × 200 11.81 × 7.87	Q3020PI	260 × 160 10.24 × 6.30	Q3										


Catalog Number	A × B × C mm/in	Cover Style	Cover Type	External Dim's L × W mm/in	Panel	Panel Size D × E mm/in.	Extension Ring	Mounting G × H mm/in	F mm/ in	P mm/ in	Q mm/ in	R mm/ in	S mm/ in	T mm/ in	U mm/ in	Y mm/ in	Z mm/ in
Q403018PCIQRCCR	400×300×180 15.75×11.81×7.09	Clear	QR Latch	400×300 15.75×11.81	Q4030PI	360×260 14.17×10.24	—	380×280 14.96×11.02	165 6.50	250 9.84	350 13.78	240 9.45	340 13.39	220 8.66	310 12.20	200 7.87	300 11.81
Q403018PCIQRR	400×300×180 15.75×11.81×7.09	Opaque	QR Latch	400×300 15.75×11.81	Q4030PI	360×260 14.17×10.24	—	380×280 14.96×11.02	165 6.50	250 9.84	350 13.78	240 9.45	340 13.39	220 8.66	310 12.20	200 7.87	300 11.81
Q404013PCI	394.02×394.02×123 15.51×15.51×4.84	Opaque	Screw Cover	400×400 15.75×15.75	Q4040PI	360×360 14.17×14.17	Q4040EXTI	380×380 14.96×14.96	115 4.53	350 13.78	350 13.78	340 13.39	340 13.39	310 12.2	310 12.2	300 11.81	300 11.81
Q404013PICC	394.02×394.02×123 15.51×15.51×4.84	Clear	Screw Cover	400×400 15.75×15.75	Q4040PI	360×360 14.17×14.17	Q4040EXTI	380×380 14.96×14.96	115 4.53	350 13.78	350 13.78	340 13.39	340 13.39	310 12.2	310 12.2	300 11.81	300 11.81
Q404013PCIQRCCR	394.02×394.02×123 15.51×15.51×4.84	Clear	QR Latch	400×400 15.75×15.75	Q4040PI	360×360 14.17×14.17	—	380×380 14.96×14.96	115 4.53	350 13.78	350 13.78	340 13.39	340 13.39	310 12.2	310 12.2	300 11.81	300 11.81
Q404013PCIQRR	394.02×394.02×123 15.51×15.51×4.84	Opaque	QR Latch	400×400 15.75×15.75	Q4040PI	360×360 14.17×14.17	—	380×380 14.96×14.96	115 4.53	350 13.78	350 13.78	340 13.39	340 13.39	310 12.2	310 12.2	300 11.81	300 11.81
Q404018PCI	394.02×394.02×178 15.51×15.51×7.01	Opaque	Screw Cover	400×400 15.75×15.75	Q4040PI	360×360 14.17×14.17	Q4040EXTI	380×380 14.96×14.96	170 6.69	350 13.78	350 13.78	340 13.39	340 13.39	310 12.2	310 12.2	300 11.81	300 11.81
Q404018PICC	394.02×394.02×178 15.51×15.51×7.01	Clear	Screw Cover	400×400 15.75×15.75	Q4040PI	360×360 14.17×14.17	Q4040EXTI	380×380 14.96×14.96	170 6.69	350 13.78	350 13.78	340 13.39	340 13.39	310 12.2	310 12.2	300 11.81	300 11.81
Q404018PCIQRCCR	394.02×394.02×178 15.51×15.51×7.01	Clear	QR Latch	400×400 15.75×15.75	Q4040PI	360×360 14.17×14.17	—	380×380 14.96×14.96	170 6.69	350 13.78	350 13.78	340 13.39	340 13.39	310 12.2	310 12.2	300 11.81	300 11.81
Q404018PCIQRR	394.02×394.02×178 15.51×15.51×7.01	Opaque	QR Latch	400×400 15.75×15.75	Q4040PI	360×360 14.17×14.17	—	380×380 14.96×14.96	170 6.69	350 13.78	350 13.78	340 13.39	340 13.39	310 12.2	310 12.2	300 11.81	300 11.81
Q603013PCI	600×300×130 23.62×11.81×5.12	Opaque	Screw Cover	600×300 23.62×11.81	Q6030PI	560×260 22.05×10.24	Q6030EXTI	580×280 22.83×11.02	115 4.53	250 9.84	550 21.65	240 9.45	540 21.26	220 8.66	510 20.08	200 7.87	500 19.69
Q603013PICC	600×300×130 23.62×11.81×5.12	Clear	Screw Cover	600×300 23.62×11.81	Q6030PI	560×260 22.05×10.24	Q6030EXTI	580×280 22.83×11.02	115 4.53	250 9.84	550 21.65	240 9.45	540 21.26	220 8.66	510 20.08	200 7.87	500 19.69
Q603013PCIQRCCR	600×300×130 23.62×11.81×5.12	Clear	QR Latch	600×300 23.62×11.81	Q6030PI	560×260 22.05×10.24	—	580×280 22.83×11.02	115 4.53	250 9.84	550 21.65	240 9.45	540 21.26	220 8.66	510 20.08	200 7.87	500 19.69
Q603013PCIQRR	600×300×130 23.62×11.81×5.12	Opaque	QR Latch	600×300 23.62×11.81	Q6030PI	560×260 22.05×10.24	—	580×280 22.83×11.02	115 4.53	250 9.84	550 21.65	240 9.45	540 21.26	220 8.66	510 20.08	200 7.87	500 19.69
Q603018PCI	600×300×180 23.62×11.81×7.09	Opaque	Screw Cover	600×300 23.62×11.81	Q6030PI	560×260 22.05×10.24	Q6030EXTI	580×280 22.83×11.02	165 6.50	250 9.84	550 21.65	240 9.45	540 21.26	220 8.66	510 20.08	200 7.87	500 19.69
Q603018PICC	600×300×180 23.62×11.81×7.09	Clear	Screw Cover	600×300 23.62×11.81	Q6030PI	560×260 22.05×10.24	Q6030EXTI	580×280 22.83×11.02	165 6.50	250 9.84	550 21.65	240 9.45	540 21.26	220 8.66	510 20.08	200 7.87	500 19.69
Q603018PCIQRCCR	600×300×180 23.62×11.81×7.09	Clear	QR Latch	600×300 23.62×11.81	Q6030PI	560×260 22.05×10.24	—	580×280 22.83×11.02	165 6.50	250 9.84	550 21.65	240 9.45	540 21.26	220 8.66	510 20.08	200 7.87	500 19.69
Q603018PCIQRR	600×300×180 23.62×11.81×7.09	Opaque	QR Latch	600×300 23.62×11.81	Q6030PI	560×260 22.05×10.24	—	580×280 22.83×11.02	165 6.50	250 9.84	550 21.65	240 9.45	540 21.26	220 8.66	510 20.08	200 7.87	500 19.69
Q604013PCI	600×400×130 23.62×15.75×5.12	Opaque	Screw Cover	600×400 23.62×15.75	Q6040PI	560×360 22.05×14.17	Q6040EXTI	580×380 22.83×14.96	115 4.53	350 13.78	550 21.65	340 13.39	540 21.26	320 12.60	510 20.08	300 11.81	500 19.69
Q604013PICC	600×400×130 23.62×15.75×5.12	Clear	Screw Cover	600×400 23.62×15.75	Q6040PI	560×360 22.05×14.17	Q6040EXTI	580×380 22.83×14.96	115 4.53	350 13.78	550 21.65	340 13.39	540 21.26	320 12.60	510 20.08	300 11.81	500 19.69
Q604013PCIQRCCR	600×400×130 23.62×15.75×5.12	Clear	QR Latch	600×400 23.62×15.75	Q6040PI	560×360 22.05×14.17	—	580×380 22.83×14.96	115 4.53	350 13.78	550 21.65	340 13.39	540 21.26	320 12.60	510 20.08	300 11.81	500 19.69
Q604013PCIQRR	600×400×130 23.62×15.75×5.12	Opaque	QR Latch	600×400 23.62×15.75	Q6040PI	560×360 22.05×14.17	—	580×380 22.83×14.96	115 4.53	350 13.78	550 21.65	340 13.39	540 21.26	320 12.60	510 20.08	300 11.81	500 19.69
Q604018PCI	600×400×180 23.62×15.75×7.09	Opaque	Screw Cover	600×400 23.62×15.75	Q6040PI	560×360 22.05×14.17	Q6040EXTI	580×380 22.83×14.96	165 6.50	350 13.78	550 21.65	340 13.39	540 21.26	320 12.60	510 20.08	300 11.81	500 19.69
Q604018PICC	600×400×180 23.62×15.75×7.09	Clear	Screw Cover	600×400 23.62×15.75	Q6040PI	560×360 22.05×14.17	Q6040EXTI	580×380 22.83×14.96	165 6.50	350 13.78	550 21.65	340 13.39	540 21.26	320 12.60	510 20.08	300 11.81	500 19.69
Q604018PCIQRCCR	600×400×180 23.62×15.75×7.09	Clear	QR Latch	600×400 23.62×15.75	Q6040PI	560×360 22.05×14.17	—	580×380 22.83×14.96	165 6.50	350 13.78	550 21.65	340 13.39	540 21.26	320 12.60	510 20.08	300 11.81	500 19.69
Q604018PCIQRR	600×400×180 23.62×15.75×7.09	Opaque	QR Latch	600×400 23.62×15.75	Q6040PI	560×360 22.05×14.17	—	580×380 22.83×14.96	165 6.50	350 13.78	550 21.65	340 13.39	540 21.26	320 12.60	510 20.08	300 11.81	500 19.69

A x B x C are internal dimensions.
Purchase panels and extension rings separately.


STANDARD PRODUCT ABS, SCREW COVER

Catalog Number	A × B × C mm/in	Cover Style	External Dim's L × W mm/in	Panel	Panel Size D × E mm/in	Extension Ring	Mounting G × H mm/in	F mm/ in	P mm/ in	Q mm/ in	R mm/ in	S mm/ in	T mm/ in	U mm/ in	Y mm/ in	Z mm/ in
Q202013ABI	188 × 188 × 123 7.40 × 7.40 × 4.84	Opaque	200 × 200 7.87 × 7.87	Q2020PI	160 × 160 6.30 × 6.30	Q2020EXTI	180 × 180 7.09 × 7.09	115 4.53	150 5.91	150 5.91	140 5.51	140 5.51	120 4.72	110 4.33	100 3.94	100 3.94
Q202013ABICC	200 × 200 × 130 7.87 × 7.87 × 5.12	Clear	200 × 200 7.87 × 7.87	Q2020PI	160 × 160 6.30 × 6.30	Q2020EXTI	180 × 180 7.09 × 7.09	115 4.53	150 5.91	150 5.91	140 5.51	140 5.51	120 4.72	110 4.33	100 3.94	100 3.94
Q202018ABI	188 × 188 × 173 7.40 × 7.40 × 6.81	Opaque	200 × 200 7.87 × 7.87	Q2020PI	160 × 160 6.30 × 6.30	Q2020EXTI	180 × 180 7.09 × 7.09	165 6.50	150 5.91	150 5.91	140 5.51	140 5.51	120 4.72	110 4.33	100 3.94	100 3.94
Q202018ABICC	200 × 200 × 180 7.87 × 7.87 × 7.09	Clear	200 × 200 7.87 × 7.87	Q2020PI	160 × 160 6.30 × 6.30	Q2020EXTI	180 × 180 7.09 × 7.09	165 6.50	150 5.91	150 5.91	140 5.51	140 5.51	120 4.72	110 4.33	100 3.94	100 3.94
Q302013ABI	300 × 200 × 123 11.81 × 7.87 × 4.84	Opaque	300 × 200 11.81 × 7.87	Q3020PI	260 × 160 10.24 × 6.30	Q3020EXTI	280 × 180 11.02 × 7.09	115 4.53	150 5.91	250 9.84	140 5.51	240 9.45	120 4.72	210 8.27	100 3.94	200 7.87
Q302013ABICC	300 × 200 × 130 11.81 × 7.87 × 5.12	Clear	300 × 200 11.81 × 7.87	Q3020PI	260 × 160 10.24 × 6.30	Q3020EXTI	280 × 180 11.02 × 7.09	115 4.53	150 5.91	250 9.84	140 5.51	240 9.45	120 4.72	210 8.27	100 3.94	200 7.87
Q302018ABI	288 × 188 × 173 11.34 × 7.40 × 6.81	Opaque	300 × 200 11.81 × 7.87	Q3020PI	260 × 160 10.24 × 6.30	Q3020EXTI	280 × 180 11.02 × 7.09	165 6.50	150 5.91	250 9.84	140 5.51	240 9.45	120 4.72	110 4.33	100 3.94	200 7.87
Q302018ABICC	300 × 200 × 180 11.81 × 7.87 × 7.09	Clear	300 × 200 11.81 × 7.87	Q3020PI	260 × 160 10.24 × 6.30	Q3020EXTI	280 × 180 11.02 × 7.09	165 6.50	150 5.91	250 9.84	140 5.51	240 9.45	120 4.72	110 4.33	100 3.94	200 7.87
Q303013ABI	288 × 288 × 123 11.34 × 11.34 × 4.84	Opaque	300 × 300 11.81 × 11.81	Q3030PI	260 × 260 10.24 × 10.24	Q3030EXTI	280 × 280 11.02 × 11.02	115 4.53	250 9.84	250 9.84	240 9.45	240 9.45	220 8.66	210 8.27	200 7.87	200 7.87
Q303013ABICC	300 × 300 × 130 11.81 × 11.81 × 5.12	Clear	300 × 300 11.81 × 11.81	Q3030PI	260 × 260 10.24 × 10.24	Q3030EXTI	280 × 280 11.02 × 11.02	115 4.53	250 9.84	250 9.84	240 9.45	240 9.45	220 8.66	210 8.27	200 7.87	200 7.87
Q303018ABI	288 × 288 × 173 11.34 × 11.34 × 6.81	Opaque	300 × 300 11.81 × 11.81	Q3030PI	260 × 260 10.24 × 10.24	Q3030EXTI	280 × 280 11.02 × 11.02	165 6.50	250 9.84	250 9.84	240 9.45	240 9.45	220 8.66	210 8.27	200 7.87	200 7.87
Q303018ABICC	300 × 300 × 180 11.81 × 11.81 × 7.09	Clear	300 × 300 11.81 × 11.81	Q3030PI	260 × 260 10.24 × 10.24	Q3030EXTI	280 × 280 11.02 × 11.02	165 6.50	250 9.84	250 9.84	240 9.45	240 9.45	220 8.66	210 8.27	200 7.87	200 7.87
Q402013ABI	388 × 188 × 123 15.28 × 7.40 × 4.84	Opaque	400 × 200 15.75 × 7.87	Q4020PI	360 × 160 14.17 × 6.30	Q4020EXTI	380 × 180 14.96 × 7.09	115 4.53	150 5.91	350 13.78	140 5.51	340 13.39	120 4.72	310 12.20	100 3.94	300 11.81
Q402013ABICC	400 × 200 × 130 15.75 × 7.87 × 5.12	Clear	400 × 200 15.75 × 7.87	Q4020PI	360 × 160 14.17 × 6.30	Q4020EXTI	380 × 180 14.96 × 7.09	115 4.53	150 5.91	350 13.78	140 5.51	340 13.39	120 4.72	310 12.20	100 3.94	300 11.81
Q402018ABI	388 × 188 × 173 15.28 × 7.40 × 6.81	Opaque	400 × 200 15.75 × 7.87	Q4020PI	360 × 160 14.17 × 6.30	Q4020EXTI	380 × 180 14.96 × 7.09	165 6.50	150 5.91	350 13.78	140 5.51	340 13.39	120 4.72	310 12.20	100 3.94	300 11.81
Q402018ABICC	400 × 200 × 180 15.75 × 7.87 × 7.09	Clear	400 × 200 15.75 × 7.87	Q4020PI	360 × 160 14.17 × 6.30	Q4020EXTI	380 × 180 14.96 × 7.09	165 6.50	150 5.91	350 13.78	140 5.51	340 13.39	120 4.72	310 12.20	100 3.94	300 11.81
Q403013ABI	388 × 288 × 123 15.28 × 11.34 × 4.84	Opaque	400 × 300 15.75 × 11.81	Q4030PI	360 × 260 14.17 × 10.24	Q4030EXTI	380 × 280 14.96 × 11.02	115 4.53	250 9.84	350 13.78	240 9.45	240 9.45	220 8.66	310 12.20	200 7.87	300 11.81
Q403013ABICC	400 × 300 × 130 15.75 × 11.81 × 5.12	Clear	400 × 300 15.75 × 11.81	Q4030PI	360 × 260 14.17 × 10.24	Q4030EXTI	380 × 280 14.96 × 11.02	115 4.53	250 9.84	350 13.78	240 9.45	240 9.45	220 8.66	310 12.20	200 7.87	300 11.81
Q403018ABI	388 × 288 × 173 15.28 × 11.34 × 6.81	Opaque	400 × 300 15.75 × 11.81	Q4030PI	360 × 260 14.17 × 10.24	Q4030EXTI	380 × 280 14.96 × 11.02	165 6.50	250 9.84	350 13.78	240 9.45	340 13.39	220 8.66	310 12.20	200 7.87	300 11.81
Q403018ABICC	400 × 300 × 180 15.75 × 11.81 × 7.09	Clear	400 × 300 15.75 × 11.81	Q4030PI	360 × 260 14.17 × 10.24	Q4030EXTI	380 × 280 14.96 × 11.02	165 6.50	250 9.84	350 13.78	240 9.45	340 13.39	220 8.66	310 12.20	200 7.87	300 11.81
Q404013ABI	394.02 × 394.02 × 123 15.51 × 15.51 × 4.84	Opaque	400 × 400 15.75 × 15.75	Q4040PI	360 × 360 14.17 × 14.17	Q4040EXTI	380 × 380 14.96 × 14.96	115 4.53	350 13.78	350 13.78	340 13.39	340 13.39	310 12.2	300 11.81	300 11.81	300 11.81
Q404013ABICC	394.02 × 394.02 × 123 15.51 × 15.51 × 4.84	Clear	400 × 400 15.75 × 15.75	Q4040PI	360 × 360 14.17 × 14.17	Q4040EXTI	380 × 380 14.96 × 14.96	115 4.53	350 13.78	350 13.78	340 13.39	340 13.39	310 12.2	300 11.81	300 11.81	300 11.81
Q404018ABI	394.02 × 394.02 × 178 15.51 × 15.51 × 7.01	Opaque	400 × 400 15.75 × 15.75	Q4040PI	360 × 360 14.17 × 14.17	Q4040EXTI	380 × 380 14.96 × 14.96	170 6.69	350 13.78	350 13.78	340 13.39	340 13.39	310 12.2	300 11.81	300 11.81	300 11.81
Q404018ABICC	394.02 × 394.02 × 178 15.51 × 15.51 × 7.01	Clear	400 × 400 15.75 × 15.75	Q4040PI	360 × 360 14.17 × 14.17	Q4040EXTI	380 × 380 14.96 × 14.96	170 6.69	350 13.78	350 13.78	340 13.39	340 13.39	310 12.2	300 11.81	300 11.81	300 11.81
Q603013ABI	600 × 300 × 130 23.62 × 11.81 × 5.12	Opaque	600 × 300 23.62 × 11.81	Q6030PI	560 × 260 22.05 × 10.24	Q6030EXTI	580 × 280 22.83 × 11.02	115 4.53	250 9.84	550 21.65	240 9.45	540 21.26	510 20.08	200 7.87	300 11.81	300 11.81
Q603013ABICC	600 × 300 × 130 23.62 × 11.81 × 5.12	Clear	600 × 300 23.62 × 11.81	Q6030PI	560 × 260 22.05 × 10.24	Q6030EXTI	580 × 280 22.83 × 11.02	115 4.53	250 9.84	550 21.65	240 9.45	540 21.26	510 20.08	200 7.87	300 11.81	300 11.81
Q603018ABI	600 × 300 × 180 23.62 × 11.81 × 7.09	Opaque	600 × 300 23.62 × 11.81	Q6030PI	560 × 260 22.05 × 10.24	Q6030EXTI	580 × 280 22.83 × 11.02	165 6.50	250 9.84	550 21.65	240 9.45	540 21.26	510 20.08	200 7.87	300 11.81	500 19.69
Q603018ABICC	600 × 300 × 180 23.62 × 11.81 × 7.09	Clear	600 × 300 23.62 × 11.81	Q6030PI	560 × 260 22.05 × 10.24	Q6030EXTI	580 × 280 22.83 × 11.02	165 6.50	250 9.84	550 21.65	240 9.45	540 21.26	510 20.08	200 7.87	300 11.81	500 19.69
Q604013ABI	600 × 400 × 130 23.62 × 15.75 × 5.12	Opaque	600 × 400 23.62 × 15.75	Q6040PI	560 × 360 22.05 × 14.17	Q6040EXTI	580 × 380 22.83 × 14.96	115 4.53	350 13.78	550 21.65	340 13.39	540 21.26	510 20.08	300 11.81	500 19.69	500 19.69
Q604013ABICC	600 × 400 × 130 23.62 × 15.75 × 5.12	Clear	600 × 400 23.62 × 15.75	Q6040PI	560 × 360 22.05 × 14.17	Q6040EXTI	580 × 380 22.83 × 14.96	115 4.53	350 13.78	550 21.65	340 13.39	540 21.26	510 20.08	300 11.81	500 19.69	500 19.69
Q604018ABI	600 × 400 × 180 23.62 × 15.75 × 7.09	Opaque	600 × 400 23.62 × 15.75	Q6040PI	560 × 360 22.05 × 14.17	Q6040EXTI	580 × 380 22.83 × 14.96	165 6.50	350 13.78	550 21.65	340 13.39	540 21.26	510 20.08	300 11.81	500 19.69	500 19.69
Q604018ABICC	600 × 400 × 180 23.62 × 15.75 × 7.09	Clear	600 × 400 23.62 × 15.75	Q6040PI	560 × 360 22.05 × 14.17	Q6040EXTI	580 × 380 22.83 × 14.96	165 6.50	350 13.78	550 21.65	340 13.39	540 21.26	510 20.08	300 11.81	500 19.69	500 19.69






TOP VIEW




BOTTOM VIEW




SECTION C-C

NOTE: Panel screws are M5 pan head.




OPTIONAL EXTENSION RING



TOP VIEW WITH COVER REMOVED

Accessories and Kits

COVER SCREW KIT




Screws are polyamide. Wing-headstyle screws provide rapid access to enclosure interior without requiring special tools to open. Kit includes four or six polyamide cover screws and four or eight self-tapping, plated panel screws. Tamper-resistant screws have molded 3-mm double-bit drive; kit includes four or six cover screws,

one key and four or eight self-tapping, plated panel screws. Use on all QLine I enclosures.

BULLETIN: Q41Y

Catalog Number	Description
QITSK	3-mm tamper-resistant double-bit
QITSK6	3 mm tamper-resistant double-bit kit of 6
QIWSK	Wing-head screw
QIWSK6	Wing-head screw kit of 6

BRASS INSERT KIT




Four M5 self-tapping brass inserts screw into molded pads in bottom of enclosure. Inserts have M3 internal thread.

BULLETIN: Q41Y

Catalog Number
QBIK

PANEL DEPTH FITTING



Panel Depth Fitting attaches to corner molded rails of enclosure to facilitate full-range front-to-back panel adjustment. Package includes four polyamide fittings and plated screws. Use on all QLine I enclosures.

BULLETIN: Q41Y

Catalog Number
QIPDF

SWING PANEL




Adjustable-depth aluminum and plastic swing panels, for use in QLine I polycarbonate enclosures, provide a convenient way to install controls and instruments near enclosure body opening while providing access and security. Suitable applications include water,

pulp and paper, petroleum and chemical processing, food, packaging and pharmaceutical applications.

BULLETIN: Q41Y

Catalog Number	Panel Size D x E mm/in	Fits Enclosure Size A x B mm/in	Hinged Side of Enclosure
QIHFP22A	186 x 180 7.32 x 7.09	200 x 200 7.87 x 7.87	200
QIHFP23A	186 x 280 7.32 x 11.02	300 x 200 11.81 x 7.87	200
QIHFP32A	286 x 180 11.26 x 7.09	300 x 200 11.81 x 7.87	300
QIHFP42A	386 x 180 15.20 x 7.09	400 x 200 15.75 x 7.87	400
QIHFP33A	286 x 280 11.26 x 11.02	300 x 300 11.81 x 11.81	300
QIHFP43A	386 x 280 15.20 x 11.02	400 x 300 15.75 x 11.81	400
QIHFP63A	586 x 280 23.07 x 11.02	600 x 300 23.62 x 11.81	600
QIHFP64A	586 x 380 23.07 x 14.96	600 x 400 23.62 x 15.75	600
QIHFP32P	286 x 180 11.26 x 7.09	300 x 200 11.81 x 7.87	300
QIHFP33P	286 x 280 11.26 x 11.02	300 x 300 11.81 x 11.81	300
QIHFP34P	286 x 380 11.26 x 14.96	300 x 400 11.81 x 15.75	300

HINGE KIT




Hinge Kit includes two polyamide hinges, eight M4 self-tapping plated screws, eight flat washers and drilling template.
Use on all QLine I enclosures.
Hinge Kit meets Type 4 requirements.
Three hinges required for 600-mm sides.

BULLETIN: Q41Y

Catalog Number
QIHK

MOUNTING BRACKET KIT




Mounting Bracket Kit has four polycarbonate brackets and four M3 self-tapping, plated screws.
Kit is field-installable.
Use on all QLine I Enclosures.
Maintains listed ratings for enclosure.

BULLETIN: Q41Y

Catalog Number
QIMFK

HARDWARE KIT




Hardware Kit includes four or six polyamide cover screws and four or eight self-tapping, plated panel screws.
This kit is offered as a replacement kit for lost or damaged hardware originally furnished with the enclosure.

BULLETIN: Q41Y

Catalog Number	Description
QIHK424	42 mm screws
QIHK426	42 mm screws kit of 6

EXTENSION RINGS




Extension rings can be added to QLine I enclosures to provide additional 50-mm to enclosure depth. Extension rings are polycarbonate and cannot be used with quick-release latches.

BULLETIN: Q41Y

Catalog Number	Use with Enclosure Catalog Number Beginning With
Q2020EXTI	Q2020
Q3020EXTI	Q3020
Q3030EXTI	Q3030
Q4020EXTI	Q4020
Q4030EXTI	Q4030
Q4040EXTI	Q4040
Q6030EXTI	Q6030
Q6040EXTI	Q6040

PANELS



Adjustable-depth Panels for use in QLine I polycarbonate enclosures, provide a convenient way to install controls and instruments in enclosure body opening while providing access and security.

BULLETIN: Q41Y

Catalog Number	Panel Size D x E (mm)	Panel Size D x E (in)
Q2020PI	160 x 160	6.30 x 6.30
Q3020PI	260 x 160	10.24 x 6.30
Q3030PI	260 x 260	10.24 x 10.24
Q4020PI	360 x 160	14.17 x 6.30
Q4030PI	360 x 260	14.17 x 10.24
Q4040PI	360 x 360	14.17 x 14.17
Q6030PI	560 x 260	22.05 x 10.24
Q6040PI	560 x 360	22.05 x 14.17

FIXING CLIP SET



The QLine I Fixing Clip Set is a stainless-steel mounting accessory designed for secure installation of Ensto thermoplastic enclosures. Manufactured from AISI 304 stainless steel, these fixing clips provide durable, corrosion-resistant support suitable for demanding industrial and outdoor environments.

Catalog Number	Description
QIMBK	Fixing Clip Set of 4 pcs

BULLETIN: Q41Y

QUICK RELEASE LATCH KIT



The QLine I Quick Release Latch kit is designed to provide secure and reliable closure for QLine I enclosures. This accessory ensures consistent enclosure sealing while allowing straightforward access for maintenance and servicing. This kit is offered as a replacement kit for lost or

damaged latches originally furnished with the enclosure.

Catalog Number	Description
QIQRRK	QLine I QR Latch Kit

BULLETIN: Q41Y

SLOTTED HINGE SCREW KIT



The QLine I Slotted Hinge Screw set is designed for use with QLine I enclosures. This accessory provides a secure and reliable method for fastening enclosure covers while preventing screw loss during opening and maintenance. The hinged design keeps the screws attached to the

cover, simplifying installation, servicing, and repeated access while maintaining enclosure integrity.

Catalog Number	Description
QISHB2	Hinged Slotted Screws, Blue, Set of 2

BULLETIN: Q41Y

POLE MOUNT KIT



The QLine I Pole Mounting Set is designed to securely mount QLine I enclosures to poles in outdoor and industrial installations. This mounting accessory provides a stable and reliable solution for applications where wall mounting is not feasible, such as infrastructure, utility, and

roadside installations.

Catalog Number	Fits enclosure width
QI30PMK	300

BULLETIN: Q41Y

VENTILATION DEVICES



High-performance ventilation and pressure equalization accessories designed to protect QLine enclosures from condensation, pressure changes, and environmental exposure while preserving enclosure integrity.

BULLETIN: Q41Y

Catalog Number	Product Description
QV0VD	Ventilation device M12 V0 4X
Q68VD	Ventilation device IP68 M12
Q55VD	Ventilation device IP55 4X



Our powerful portfolio of nVent brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE